

Michael Stumvoll

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10004101/publications.pdf>

Version: 2024-02-01

490
papers

62,603
citations

1612

108
h-index

1371

228
g-index

524
all docs

524
docs citations

524
times ranked

70933
citing authors

#	ARTICLE	IF	CITATIONS
1	Multiomics reveal unique signatures of human epiloic adipose tissue related to systemic insulin resistance. <i>Gut</i> , 2022, 71, 2179-2193.	6.1	12
2	Diet-induced Fasting Ghrelin Elevation Reflects the Recovery of Insulin Sensitivity and Visceral Adiposity Regression. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 336-345.	1.8	11
3	Interplay between adipose tissue secreted proteins, eating behavior and obesity. <i>European Journal of Nutrition</i> , 2022, 61, 885-899.	1.8	8
4	The effect of a high-polyphenol Mediterranean diet (Green-MED) combined with physical activity on age-related brain atrophy: the Dietary Intervention Randomized Controlled Trial Polyphenols Unprocessed Study (DIRECT PLUS). <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1270-1281.	2.2	27
5	Impairment of gut microbial biotin metabolism and host biotin status in severe obesity: effect of biotin and prebiotic supplementation on improved metabolism. <i>Gut</i> , 2022, 71, 2463-2480.	6.1	53
6	Association of serum uromodulin with adipokines in dependence of type 2 diabetes. <i>Cytokine</i> , 2022, 150, 155786.	1.4	2
7	Association of circulating MR-proADM with all-cause and cardiovascular mortality in the general population: Results from the KORA F4 cohort study. <i>PLoS ONE</i> , 2022, 17, e0262330.	1.1	5
8	Genome-wide meta-analysis of phytosterols reveals five novel loci and a detrimental effect on coronary atherosclerosis. <i>Nature Communications</i> , 2022, 13, 143.	5.8	17
9	Association of renin and aldosterone with glucose metabolism in a Western European population: the KORA F4/FF4 study. <i>BMJ Open Diabetes Research and Care</i> , 2022, 10, e002558.	1.2	5
10	The Brains Behind SGLT2 Inhibition. <i>Diabetes Care</i> , 2022, 45, 273-275.	4.3	2
11	Adipsin Serum Concentrations and Adipose Tissue Expression in People with Obesity and Type 2 Diabetes. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2222.	1.8	14
12	Microbiome and metabolome features of the cardiometabolic disease spectrum. <i>Nature Medicine</i> , 2022, 28, 303-314.	15.2	102
13	Association of C-Terminal Pro-Endothelin-1 with Mortality in the Population-Based KORA F4 Study. <i>Vascular Health and Risk Management</i> , 2022, Volume 18, 335-346.	1.0	1
14	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022, 5, .	2.0	17
15	DNA methylation patterns reflect individual's lifestyle independent of obesity. <i>Clinical and Translational Medicine</i> , 2022, 12, .	1.7	13
16	Serum uromodulin is inversely associated with biomarkers of subclinical inflammation in the population-based KORA F4 study. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1618-1625.	1.4	9
17	Effects of Hyperthyroidism on Adipose Tissue Activity and Distribution in Adults. <i>Thyroid</i> , 2021, 31, 519-527.	2.4	7
18	Higher BMI, but not obesity-related genetic polymorphisms, correlates with lower structural connectivity of the reward network in a population-based study. <i>International Journal of Obesity</i> , 2021, 45, 491-501.	1.6	16

#	ARTICLE	IF	CITATIONS
19	Early combination therapy delayed treatment escalation in newly diagnosed young-onset type 2 diabetes: A subanalysis of the <sc>VERIFY</sc> study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 245-251.	2.2	13
20	Circulating cell adhesion molecules in metabolically healthy obesity. <i>International Journal of Obesity</i> , 2021, 45, 331-336.	1.6	19
21	Effects of Diet-Modulated Autologous Fecal Microbiota Transplantation on Weight Regain. <i>Gastroenterology</i> , 2021, 160, 158-173.e10.	0.6	95
22	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , 2021, 12, 24.	5.8	87
23	Effect of green-Mediterranean diet on intrahepatic fat: the DIRECT PLUS randomised controlled trial. <i>Gut</i> , 2021, 70, 2085-2095.	6.1	120
24	The Effect of FGF21 and Its Genetic Variants on Food and Drug Cravings, Adipokines and Metabolic Traits. <i>Biomedicines</i> , 2021, 9, 345.	1.4	9
25	Lifestyle weight-loss intervention may attenuate methylation aging: the CENTRAL MRI randomized controlled trial. <i>Clinical Epigenetics</i> , 2021, 13, 48.	1.8	22
26	Effects of Cotadutide on Metabolic and Hepatic Parameters in Adults With Overweight or Obesity and Type 2 Diabetes: A 54-Week Randomized Phase 2b Study. <i>Diabetes Care</i> , 2021, 44, 1433-1442.	4.3	151
27	Effects of lifestyle interventions on epigenetic signatures of liver fat: Central randomized controlled trial. <i>Liver International</i> , 2021, 41, 2101-2111.	1.9	15
28	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021, 53, 840-860.	9.4	341
29	Circulating bacterial signature is linked to metabolic disease and shifts with metabolic alleviation after bariatric surgery. <i>Genome Medicine</i> , 2021, 13, 105.	3.6	14
30	MicroRNA miR-29b regulates diabetic aortic remodeling and stiffening. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 24, 188-199.	2.3	5
31	Analyzing the link between anxiety and eating behavior as a potential pathway to eating-related health outcomes. <i>Scientific Reports</i> , 2021, 11, 14717.	1.6	11
32	Identification of 371 genetic variants for age at first sex and birth linked to externalising behaviour. <i>Nature Human Behaviour</i> , 2021, 5, 1717-1730.	6.2	62
33	Leptin Improves Parameters of Brown Adipose Tissue Thermogenesis in Lipodystrophic Mice. <i>Nutrients</i> , 2021, 13, 2499.	1.7	4
34	Renal function and lipid metabolism are major predictors of circumpapillary retinal nerve fiber layer thickness—the LIFE-Adult Study. <i>BMC Medicine</i> , 2021, 19, 202.	2.3	16
35	Protein Intake, Metabolic Status and the Gut Microbiota in Different Ethnicities: Results from Two Independent Cohorts. <i>Nutrients</i> , 2021, 13, 3159.	1.7	6
36	Large-scale cis- and trans-eQTL analyses identify thousands of genetic loci and polygenic scores that regulate blood gene expression. <i>Nature Genetics</i> , 2021, 53, 1300-1310.	9.4	590

#	ARTICLE	IF	CITATIONS
37	Role of Kallikrein 7 in Body Weight and Fat Mass Regulation. <i>Biomedicines</i> , 2021, 9, 131.	1.4	6
38	The effect of green Mediterranean diet on cardiometabolic risk; a randomised controlled trial. <i>Heart</i> , 2021, 107, 1054-1061.	1.2	35
39	Leptin counteracts hypothermia in hypothyroidism through its pyrexia effects and by stabilizing serum thyroid hormone levels. <i>Molecular Metabolism</i> , 2021, 54, 101348.	3.0	9
40	The Effect of Weight-Loss Interventions on Cervical and Chin Subcutaneous Fat Depots; the CENTRAL Randomized Controlled Trial. <i>Nutrients</i> , 2021, 13, 3827.	1.7	0
41	Diabetes, Sports and Exercise. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2021, 129, S52-S59.	0.6	11
42	Combinatorial, additive and dose-dependent drug-microbiome associations. <i>Nature</i> , 2021, 600, 500-505.	13.7	102
43	Increased circulating cell-free DNA in insulin resistance. <i>Diabetes and Metabolism</i> , 2020, 46, 249-252.	1.4	5
44	Association between rapid weather changes and incidence of chiefly cardiovascular complaints in the emergency department. <i>American Journal of Emergency Medicine</i> , 2020, 38, 1604-1610.	0.7	3
45	Tamoxifen treatment causes early hepatic insulin resistance. <i>Acta Diabetologica</i> , 2020, 57, 495-498.	1.2	6
46	Insights from VERIFY: Early Combination Therapy Provides Better Glycaemic Durability Than a Stepwise Approach in Newly Diagnosed Type 2 Diabetes. <i>Diabetes Therapy</i> , 2020, 11, 2465-2476.	1.2	15
47	Identification of distinct transcriptome signatures of human adipose tissue from fifteen depots. <i>European Journal of Human Genetics</i> , 2020, 28, 1714-1725.	1.4	32
48	Nicotinamide Nucleotide Transhydrogenase (Nnt) is Related to Obesity in Mice. <i>Hormone and Metabolic Research</i> , 2020, 52, 877-881.	0.7	4
49	Imidazole propionate is increased in diabetes and associated with dietary patterns and altered microbial ecology. <i>Nature Communications</i> , 2020, 11, 5881.	5.8	122
50	DNA methylation signature in blood mirrors successful weight-loss during lifestyle interventions: the CENTRAL trial. <i>Genome Medicine</i> , 2020, 12, 97.	3.6	28
51	Increased Growth Differentiation Factor 15 in Patients with Hypoleptinemia-Associated Lipodystrophy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7214.	1.8	8
52	Statin therapy is associated with lower prevalence of gut microbiota dysbiosis. <i>Nature</i> , 2020, 581, 310-315.	13.7	283
53	Genetically programmed changes in transcription of the novel progranulin regulator. <i>Journal of Molecular Medicine</i> , 2020, 98, 1139-1148.	1.7	4
54	HLA Class II Allele Analyses Implicate Common Genetic Components in Type 1 and Non-Insulin-Treated Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e245-e254.	1.8	15

#	ARTICLE	IF	CITATIONS
55	A Human REPIN1 Gene Variant: Genetic Risk Factor for the Development of Nonalcoholic Fatty Liver Disease. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00114.	1.3	3
56	Adipocytokines are not associated with gestational diabetes mellitus but with pregnancy status. <i>Cytokine</i> , 2020, 131, 155088.	1.4	7
57	Adipose tissue derived bacteria are associated with inflammation in obesity and type 2 diabetes. <i>Gut</i> , 2020, 69, 1796-1806.	6.1	149
58	Developmentally Driven Changes in Adipogenesis in Different Fat Depots Are Related to Obesity. <i>Frontiers in Endocrinology</i> , 2020, 11, 138.	1.5	12
59	Pro-neurotensin depends on renal function and is related to all-cause mortality in chronic kidney disease. <i>European Journal of Endocrinology</i> , 2020, 183, 233-244.	1.9	11
60	Diabetes and Obesity. <i>Endocrinology</i> , 2020, , 1-49.	0.1	1
61	Prospective evaluation of aldosterone LC-MS/MS-specific cutoffs for the saline infusion test. <i>European Journal of Endocrinology</i> , 2020, 183, 191-201.	1.9	8
62	Metabolic effects of genetic variation in the human REPIN1 gene. <i>International Journal of Obesity</i> , 2019, 43, 821-831.	1.6	4
63	Risk of diabetes-associated diseases in subgroups of patients with recent-onset diabetes: a 5-year follow-up study. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 684-694.	5.5	364
64	Incretin Therapies: Current Use and Emerging Possibilities. , 2019, , 515-529.		0
65	Circulating Oxytocin Is Genetically Determined and Associated With Obesity and Impaired Glucose Tolerance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5621-5632.	1.8	14
66	Atg7 Knockdown Reduces Chemerin Secretion in Murine Adipocytes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5715-5728.	1.8	5
67	Clinical and lifestyle related factors influencing whole blood metabolite levels – A comparative analysis of three large cohorts. <i>Molecular Metabolism</i> , 2019, 29, 76-85.	3.0	26
68	Genome-wide association meta-analyses and fine-mapping elucidate pathways influencing albuminuria. <i>Nature Communications</i> , 2019, 10, 4130.	5.8	133
69	Glycaemic durability of an early combination therapy with vildagliptin and metformin versus sequential metformin monotherapy in newly diagnosed type 2 diabetes (VERIFY): a 5-year, multicentre, randomised, double-blind trial. <i>Lancet</i> , 2019, 394, 1519-1529.	6.3	210
70	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , 2019, 51, 1459-1474.	9.4	251
71	Association of Estradiol and Visceral Fat With Structural Brain Networks and Memory Performance in Adults. <i>JAMA Network Open</i> , 2019, 2, e196126.	2.8	29
72	(Epi)genetic regulation of CRTC1 in human eating behaviour and fat distribution. <i>EBioMedicine</i> , 2019, 44, 476-488.	2.7	12

#	ARTICLE	IF	CITATIONS
73	Exome-Derived Adiponectin-Associated Variants Implicate Obesity and Lipid Biology. <i>American Journal of Human Genetics</i> , 2019, 105, 15-28.	2.6	21
74	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019, 51, 957-972.	9.4	549
75	A pre-specified statistical analysis plan for the VERIFY study: Vildagliptin efficacy in combination with metformin for early treatment of T2DM. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2240-2247.	2.2	8
76	The beneficial effects of Mediterranean diet over low-fat diet may be mediated by decreasing hepatic fat content. <i>Journal of Hepatology</i> , 2019, 71, 379-388.	1.8	148
77	The Effect of <i>Wolffia globosa</i> Mankai, a Green Aquatic Plant, on Postprandial Glycemic Response: A Randomized Crossover Controlled Trial. <i>Diabetes Care</i> , 2019, 42, 1162-1169.	4.3	30
78	Maternal and fetal genetic effects on birth weight and their relevance to cardio-metabolic risk factors. <i>Nature Genetics</i> , 2019, 51, 804-814.	9.4	402
79	Circulating Adipokine VASPIN Is Associated with Serum Lipid Profiles in Humans. <i>Lipids</i> , 2019, 54, 203-210.	0.7	8
80	Neuroanatomical correlates of food addiction symptoms and body mass index in the general population. <i>Human Brain Mapping</i> , 2019, 40, 2747-2758.	1.9	41
81	A Green-Mediterranean Diet, Supplemented with Mankai Duckweed, Preserves Iron-Homeostasis in Humans and Is Efficient in Reversal of Anemia in Rats. <i>Journal of Nutrition</i> , 2019, 149, 1004-1011.	1.3	32
82	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019, 51, 452-469.	9.4	89
83	Leptin induces TNF α -dependent inflammation in acquired generalized lipodystrophy and combined Crohn's disease. <i>Nature Communications</i> , 2019, 10, 5629.	5.8	27
84	Beneficial effects of leptin substitution on impaired eating behavior in lipodystrophy are sustained beyond 150 weeks of treatment. <i>Cytokine</i> , 2019, 113, 400-404.	1.4	14
85	Leptin decreases circulating inflammatory IL6 and MCP1 in mice. <i>BioFactors</i> , 2019, 45, 43-48.	2.6	13
86	The brown fat-secreted adipokine neuregulin 4 is decreased in human and murine chronic kidney disease. <i>European Journal of Endocrinology</i> , 2019, 181, 151-159.	1.9	16
87	Diabetes and Obesity. <i>Endocrinology</i> , 2019, , 1-49.	0.1	0
88	Noradrenaline transporter availability on [11C]MRB PET predicts weight loss success in highly obese adults. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1618-1625.	3.3	7
89	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , 2018, 50, 559-571.	9.4	356
90	Diabetes and Obesity. <i>Endocrinology</i> , 2018, , 1-49.	0.1	0

#	ARTICLE	IF	CITATIONS
91	White matter microstructural variability mediates the relation between obesity and cognition in healthy adults. <i>NeuroImage</i> , 2018, 172, 239-249.	2.1	67
92	The effect of long-term weight-loss intervention strategies on the dynamics of pancreatic-fat and morphology: An MRI RCT study. <i>Clinical Nutrition ESPEN</i> , 2018, 24, 82-89.	0.5	17
93	Effect of wine on carotid atherosclerosis in type 2 diabetes: a 2-year randomized controlled trial. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 871-878.	1.3	14
94	Genome-wide meta-analysis identifies novel determinants of circulating serum progranulin. <i>Human Molecular Genetics</i> , 2018, 27, 546-558.	1.4	15
95	Effects of resveratrol on memory performance, hippocampus connectivity and microstructure in older adults – A randomized controlled trial. <i>NeuroImage</i> , 2018, 174, 177-190.	2.1	63
96	Relationship Between 12 Adipocytokines and Distinct Components of the Metabolic Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1015-1023.	1.8	55
97	Changes of renal sinus fat and renal parenchymal fat during an 18-month randomized weight loss trial. <i>Clinical Nutrition</i> , 2018, 37, 1145-1153.	2.3	35
98	Genome-wide association study identifies inversion in the <i>CTRB1-CTRB2</i> locus to modify risk for alcoholic and non-alcoholic chronic pancreatitis. <i>Gut</i> , 2018, 67, 1855-1863.	6.1	97
99	Ablation of kallikrein 7 (KLK7) in adipose tissue ameliorates metabolic consequences of high-fat diet-induced obesity by counteracting adipose tissue inflammation in vivo. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 727-742.	2.4	26
100	Gray matter structural networks are associated with cardiovascular risk factors in healthy older adults. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 360-372.	2.4	29
101	Serum concentrations of fetuin B in lipodystrophic patients. <i>Cytokine</i> , 2018, 106, 165-168.	1.4	5
102	Effect of Distinct Lifestyle Interventions on Mobilization of Fat Storage Pools. <i>Circulation</i> , 2018, 137, 1143-1157.	1.6	185
103	Liver-specific Repin1 deficiency impairs transient hepatic steatosis in liver regeneration. <i>Scientific Reports</i> , 2018, 8, 16858.	1.6	13
104	Insulin translates unfavourable lifestyle into obesity. <i>BMC Medicine</i> , 2018, 16, 232.	2.3	64
105	Effects of Weight Loss on Glutathione Peroxidase 3 Serum Concentrations and Adipose Tissue Expression in Human Obesity. <i>Obesity Facts</i> , 2018, 11, 475-490.	1.6	42
106	Gene expression profiling in adipose tissue of Sprague Dawley rats identifies olfactory receptor 984 as a potential obesity treatment target. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 801-806.	1.0	6
107	Twice the benefits with twincretins?. <i>Lancet, The</i> , 2018, 392, 2142-2144.	6.3	5
108	Diabetes and Obesity. <i>Endocrinology</i> , 2018, , 1-49.	0.1	3

#	ARTICLE	IF	CITATIONS
109	MEDI0382, a GLP-1 and glucagon receptor dual agonist, in obese or overweight patients with type 2 diabetes: a randomised, controlled, double-blind, ascending dose and phase 2a study. <i>Lancet</i> , The, 2018, 391, 2607-2618.	6.3	227
110	DNA methylation of <i>SSPN</i> is linked to adipose tissue distribution and glucose metabolism. <i>FASEB Journal</i> , 2018, 32, 6898-6910.	0.2	6
111	Long-term Relapse of Type 2 Diabetes After Roux-en-Y Gastric Bypass: Prediction and Clinical Relevance. <i>Diabetes Care</i> , 2018, 41, 2086-2095.	4.3	90
112	Leptin restores markers of female fertility in lipodystrophy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 3292-3297.	1.8	2
113	Widely Used Commercial ELISA Does Not Detect Precursor of Haptoglobin2, but Recognizes Properdin as a Potential Second Member of the Zonulin Family. <i>Frontiers in Endocrinology</i> , 2018, 9, 22.	1.5	81
114	Vaspin suppresses cytokine-induced inflammation in 3T3-L1 adipocytes via inhibition of NF κ B pathway. <i>Molecular and Cellular Endocrinology</i> , 2018, 460, 181-188.	1.6	40
115	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018, 50, 26-41.	9.4	286
116	Regulation of the novel adipokines/ hepatokines fetuin A and fetuin B in gestational diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2017, 68, 88-94.	1.5	50
117	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017, 542, 186-190.	13.7	544
118	Central noradrenaline transporter availability in highly obese, non-depressed individuals. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1056-1064.	3.3	50
119	Adipocyte and epidermal fatty acid-binding protein serum concentrations in patients with lipodystrophy. <i>Cytokine</i> , 2017, 92, 20-23.	1.4	5
120	Intrahepatic fat, abdominal adipose tissues, and metabolic state: magnetic resonance imaging study. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2888.	1.7	14
121	FSTL3 is increased in renal dysfunction. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1637-1644.	0.4	18
122	Higher body mass index is associated with reduced posterior default mode connectivity in older adults. <i>Human Brain Mapping</i> , 2017, 38, 3502-3515.	1.9	56
123	An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. <i>Diabetes</i> , 2017, 66, 2888-2902.	0.3	615
124	Brown adipose tissue (BAT) specific vaspin expression is increased after obesogenic diets and cold exposure and linked to acute changes in DNA-methylation. <i>Molecular Metabolism</i> , 2017, 6, 482-493.	3.0	29
125	Dietary Assessment in the MetaCardis Study: Development and Relative Validity of an Online Food Frequency Questionnaire. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017, 117, 878-888.	0.4	32
126	Effects of initiating moderate wine intake on abdominal adipose tissue in adults with type 2 diabetes: a 2-year randomized controlled trial. <i>Public Health Nutrition</i> , 2017, 20, 549-555.	1.1	21

#	ARTICLE	IF	CITATIONS
127	IRS1 DNA promoter methylation and expression in human adipose tissue are related to fat distribution and metabolic traits. <i>Scientific Reports</i> , 2017, 7, 12369.	1.6	16
128	Facial soft tissue volume decreases during metreleptin treatment in patients with partial and generalized lipodystrophy. <i>Endocrine</i> , 2017, 58, 262-266.	1.1	5
129	Effects of psychological eating behaviour domains on the association between socio-economic status and BMI. <i>Public Health Nutrition</i> , 2017, 20, 2706-2712.	1.1	17
130	Dynamics of intrapericardial and extrapericardial fat tissues during long-term, dietary-induced, moderate weight loss. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 984-995.	2.2	27
131	Genome-wide DNA promoter methylation and transcriptome analysis in human adipose tissue unravels novel candidate genes for obesity. <i>Molecular Metabolism</i> , 2017, 6, 86-100.	3.0	84
132	[P3â€“139]: IMMUNE CELL POPULATIONS ARE ASSOCIATED WITH HUMAN HIPPOCAMPUS VOLUME. <i>Alzheimer's and Dementia</i> , 2017, 13, P988.	0.4	0
133	[P3â€“357]: ASSOCIATION OF HIPPOCAMPAL VOLUMES WITH COGNITIVE TASKS IN A LARGE POPULATIONâ€BASED COHORT. <i>Alzheimer's and Dementia</i> , 2017, 13, P1092.	0.4	0
134	Lipodystrophie-Erkrankungen. <i>Medizinische Genetik</i> , 2017, 29, 374-388.	0.1	3
135	Stability of BDNF in Human Samples Stored Up to 6 Months and Correlations of Serum and EDTA-Plasma Concentrations. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1189.	1.8	40
136	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , 2017, 14, e1002383.	3.9	341
137	Intramyocellular triacylglycerol accumulation across weight loss strategies; Sub-study of the CENTRAL trial. <i>PLoS ONE</i> , 2017, 12, e0188431.	1.1	10
138	Random Projection for Fast and Efficient Multivariate Correlation Analysis of High-Dimensional Data: A New Approach. <i>Frontiers in Genetics</i> , 2016, 7, 102.	1.1	5
139	Apolipoprotein E allele frequencies in chronic and selfâ€limited hepatitis C suggest a protective effect of <i>APOE4</i> in the course of hepatitis C virus infection. <i>Liver International</i> , 2016, 36, 1267-1274.	1.9	29
140	Circulating serum chemerin levels are elevated in lipodystrophy. <i>Clinical Endocrinology</i> , 2016, 84, 932-938.	1.2	8
141	Thyroid hormone status defines brown adipose tissue activity and browning of white adipose tissues in mice. <i>Scientific Reports</i> , 2016, 6, 38124.	1.6	71
142	P3-086: FTO is Not Related to Imaging Parameters of the Hippocampus: A Volumetric and Diffusion Tensor Imaging Study. , 2016, 12, P851-P851.		0
143	Novel peroxisome proliferatorâ€activated receptor gamma mutation in a family with familial partial lipodystrophy type 3. <i>Clinical Endocrinology</i> , 2016, 84, 141-148.	1.2	8
144	Leptin Within the Subphysiological to Physiological Range Dose Dependently Improves Male Reproductive Function in an Obesity Mouse Model. <i>Endocrinology</i> , 2016, 157, 2461-2468.	1.4	30

#	ARTICLE	IF	CITATIONS
145	Central serotonin transporter availability in highly obese individuals compared with non-obese controls: A [¹¹ C] DASB positron emission tomography study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1096-1104.	3.3	22
146	Excess maternal transmission of variants in the THADA gene to offspring with type 2 diabetes. <i>Diabetologia</i> , 2016, 59, 1702-1713.	2.9	19
147	Leptin Substitution in Patients With Lipodystrophy: Neural Correlates for Long-term Success in the Normalization of Eating Behavior. <i>Diabetes</i> , 2016, 65, 2179-2186.	0.3	28
148	Progranulin is increased in human and murine lipodystrophy. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, 1-7.	1.1	11
149	Genome-wide associations for birth weight and correlations with adult disease. <i>Nature</i> , 2016, 538, 248-252.	13.7	406
150	Genomewide meta-analysis identifies loci associated with IGF and IGFBP levels with impact on age-related traits. <i>Aging Cell</i> , 2016, 15, 811-824.	3.0	83
151	Fat depot-specific expression of H _{OX} C ₉ and H _{OX} C ₁₀ may contribute to adverse fat distribution and related metabolic traits. <i>Obesity</i> , 2016, 24, 51-59.	1.5	35
152	Bone morphogenetic protein 2 (BMP2) may contribute to partition of energy storage into visceral and subcutaneous fat depots. <i>Obesity</i> , 2016, 24, 2092-2100.	1.5	53
153	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357.	5.8	74
154	Genome-Wide Association Study of the Modified Stumvoll Insulin Sensitivity Index Identifies BCL2 and FAM19A2 as Novel Insulin Sensitivity Loci. <i>Diabetes</i> , 2016, 65, 3200-3211.	0.3	67
155	Genomic insights into the origin of farming in the ancient Near East. <i>Nature</i> , 2016, 536, 419-424.	13.7	733
156	Repin1 deficiency improves insulin sensitivity and glucose metabolism in db/db mice by reducing adipose tissue mass and inflammation. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 398-402.	1.0	9
157	Intermuscular adipose tissue and thigh muscle area dynamics during an 18-month randomized weight loss trial. <i>Journal of Applied Physiology</i> , 2016, 121, 518-527.	1.2	13
158	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. <i>Nature Genetics</i> , 2016, 48, 1462-1472.	9.4	284
159	Hypoxia-inducible factor 3A gene expression and methylation in adipose tissue is related to adipose tissue dysfunction. <i>Scientific Reports</i> , 2016, 6, 27969.	1.6	49
160	Serum concentrations of fibroblast growth factor 21 are elevated in patients with congenital or acquired lipodystrophy. <i>Cytokine</i> , 2016, 83, 239-244.	1.4	18
161	Opposing Effects of Antidiabetic Interventions on Malignant Growth and Metastasis. <i>Cell Metabolism</i> , 2016, 23, 959-960.	7.2	7
162	Functional neuroimaging in obesity and the potential for development of novel treatments. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 695-705.	5.5	36

#	ARTICLE	IF	CITATIONS
163	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. <i>Nature Communications</i> , 2016, 7, 10495.	5.8	245
164	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016, 7, 10023.	5.8	412
165	Higher body mass index in older adults is associated with lower gray matter volume: implications for memory performance. <i>Neurobiology of Aging</i> , 2016, 40, 1-10.	1.5	84
166	Circulating progranulin but not renal progranulin expression is increased in renal dysfunction. <i>Kidney International</i> , 2015, 88, 1197-1198.	2.6	8
167	Extensive weight loss reveals distinct gene expression changes in human subcutaneous and visceral adipose tissue. <i>Scientific Reports</i> , 2015, 5, 14841.	1.6	62
168	Effects of Initiating Moderate Alcohol Intake on Cardiometabolic Risk in Adults With Type 2 Diabetes. <i>Annals of Internal Medicine</i> , 2015, 163, 569-579.	2.0	151
169	Components of a Mediterranean diet and their impact on cognitive functions in aging. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 132.	1.7	71
170	Physical exercise in overweight to obese individuals induces metabolic- and neurotrophic-related structural brain plasticity. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 372.	1.0	61
171	Signatures of Natural Selection at the FTO (Fat Mass and Obesity Associated) Locus in Human Populations. <i>PLoS ONE</i> , 2015, 10, e0117093.	1.1	11
172	Inflammatory Cytokines in General and Central Obesity and Modulating Effects of Physical Activity. <i>PLoS ONE</i> , 2015, 10, e0121971.	1.1	296
173	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	1.5	331
174	Integration of Genome-Wide SNP Data and Gene-Expression Profiles Reveals Six Novel Loci and Regulatory Mechanisms for Amino Acids and Acylcarnitines in Whole Blood. <i>PLoS Genetics</i> , 2015, 11, e1005510.	1.5	41
175	Eating Behaviour in the General Population: An Analysis of the Factor Structure of the German Version of the Three-Factor-Eating-Questionnaire (TFEQ) and Its Association with the Body Mass Index. <i>PLoS ONE</i> , 2015, 10, e0133977.	1.1	69
176	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196.	13.7	1,328
177	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	13.7	3,823
178	Telomere length differences between subcutaneous and visceral adipose tissue in humans. <i>Biochemical and Biophysical Research Communications</i> , 2015, 457, 426-432.	1.0	49
179	Role of genetic variants in ADIPOQ in human eating behavior. <i>Genes and Nutrition</i> , 2015, 10, 449.	1.2	32
180	Serum levels of sclerostin in cardiometabolic disorders during pregnancy. <i>Cytokine</i> , 2015, 76, 591-593.	1.4	7

#	ARTICLE	IF	CITATIONS
181	Age- and gender-specific norms for the German version of the Three-Factor Eating-Questionnaire (TFEQ). <i>Appetite</i> , 2015, 91, 241-247.	1.8	31
182	The adipokine preadipocyte factor-1 is downregulated in preeclampsia and expressed in placenta. <i>Cytokine</i> , 2015, 75, 338-343.	1.4	10
183	Tamoxifen affects glucose and lipid metabolism parameters, causes browning of subcutaneous adipose tissue and transient body composition changes in C57BL/6NTac mice. <i>Biochemical and Biophysical Research Communications</i> , 2015, 464, 724-729.	1.0	55
184	Circulating adipocyte fatty acid-binding protein induces insulin resistance in mice <i>in vivo</i> . <i>Obesity</i> , 2015, 23, 1007-1013.	1.5	40
185	Genetic variants in AKR1B10 associate with human eating behavior. <i>BMC Genetics</i> , 2015, 16, 31.	2.7	7
186	Betatrophin levels are increased in women with gestational diabetes mellitus compared to healthy pregnant controls. <i>European Journal of Endocrinology</i> , 2015, 173, 1-7.	1.9	156
187	DNA 5-hydroxymethylation in human adipose tissue differs between subcutaneous and visceral adipose tissue depots. <i>Epigenomics</i> , 2015, 7, 911-920.	1.0	7
188	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. <i>BMC Public Health</i> , 2015, 15, 691.	1.2	287
189	A novel <i>FoxD3</i> Variant Is Associated With Vitiligo and Elevated Thyroid Auto-Antibodies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E1335-E1342.	1.8	20
190	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015, 47, 1415-1425.	9.4	365
191	Association between genetic variants in <i>PNPLA3</i> and serum adiponectin. <i>Liver International</i> , 2015, 35, 679-680.	1.9	1
192	Serum levels of the adipokine Pref-1 in gestational diabetes mellitus. <i>Cytokine</i> , 2015, 71, 161-164.	1.4	16
193	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015, 20, 647-656.	4.1	235
194	Indications for Potential Parent-of-Origin Effects within the FTO Gene. <i>PLoS ONE</i> , 2015, 10, e0119206.	1.1	7
195	ADCY5 Gene Expression in Adipose Tissue Is Related to Obesity in Men and Mice. <i>PLoS ONE</i> , 2015, 10, e0120742.	1.1	28
196	Di-(2-Ethylhexyl)-Phthalate (DEHP) Causes Impaired Adipocyte Function and Alters Serum Metabolites. <i>PLoS ONE</i> , 2015, 10, e0143190.	1.1	61
197	Impact of Type 2 Diabetes Susceptibility Variants on Quantitative Glycemic Traits Reveals Mechanistic Heterogeneity. <i>Diabetes</i> , 2014, 63, 2158-2171.	0.3	297
198	A Central Role for GRB10 in Regulation of Islet Function in Man. <i>PLoS Genetics</i> , 2014, 10, e1004235.	1.5	164

#	ARTICLE	IF	CITATIONS
199	Genome Wide Meta-analysis Highlights the Role of Genetic Variation in RARRES2 in the Regulation of Circulating Serum Chemerin. <i>PLoS Genetics</i> , 2014, 10, e1004854.	1.5	31
200	Serum levels of fibroblast growth factor-21 are increased in chronic and acute renal dysfunction. <i>Clinical Endocrinology</i> , 2014, 80, 918-924.	1.2	70
201	Global DNA methylation levels in human adipose tissue are related to fat distribution and glucose homeostasis. <i>Diabetologia</i> , 2014, 57, 2374-2383.	2.9	42
202	Adipokines in gestational diabetes. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 488-499.	5.5	173
203	Serum levels of irisin in gestational diabetes mellitus during pregnancy and after delivery. <i>Cytokine</i> , 2014, 65, 153-158.	1.4	75
204	Fas and FasL Expression in Human Adipose Tissue Is Related to Obesity, Insulin Resistance, and Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E36-E44.	1.8	42
205	Liver-Restricted Repin1 Deficiency Improves Whole-Body Insulin Sensitivity, Alters Lipid Metabolism, and Causes Secondary Changes in Adipose Tissue in Mice. <i>Diabetes</i> , 2014, 63, 3295-3309.	0.3	24
206	Identification of genetic loci associated with different responses to high-fat diet-induced obesity in C57BL/6N and C57BL/6J substrains. <i>Physiological Genomics</i> , 2014, 46, 377-384.	1.0	31
207	Serum levels of the myokine irisin in relation to metabolic and renal function. <i>European Journal of Endocrinology</i> , 2014, 170, 501-506.	1.9	114
208	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	9.4	1,818
209	Adipose tissue depot specific promoter methylation of TMEM18. <i>Journal of Molecular Medicine</i> , 2014, 92, 881-888.	1.7	21
210	Cytokine levels in depressed and non-depressed subjects, and masking effects of obesity. <i>Journal of Psychiatric Research</i> , 2014, 55, 29-34.	1.5	127
211	Identification of Adipokine Clusters Related to Parameters of Fat Mass, Insulin Sensitivity and Inflammation. <i>PLoS ONE</i> , 2014, 9, e99785.	1.1	107
212	Increased Chromogranin a and Carcinoid Syndrome-Like Symptoms in a Patient Treated with Duloxetine. <i>Endocrine Practice</i> , 2014, 20, 215-218.	1.1	3
213	Analysis of a rare functional truncating mutation rs61757459 in vaspin (SERPINA12) on circulating vaspin levels. <i>Journal of Molecular Medicine</i> , 2013, 91, 1285-1292.	1.7	6
214	The polygenetically inherited metabolic syndrome of male WOKW rats is associated with enhanced autophagy in adipose tissue. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 23.	1.2	14
215	Vaspin inhibits kallikrein 7 by serpin mechanism. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 2569-2583.	2.4	125
216	Meta-analysis of Gene-Level Associations for Rare Variants Based on Single-Variant Statistics. <i>American Journal of Human Genetics</i> , 2013, 93, 236-248.	2.6	60

#	ARTICLE	IF	CITATIONS
217	Adiponectin promotes the migration of circulating angiogenic cells through p38-mediated induction of the CXCR4 receptor. <i>International Journal of Cardiology</i> , 2013, 167, 2039-2046.	0.8	12
218	Genetic analyses of bone morphogenetic protein 2, 4 and 7 in congenital combined pituitary hormone deficiency. <i>BMC Endocrine Disorders</i> , 2013, 13, 56.	0.9	9
219	Exenatide-Induced Reduction in Energy Intake Is Associated With Increase in Hypothalamic Connectivity. <i>Diabetes Care</i> , 2013, 36, 1933-1940.	4.3	68
220	Serum levels of the adipokine fibroblast growth factor-21 are increased in preeclampsia. <i>Cytokine</i> , 2013, 62, 322-326.	1.4	35
221	Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. <i>Nature Genetics</i> , 2013, 45, 145-154.	9.4	675
222	Serum levels of growth arrest specific protein 6 are increased in preeclampsia. <i>Regulatory Peptides</i> , 2013, 182, 7-11.	1.9	28
223	Variants in CPA1 are strongly associated with early onset chronic pancreatitis. <i>Nature Genetics</i> , 2013, 45, 1216-1220.	9.4	255
224	Common Variants in Mendelian Kidney Disease Genes and Their Association with Renal Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 2105-2117.	3.0	33
225	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013, 45, 501-512.	9.4	578
226	Contemporary paternal genetic landscape of Polish and German populations: from early medieval Slavic expansion to post-World War II resettlements. <i>European Journal of Human Genetics</i> , 2013, 21, 415-422.	1.4	41
227	Insulin Administration Acutely Decreases Vaspin Serum Concentrations in Humans. <i>Obesity Facts</i> , 2013, 6, 86-88.	1.6	13
228	Abdominal fat distribution and its relationship to brain changes: the differential effects of age on cerebellar structure and function: a cross-sectional, exploratory study. <i>BMJ Open</i> , 2013, 3, e001915.	0.8	35
229	Effects of Weight Loss and Exercise on Apelin Serum Concentrations and Adipose Tissue Expression in Human Obesity. <i>Obesity Facts</i> , 2013, 6, 57-69.	1.6	102
230	Serum Levels of the Adipokine Progranulin Depend on Renal Function. <i>Diabetes Care</i> , 2013, 36, 410-414.	4.3	52
231	THOC5: a novel gene involved in HDL-cholesterol metabolism. <i>Journal of Lipid Research</i> , 2013, 54, 3170-3176.	2.0	15
232	Renal Function Following Three Distinct Weight Loss Dietary Strategies During 2 Years of a Randomized Controlled Trial. <i>Diabetes Care</i> , 2013, 36, 2225-2232.	4.3	86
233	Fibroblast growth factor-21 serum concentrations are associated with metabolic and hepatic markers in humans. <i>Journal of Endocrinology</i> , 2013, 216, 135-143.	1.2	65
234	The role of rs2237781 within <i>GRM8</i> in eating behavior. <i>Brain and Behavior</i> , 2013, 3, 495-502.	1.0	14

#	ARTICLE	IF	CITATIONS
235	Nicotinamide nucleotide transhydrogenase mRNA expression is related to human obesity. <i>Obesity</i> , 2013, 21, 529-534.	1.5	17
236	<i>CFTR</i>,<i>SPINK1</i>,<i>CTRC</i>and<i>PRSS1</i>variants in chronic pancreatitis: is the role of mutated<i>CFTR</i>overestimated?. <i>Gut</i> , 2013, 62, 582-592.	6.1	168
237	New loci associated with birth weight identify genetic links between intrauterine growth and adult height and metabolism. <i>Nature Genetics</i> , 2013, 45, 76-82.	9.4	293
238	Genetic and functional identification of the likely causative variant for cholesterol gallstone disease at the<i>ABCG5/8</i>lithogenic locus. <i>Hepatology</i> , 2013, 57, 2407-2417.	3.6	74
239	An ACACB Variant Implicated in Diabetic Nephropathy Associates with Body Mass Index and Gene Expression in Obese Subjects. <i>PLoS ONE</i> , 2013, 8, e56193.	1.1	11
240	TAS2R38 and Its Influence on Smoking Behavior and Glucose Homeostasis in the German Sorbs. <i>PLoS ONE</i> , 2013, 8, e80512.	1.1	48
241	Serum Levels of Acylcarnitines Are Altered in Prediabetic Conditions. <i>PLoS ONE</i> , 2013, 8, e82459.	1.1	160
242	Role of Vaspin in Human Eating Behaviour. <i>PLoS ONE</i> , 2013, 8, e54140.	1.1	11
243	Common Genetic Variation near MC4R Has a Sex-Specific Impact on Human Brain Structure and Eating Behavior. <i>PLoS ONE</i> , 2013, 8, e74362.	1.1	41
244	Genome-Wide Association and Functional Follow-Up Reveals New Loci for Kidney Function. <i>PLoS Genetics</i> , 2012, 8, e1002584.	1.5	166
245	Surprising thoracic tumour mass. <i>Emergency Medicine Journal</i> , 2012, 29, 338-338.	0.4	0
246	Serum Levels of Adipocyte Fatty Acidâ€“Binding Protein Are Decreased in Chronic Pancreatitis. <i>Pancreas</i> , 2012, 41, 1230-1234.	0.5	2
247	Integration of genome-wide association studies with biological knowledge identifies six novel genes related to kidney function. <i>Human Molecular Genetics</i> , 2012, 21, 5329-5343.	1.4	64
248	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. <i>Nature Genetics</i> , 2012, 44, 991-1005.	9.4	746
249	Substantial Increase in Incidence of Severe Hypoglycemia Between 1997â€“2000 and 2007â€“2010. <i>Diabetes Care</i> , 2012, 35, 972-975.	4.3	72
250	No Interactions Between Previously Associated 2-Hour Glucose Gene Variants and Physical Activity or BMI on 2-Hour Glucose Levels. <i>Diabetes</i> , 2012, 61, 1291-1296.	0.3	23
251	Circulating anandamide and blood pressure in patients with obstructive sleep apnea. <i>Journal of Hypertension</i> , 2012, 30, 2345-2351.	0.3	33
252	Seventy-five genetic loci influencing the human red blood cell. <i>Nature</i> , 2012, 492, 369-375.	13.7	320

#	ARTICLE	IF	CITATIONS
253	Exercise training restores the endothelial response to vascular growth factors in patients with stable coronary artery disease. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 412-418.	0.8	27
254	Two Patterns of Adipokine and Other Biomarker Dynamics in a Long-Term Weight Loss Intervention. <i>Diabetes Care</i> , 2012, 35, 342-349.	4.3	114
255	Genome-wide meta-analysis of common variant differences between men and women. <i>Human Molecular Genetics</i> , 2012, 21, 4805-4815.	1.4	33
256	C57BL/6JRj mice are protected against diet induced obesity (DIO). <i>Biochemical and Biophysical Research Communications</i> , 2012, 417, 717-720.	1.0	14
257	FTO genotype is associated with phenotypic variability of body mass index. <i>Nature</i> , 2012, 490, 267-272.	13.7	383
258	Genetics of adiponectin. <i>Biochimie</i> , 2012, 94, 2157-2163.	1.3	39
259	The Ser1369Ala variant of <i>ABCC8</i> and the risk for severe sulfonylurea-induced hypoglycemia in German patients with Type 2 diabetes. <i>Pharmacogenomics</i> , 2012, 13, 5-7.	0.6	16
260	Genetic Analyses of Heme Oxygenase 1 (HMOX1) in Different Forms of Pancreatitis. <i>PLoS ONE</i> , 2012, 7, e37981.	1.1	5
261	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycaemic traits and insulin resistance. <i>Nature Genetics</i> , 2012, 44, 659-669.	9.4	762
262	Effects of weight loss and exercise on chemerin serum concentrations and adipose tissue expression in human obesity. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 706-714.	1.5	191
263	Dietary intervention induces flow of changes within biomarkers of lipids, inflammation, liver enzymes, and glycaemic control. <i>Nutrition</i> , 2012, 28, 131-137.	1.1	9
264	A Common Variant of PNPLA3 (p.I148M) Is Not Associated with Alcoholic Chronic Pancreatitis. <i>PLoS ONE</i> , 2012, 7, e29433.	1.1	15
265	COMP-Angiopoietin-1 Recovers Molecular Biomarkers of Neuropathy and Improves Vascularisation in Sciatic Nerve of ob/ob Mice. <i>PLoS ONE</i> , 2012, 7, e32881.	1.1	38
266	New gene functions in megakaryopoiesis and platelet formation. <i>Nature</i> , 2011, 480, 201-208.	13.7	401
267	Obesity-Related Differences between Women and Men in Brain Structure and Goal-Directed Behavior. <i>Frontiers in Human Neuroscience</i> , 2011, 5, 58.	1.0	127
268	Reduced Food Intake and Body Weight in Mice Deficient for the G Protein-Coupled Receptor GPR82. <i>PLoS ONE</i> , 2011, 6, e29400.	1.1	21
269	The Effect of ACACB cis-Variants on Gene Expression and Metabolic Traits. <i>PLoS ONE</i> , 2011, 6, e23860.	1.1	25
270	Successful Simultaneous Pancreas Kidney Transplantation in Maturity-Onset Diabetes of the Young Type 5. <i>Transplantation</i> , 2011, 92, e45-e47.	0.5	3

#	ARTICLE	IF	CITATIONS
271	Genetic variation in the Sorbs of eastern Germany in the context of broader European genetic diversity. <i>European Journal of Human Genetics</i> , 2011, 19, 995-1001.	1.4	59
272	Serum levels of the adipokine chemerin are increased in preeclampsia during and 6 months after pregnancy. <i>Regulatory Peptides</i> , 2011, 168, 69-72.	1.9	77
273	Effects of SLC10A2 variant rs9514089 on gallstone risk and serum cholesterol levels- meta-analysis of three independent cohorts. <i>BMC Medical Genetics</i> , 2011, 12, 149.	2.1	11
274	TCF7L2 and therapeutic response to sulfonylureas in patients with type 2 diabetes. <i>BMC Medical Genetics</i> , 2011, 12, 30.	2.1	66
275	Population-genetic comparison of the Sorbian isolate population in Germany with the German KORA population using genome-wide SNP arrays. <i>BMC Genetics</i> , 2011, 12, 67.	2.7	26
276	Peptide hormones regulating appetite—focus on neuroimaging studies in humans. <i>Diabetes/Metabolism Research and Reviews</i> , 2011, 27, 104-112.	1.7	56
277	CUBN Is a Gene Locus for Albuminuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 555-570.	3.0	208
278	Effects of a 2-y dietary weight-loss intervention on cholesterol metabolism in moderately obese men. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1189-1195.	2.2	15
279	Sequence variants at CYP1A1 and CYP1A2 and AHR associate with coffee consumption. <i>Human Molecular Genetics</i> , 2011, 20, 2071-2077.	1.4	114
280	Role of genetic variation in the human sodium-glucose cotransporter 2 gene (<i>SGLT2</i>) in glucose homeostasis. <i>Pharmacogenomics</i> , 2011, 12, 1119-1126.	0.6	37
281	Genome-wide association and genetic functional studies identify <i>AUTS2</i> gene (<i>AUTS2</i>) in the regulation of alcohol consumption. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7119-7124.	3.3	258
282	Multiple Loci Are Associated with White Blood Cell Phenotypes. <i>PLoS Genetics</i> , 2011, 7, e1002113.	1.5	106
283	A Genome-Wide Screen for Interactions Reveals a New Locus on 4p15 Modifying the Effect of Waist-to-Hip Ratio on Total Cholesterol. <i>PLoS Genetics</i> , 2011, 7, e1002333.	1.5	29
284	Genetic and Evolutionary Analyses of the Human Bone Morphogenetic Protein Receptor 2 (BMP2) in the Pathophysiology of Obesity. <i>PLoS ONE</i> , 2011, 6, e16155.	1.1	38
285	Sex-Dependent Influences of Obesity on Cerebral White Matter Investigated by Diffusion-Tensor Imaging. <i>PLoS ONE</i> , 2011, 6, e18544.	1.1	121
286	Effects of Genetic Variants in ADCY5, GIPR, GCKR and VPS13C on Early Impairment of Glucose and Insulin Metabolism in Children. <i>PLoS ONE</i> , 2011, 6, e22101.	1.1	20
287	Mutational Analysis of the Gene Encoding the Zymogen Granule Membrane Glycoprotein 2 (GP2) in Patients With Chronic Pancreatitis. <i>Pancreas</i> , 2010, 39, 188-192.	0.5	3
288	Serum fibroblast growth factor 21 levels in gestational diabetes mellitus in relation to insulin resistance and dyslipidemia. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 33-37.	1.5	69

#	ARTICLE	IF	CITATIONS
289	Preliminary report: circulating levels of the adipokine vaspin in gestational diabetes mellitus and preeclampsia. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1054-1056.	1.5	44
290	Serum levels of the adipokine zinc- α 2-glycoprotein are increased in chronic hemodialysis. <i>Metabolism: Clinical and Experimental</i> , 2010, 60, 669-72.	1.5	26
291	Effect of Genetic Variation in the Human Fatty Acid Synthase Gene (<i>FASN</i>) on Obesity and Fat Depot-Specific mRNA Expression. <i>Obesity</i> , 2010, 18, 1218-1225.	1.5	21
292	Visfatin Is a Positive Regulator of MCP-1 in Human Adipocytes <i>In Vitro</i> and in Mice <i>In Vivo</i> . <i>Obesity</i> , 2010, 18, 1486-1492.	1.5	20
293	Association of FTO variants with BMI and fat mass in the self-contained population of Sorbs in Germany. <i>European Journal of Human Genetics</i> , 2010, 18, 104-110.	1.4	81
294	Reply to Dlouha et al. <i>European Journal of Human Genetics</i> , 2010, 18, 1275-1275.	1.4	0
295	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010, 467, 832-838.	13.7	1,789
296	Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. <i>Nature Genetics</i> , 2010, 42, 142-148.	9.4	591
297	New loci associated with kidney function and chronic kidney disease. <i>Nature Genetics</i> , 2010, 42, 376-384.	9.4	710
298	Sequence variants at CHRN3, CHRNA6 and CYP2A6 affect smoking behavior. <i>Nature Genetics</i> , 2010, 42, 448-453.	9.4	649
299	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010, 42, 949-960.	9.4	836
300	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	9.4	2,634
301	Detailed Physiologic Characterization Reveals Diverse Mechanisms for Novel Genetic Loci Regulating Glucose and Insulin Metabolism in Humans. <i>Diabetes</i> , 2010, 59, 1266-1275.	0.3	237
302	Common Variants at 10 Genomic Loci Influence Hemoglobin A1C Levels via Glycemic and Nonglycemic Pathways. <i>Diabetes</i> , 2010, 59, 3229-3239.	0.3	387
303	Gene expression of PPAR γ and PGC-1 α in human omental and subcutaneous adipose tissues is related to insulin resistance markers and mediates beneficial effects of physical training. <i>European Journal of Endocrinology</i> , 2010, 162, 515-523.	1.9	94
304	Insulin-sensitive obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 299, E506-E515.	1.8	670
305	Dairy calcium intake, serum vitamin D, and successful weight loss. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1017-1022.	2.2	61
306	Role of genetic variation in the cannabinoid type 1 receptor gene (CNR1) in the pathophysiology of human obesity. <i>Pharmacogenomics</i> , 2010, 11, 693-702.	0.6	19

#	ARTICLE	IF	CITATIONS
307	Genome-Wide Association Study Identifies Two Novel Regions at 11p15.5-p13 and 1p31 with Major Impact on Acute-Phase Serum Amyloid A. <i>PLoS Genetics</i> , 2010, 6, e1001213.	1.5	24
308	Serum Vaspin Concentrations Are Decreased after Exercise-Induced Oxidative Stress. <i>Obesity Facts</i> , 2010, 3, 328-331.	1.6	31
309	Retinol-Binding Protein 4 and New Adipocytokines in Nonalcoholic Fatty Liver Disease. <i>Current Pharmaceutical Design</i> , 2010, 16, 1921-1928.	0.9	23
310	High Baseline Vitamin C Levels Do Not Prevent a Positive Outcome of a Lifestyle Intervention: Response to Thamer et al.. <i>Diabetes Care</i> , 2010, 33, e17-e17.	4.3	2
311	Circulating Levels of the Adipokine Chemerin in Gestational Diabetes Mellitus. <i>Hormone Research in Paediatrics</i> , 2010, 74, 56-61.	0.8	59
312	Sequence Analysis of the Human Tyrosylprotein Sulfotransferase-2 Gene in Subjects with Chronic Pancreatitis. <i>Pancreatology</i> , 2010, 10, 165-172.	0.5	2
313	Adipokine Pattern in Subjects with Impaired Fasting Glucose and Impaired Glucose Tolerance in Comparison to Normal Glucose Tolerance and Diabetes. <i>PLoS ONE</i> , 2010, 5, e13911.	1.1	102
314	Eigenvector Centrality Mapping for Analyzing Connectivity Patterns in fMRI Data of the Human Brain. <i>PLoS ONE</i> , 2010, 5, e10232.	1.1	406
315	Dietary Intervention to Reverse Carotid Atherosclerosis. <i>Circulation</i> , 2010, 121, 1200-1208.	1.6	190
316	Serum Levels of the Adipokine Chemerin in Relation to Renal Function. <i>Diabetes Care</i> , 2010, 33, 171-173.	4.3	68
317	On what evidence-base do we recommend self-monitoring of blood glucose?. <i>Diabetes Research and Clinical Practice</i> , 2010, 87, 150-156.	1.1	29
318	Involvement of the chemokine-like receptor GPR33 in innate immunity. <i>Biochemical and Biophysical Research Communications</i> , 2010, 396, 272-277.	1.0	11
319	Repin1 maybe involved in the regulation of cell size and glucose transport in adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2010, 400, 246-251.	1.0	22
320	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010, 42, 105-116.	9.4	1,982
321	Complete Analysis of the Human Mesotrypsinogen Gene (PRSS3) in Patients with Chronic Pancreatitis. <i>Pancreatology</i> , 2010, 10, 243-249.	0.5	9
322	MicroRNA Expression in Human Omental and Subcutaneous Adipose Tissue. <i>PLoS ONE</i> , 2009, 4, e4699.	1.1	290
323	Paradoxical role for adiponectin in chronic renal diseases? An example of reverse epidemiology. <i>Expert Opinion on Therapeutic Targets</i> , 2009, 13, 163-173.	1.5	23
324	Serum Levels of the Adipokine FGF21 Depend on Renal Function. <i>Diabetes Care</i> , 2009, 32, 126-128.	4.3	109

#	ARTICLE	IF	CITATIONS
325	Adipose Tissue Expression and Genetic Variants of the Bone Morphogenetic Protein Receptor 1A Gene (<i>BMPR1A</i>) Are Associated With Human Obesity. <i>Diabetes</i> , 2009, 58, 2119-2128.	0.3	73
326	Activated Ask1-MKK4-p38MAPK/JNK Stress Signaling Pathway in Human Omental Fat Tissue May Link Macrophage Infiltration to Whole-Body Insulin Sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 2507-2515.	1.8	83
327	Serum Levels of Angiopoietin-Related Growth Factor Are Increased in Preeclampsia. <i>American Journal of Hypertension</i> , 2009, 22, 314-318.	1.0	21
328	Genetic variation in GPR133 is associated with height: genome wide association study in the self-contained population of Sorbs. <i>Human Molecular Genetics</i> , 2009, 18, 4662-4668.	1.4	63
329	Serum Progranulin Concentrations May Be Associated With Macrophage Infiltration Into Omental Adipose Tissue. <i>Diabetes</i> , 2009, 58, 627-636.	0.3	149
330	Serum levels of adipocyte fatty acid binding protein are increased in gestational diabetes mellitus. <i>European Journal of Endocrinology</i> , 2009, 160, 33-38.	1.9	50
331	Preliminary report: serum levels of retinol-binding protein 4 in preeclampsia. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 275-277.	1.5	37
332	Serum levels of angiopoietin-related growth factor in diabetes mellitus and chronic hemodialysis. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 547-551.	1.5	44
333	Interleukin-1 β is a positive regulator of TIARP/STAMP2 gene and protein expression in adipocytes in vitro. <i>FEBS Letters</i> , 2009, 583, 1196-1200.	1.3	31
334	Lipocalin-2 is induced by interleukin-1 β in murine adipocytes in vitro. <i>Journal of Cellular Biochemistry</i> , 2009, 106, 103-108.	1.2	38
335	Secretory products from human adipocytes stimulate proinflammatory cytokine secretion from human endothelial cells. <i>Journal of Cellular Biochemistry</i> , 2009, 106, 729-737.	1.2	37
336	Amyloid precursor protein expression is induced by tumor necrosis factor α in 3T3-L1 adipocytes. <i>Journal of Cellular Biochemistry</i> , 2009, 108, 1418-1422.	1.2	31
337	Glucose allostasis: Disrobing common wisdom. <i>Diabetologia</i> , 2009, 52, 779-780.	2.9	1
338	The insulin glargine dilemma: an opportunity for the diabetes community?. <i>Diabetologia</i> , 2009, 52, 1987-1989.	2.9	7
339	Interleukin-1 β induces the novel adipokine chemerin in adipocytes in vitro. <i>Regulatory Peptides</i> , 2009, 154, 102-106.	1.9	123
340	Antioxidants prevent health-promoting effects of physical exercise in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8665-8670.	3.3	1,315
341	Effects of extended-release niacin on lipid profile and adipocyte biology in patients with impaired glucose tolerance. <i>Atherosclerosis</i> , 2009, 205, 207-213.	0.4	41
342	A novel locus for arterial hypertension on chromosome 1p36 maps to a metabolic syndrome trait cluster in the Sorbs, a Slavic population isolate in Germany*. <i>Journal of Hypertension</i> , 2009, 27, 983-990.	0.3	9

#	ARTICLE	IF	CITATIONS
343	Isolated Renal Relapse of Sarcoidosis under Low-Dose Glucocorticoid Therapy. <i>Journal of General Internal Medicine</i> , 2008, 23, 879-882.	1.3	7
344	R1467H variant in the rho guanine nucleotide exchange factor 11 (ARHGEF11) is associated with impaired glucose tolerance and type 2 diabetes in German Caucasians. <i>Journal of Human Genetics</i> , 2008, 53, 365-367.	1.1	16
345	The adipokine SAA3 is induced by interleukin-1 β in mouse adipocytes. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 2241-2247.	1.2	36
346	Does retinol-binding protein 4 cause or reflect fatty liver disease?. <i>Hepatology</i> , 2008, 48, 4-6.	3.6	28
347	Brain Activity in Hunger and Satiety: An Exploratory Visually Stimulated fMRI Study. <i>Obesity</i> , 2008, 16, 945-950.	1.5	182
348	Serum levels of the adipokine visfatin are increased in pre-eclampsia. <i>Clinical Endocrinology</i> , 2008, 69, 69-73.	1.2	78
349	Serum levels of adipocyte fatty acid-binding protein (AFABP) are increased in chronic haemodialysis (CD). <i>Clinical Endocrinology</i> , 2008, 69, 901-905.	1.2	35
350	Phenotype of a patient with a de novo mutation in the hepatocyte nuclear factor 1 β /maturity-onset diabetes of the young type 5 gene. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 416-420.	1.5	13
351	TCF7L2 gene expression in human visceral and subcutaneous adipose tissue is differentially regulated but not associated with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 1227-1231.	1.5	17
352	Adipokines influencing metabolic and cardiovascular disease are differentially regulated in maintenance hemodialysis. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 1414-1421.	1.5	23
353	Visfatin/PBEF/Nampt: structure, regulation and potential function of a novel adipokine. <i>Clinical Science</i> , 2008, 115, 13-23.	1.8	125
354	Serum Vaspin Concentrations in Human Obesity and Type 2 Diabetes. <i>Diabetes</i> , 2008, 57, 372-377.	0.3	367
355	Weight Loss with a Low-Carbohydrate, Mediterranean, or Low-Fat Diet. <i>New England Journal of Medicine</i> , 2008, 359, 229-241.	13.9	1,780
356	Variation of the gene encoding the nuclear bile salt receptor FXR and gallstone susceptibility in mice and humans. <i>Journal of Hepatology</i> , 2008, 48, 116-124.	1.8	77
357	Chymotrypsin C (CTRC) variants that diminish activity or secretion are associated with chronic pancreatitis. <i>Nature Genetics</i> , 2008, 40, 78-82.	9.4	369
358	Secretory products from human adipocytes impair endothelial function via nuclear factor κ B. <i>Atherosclerosis</i> , 2008, 196, 523-531.	0.4	33
359	Serum levels of the atherosclerosis biomarker sTWEAK are decreased in type 2 diabetes and end-stage renal disease. <i>Atherosclerosis</i> , 2008, 199, 440-444.	0.4	90
360	Type 2 diabetes: pathogenesis and treatment. <i>Lancet, The</i> , 2008, 371, 2153-2156.	6.3	103

#	ARTICLE	IF	CITATIONS
361	Assay-dependent variability of serum insulin levels during oral glucose tolerance test: influence on reference intervals for insulin and on cut-off values for insulin sensitivity indices. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 240-6.	1.4	14
362	Tissue inhibitor of metalloproteinase-1 mRNA production and protein secretion are induced by interleukin-1 β in 3T3-L1 adipocytes. <i>Journal of Endocrinology</i> , 2008, 198, 169-174.	1.2	11
363	Long-term exercise training decreases interleukin-6 (IL-6) serum levels in subjects with impaired glucose tolerance: effect of the $\alpha^{174}C/C$ variant in IL-6 gene. <i>European Journal of Endocrinology</i> , 2008, 159, 129-136.	1.9	53
364	Lead Poisoning Due to Adulterated Marijuana. <i>New England Journal of Medicine</i> , 2008, 358, 1641-1642.	13.9	68
365	Circulating high-molecular-weight adiponectin is upregulated in preeclampsia and is related to insulin sensitivity and renal function. <i>European Journal of Endocrinology</i> , 2008, 158, 197-201.	1.9	41
366	Serum Levels of the Adipokine Adipocyte Fatty Acid-binding Protein Are Increased in Preeclampsia. <i>American Journal of Hypertension</i> , 2008, 21, 582-586.	1.0	51
367	Serum Levels of the Adipokine Vaspin in Relation to Metabolic and Renal Parameters. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 247-251.	1.8	139
368	Metastasis of Neuroendocrine Colon Carcinoma Mimicking Graves' Ophthalmopathy. <i>Thyroid</i> , 2008, 18, 1237-1238.	2.4	3
369	Polygenic Contribution to Obesity: Genome-Wide Strategies Reveal New Targets. , 2008, 36, 12-36.		33
370	Endogenous soluble receptor for advanced glycation endproducts is increased in preeclampsia. <i>Journal of Hypertension</i> , 2008, 26, 1824-1828.	0.3	10
371	Lead Poisoning Due to Adulterated Marijuana in Leipzig. <i>Deutsches A&#x0308;rztblatt International</i> , 2008, 105, 757-62.	0.6	25
372	ADOPT: evidence for early use of thiazolidinediones. <i>Expert Review of Endocrinology and Metabolism</i> , 2007, 2, 121-124.	1.2	0
373	Gene Expression of Adiponectin Receptors in Human Visceral and Subcutaneous Adipose Tissue Is Related to Insulin Resistance and Metabolic Parameters and Is Altered in Response to Physical Training. <i>Diabetes Care</i> , 2007, 30, 3110-3115.	4.3	89
374	TCF7L2 Gene Polymorphisms Confer an Increased Risk for Early Impairment of Glucose Metabolism and Increased Height in Obese Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1956-1960.	1.8	29
375	Mitogen-Activated Protein Kinases, Inhibitory- γ B Kinase, and Insulin Signaling in Human Omental Versus Subcutaneous Adipose Tissue in Obesity. <i>Endocrinology</i> , 2007, 148, 2955-2962.	1.4	109
376	Macrophage Infiltration into Omental Versus Subcutaneous Fat across Different Populations: Effect of Regional Adiposity and the Comorbidities of Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2240-2247.	1.8	497
377	Tissue inhibitor of metalloproteinase-1 predicts adiposity in humans. <i>European Journal of Endocrinology</i> , 2007, 156, 257-261.	1.9	30
378	Serum Levels of Adipokine Retinol-Binding Protein-4 in Relation to Renal Function. <i>Diabetes Care</i> , 2007, 30, 2588-2592.	4.3	74

#	ARTICLE	IF	CITATIONS
379	Beneficial Effects of a 4-Week Exercise Program on Plasma Concentrations of Adhesion Molecules. <i>Diabetes Care</i> , 2007, 30, e1-e1.	4.3	21
380	Oral antidiabetic agents: how much kidney disease can we tolerate?. <i>Expert Review of Endocrinology and Metabolism</i> , 2007, 2, 469-475.	1.2	1
381	Effects of Genetic Variation in the Human Retinol Binding Protein-4 Gene (<i>RBP4</i>) on Insulin Resistance and Fat Depot-Specific mRNA Expression. <i>Diabetes</i> , 2007, 56, 3095-3100.	0.3	88
382	Nichtoperative Therapiemöglichkeiten gastroenteropankreatischer neuroendokriner Tumoren. <i>Visceral Medicine</i> , 2007, 23, 158-165.	0.5	1
383	The role of the Pro12Ala polymorphism in peroxisome proliferator-activated receptor ?? in diabetes risk. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2007, 10, 410-414.	1.3	44
384	Growth hormone induces apelin mRNA expression and secretion in mouse 3T3-L1 adipocytes. <i>Regulatory Peptides</i> , 2007, 139, 84-89.	1.9	30
385	CAPN10 mRNA splicing and decay is not affected by a SNP associated with susceptibility to type 2 diabetes. <i>Biochemical and Biophysical Research Communications</i> , 2007, 358, 831-836.	1.0	3
386	Serum Retinol-Binding Protein Is More Highly Expressed in Visceral than in Subcutaneous Adipose Tissue and Is a Marker of Intra-abdominal Fat Mass. <i>Cell Metabolism</i> , 2007, 6, 79-87.	7.2	360
387	Awareness of pathophysiological concepts of type 2 diabetes—A survey in 847 physicians. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 445-448.	1.1	5
388	Metformin. <i>Endocrine Research</i> , 2007, 32, 39-57.	0.6	30
389	Effects of genetic variation in the visfatin gene (PBEF1) on obesity, glucose metabolism, and blood pressure in children. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 772-777.	1.5	25
390	Pathogenesis of Type 2 Diabetes. <i>Endocrine Research</i> , 2007, 32, 19-37.	0.6	53
391	Pathogenesis of Type 2 Diabetes. , 2007, , 13-26.		0
392	Impaired Enteral Levothyroxine Absorption in Hypothyroidism Refractory to Oral Therapy After Thyroid Ablation for Papillary Thyroid Cancer: Case Report and Kinetic Studies. <i>Thyroid</i> , 2006, 16, 1047-1051.	2.4	22
393	Obstructive sleep apnea and insulin resistance: correlation or causation?. <i>Expert Review of Endocrinology and Metabolism</i> , 2006, 1, 575-578.	1.2	0
394	Vanished decimal point as cause of weight gain. <i>Lancet, The</i> , 2006, 367, 1485.	6.3	2
395	Genetic Variation in the Visfatin Gene (PBEF1) and Its Relation to Glucose Metabolism and Fat-Depot-Specific Messenger Ribonucleic Acid Expression in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2725-2731.	1.8	64
396	Vaspin gene expression in human adipose tissue: Association with obesity and type 2 diabetes. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 430-436.	1.0	303

#	ARTICLE	IF	CITATIONS
397	Plasminogen activator inhibitor-1 expression and secretion are stimulated by growth hormone and interleukin-6 in 3T3-L1 adipocytes. <i>Molecular and Cellular Endocrinology</i> , 2006, 253, 56-62.	1.6	7
398	Isoproterenol stimulates monocyte chemoattractant protein-1 expression and secretion in 3T3-L1 adipocytes. <i>Regulatory Peptides</i> , 2006, 135, 12-16.	1.9	11
399	Upstream transcription factor 1 gene polymorphisms are associated with high antilipolytic insulin sensitivity and show gene-gene interactions. <i>Journal of Molecular Medicine</i> , 2006, 85, 55-61.	1.7	24
400	ENPP1 Variants and Haplotypes Predispose to Early Onset Obesity and Impaired Glucose and Insulin Metabolism in German Obese Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 4948-4952.	1.8	55
401	Effect of a 4 week physical training program on plasma concentrations of inflammatory markers in patients with abnormal glucose tolerance. <i>European Journal of Endocrinology</i> , 2006, 154, 577-585.	1.9	156
402	Dysregulation of the Peripheral and Adipose Tissue Endocannabinoid System in Human Abdominal Obesity. <i>Diabetes</i> , 2006, 55, 3053-3060.	0.3	477
403	A Functional Tyr1306Cys Variant in LARG Is Associated With Increased Insulin Action in Vivo. <i>Diabetes</i> , 2006, 55, 1497-1503.	0.3	16
404	The cerebrocortical response to hyperinsulinemia is reduced in overweight humans: A magnetoencephalographic study. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 12103-12108.	3.3	196
405	Association of Pro12Ala Polymorphism in Peroxisome Proliferator-Activated Receptor α With Pre-Diabetic Phenotypes: Meta-analysis of 57 studies on nondiabetic individuals. <i>Diabetes Care</i> , 2006, 29, 2489-2497.	4.3	150
406	Rolle von endokrinen und metabolischen Faktoren des Fettgewebes in der Pathophysiologie des metabolischen Syndroms. , 2006, , 411-443.		0
407	The Association between Plasma Adiponectin and Insulin Sensitivity in Humans Depends on Obesity. <i>Obesity</i> , 2005, 13, 1683-1691.	4.0	40
408	Standardized assessment of whole body adipose tissue topography by MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 21, 455-462.	1.9	216
409	The hyperbolic law? a 25-year perspective. <i>Diabetologia</i> , 2005, 48, 207-209.	2.9	24
410	Contraindications can damage your health? is metformin a case in point?. <i>Diabetologia</i> , 2005, 48, 2454-2459.	2.9	166
411	The Glu23Lys polymorphism in KCNJ11 and impaired hypoglycaemia awareness in patients with type 1 diabetes. <i>Journal of Human Genetics</i> , 2005, 50, 530-533.	1.1	4
412	Hormonal regulation of the novel adipocytokine visfatin in 3T3-L1 adipocytes. <i>Journal of Endocrinology</i> , 2005, 185, R1-R8.	1.2	139
413	The \sim 913 G/A Glutamine:Fructose-6-Phosphate Aminotransferase Gene Polymorphism Is Associated with Measures of Obesity and Intramyocellular Lipid Content in Nondiabetic Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 1639-1643.	1.8	16
414	Plasma Visfatin Concentrations and Fat Depot-Specific mRNA Expression in Humans. <i>Diabetes</i> , 2005, 54, 2911-2916.	0.3	628

#	ARTICLE	IF	CITATIONS
415	Novel Thyrotropin Receptor Germline Mutation (Ile568Val) in a Saxonian Family with Hereditary Nonautoimmune Hyperthyroidism. <i>Thyroid</i> , 2005, 15, 1089-1094.	2.4	37
416	Interleukin-6 is a negative regulator of visfatin gene expression in 3T3-L1 adipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 289, E586-E590.	1.8	141
417	Liver Fat and Insulin Resistance Are Independently Associated with the $\hat{\sim}$ 514C>T Polymorphism of the Hepatic Lipase Gene. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 4238-4243.	1.8	33
418	Type 2 diabetes: principles of pathogenesis and therapy. <i>Lancet, The</i> , 2005, 365, 1333-1346.	6.3	1,976
419	Reduced adiponectin serum levels in smokers. <i>Atherosclerosis</i> , 2005, 179, 421-422.	0.4	28
420	Therapeutic perspectives of adipocytokines. <i>Expert Opinion on Pharmacotherapy</i> , 2005, 6, 863-872.	0.9	45
421	Isoproterenol, TNF $\hat{\pm}$, and insulin downregulate adipose triglyceride lipase in 3T3-L1 adipocytes. <i>Molecular and Cellular Endocrinology</i> , 2005, 240, 43-49.	1.6	117
422	Adiponectin expression in humans is dependent on differentiation of adipocytes and down-regulated by humoral serum components of high molecular weight. <i>Biochemical and Biophysical Research Communications</i> , 2005, 337, 540-550.	1.0	105
423	Proinflammatory adipocytokines induce TIMP-1 expression in 3T3-L1 adipocytes. <i>FEBS Letters</i> , 2005, 579, 6417-6422.	1.3	21
424	Fatty acids and insulin resistance in muscle and liver. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2005, 19, 625-635.	2.2	113
425	The Gly482Ser Variant in the Peroxisome Proliferator-Activated Receptor $\hat{\beta}$ 3 Coactivator-1 is not Associated with Diabetes-Related Traits in Non-Diabetic German and Dutch Populations. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2004, 112, 253-257.	0.6	32
426	Expression of Adiponectin Receptor mRNA in Human Skeletal Muscle Cells Is Related to In Vivo Parameters of Glucose and Lipid Metabolism. <i>Diabetes</i> , 2004, 53, 2195-2201.	0.3	108
427	Regulation of Synovial Adipocytokines. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 694.	3.8	6
428	Genetic Factors and Insulin Secretion: Gene Variants in the IGF Genes. <i>Diabetes</i> , 2004, 53, S26-S30.	0.3	68
429	Intrahepatic Lipids Are Predicted by Visceral Adipose Tissue Mass in Healthy Subjects. <i>Diabetes Care</i> , 2004, 27, 2726-2729.	4.3	69
430	Adiponectin in Youth: Response to Bacha et al.. <i>Diabetes Care</i> , 2004, 27, 1519-1520.	4.3	8
431	Relationship Between Moderate Alcohol Consumption and Adiponectin and Insulin Sensitivity in a Large Heterogeneous Population. <i>Diabetes Care</i> , 2004, 27, 1240-1240.	4.3	55
432	Multiple Symmetric Lipomatosis: A paradigm of metabolically innocent obesity?. <i>Diabetes Care</i> , 2004, 27, 794-795.	4.3	27

#	ARTICLE	IF	CITATIONS
433	Intramyocellular lipids and insulin resistance. <i>Diabetes, Obesity and Metabolism</i> , 2004, 6, 239-248.	2.2	153
434	C825T Polymorphism of the G Protein β_3 Subunit Is Associated with Obesity but Not with Insulin Sensitivity. <i>Obesity</i> , 2004, 12, 679-683.	4.0	25
435	The Role of Glucose Allostasis in Type 2 Diabetes. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2004, 5, 99-103.	2.6	10
436	Control of glycaemia: from molecules to men. Minkowski Lecture 2003. <i>Diabetologia</i> , 2004, 47, 770-781.	2.9	51
437	Adiponectin, obesity, and cardiovascular disease. <i>Biochimie</i> , 2004, 86, 779-784.	1.3	111
438	Endogenous glucose production, insulin sensitivity, and insulin secretion in normal glucose-tolerant Pima Indians with low birth weight. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 904-911.	1.5	20
439	Relationship of Serum Adiponectin and Leptin Concentrations with Body Fat Distribution in Humans. <i>Obesity</i> , 2003, 11, 368-376.	4.0	195
440	Increased insulin clearance in peroxisome proliferator-activated receptor β_2 Pro12Ala. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 778-783.	1.5	26
441	No influence of the PPAR β_2 Pro12Ala genotype on serum adiponectin concentrations in healthy Europeans. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 798.	1.5	21
442	Assessing the Shape of the Glucose Curve During an Oral Glucose Tolerance Test. <i>Diabetes Care</i> , 2003, 26, 1026-1033.	4.3	137
443	Metabolic Effects of the Gly1057Asp Polymorphism in IRS-2 and Interactions With Obesity. <i>Diabetes</i> , 2003, 52, 1544-1550.	0.3	43
444	Altered Homeostatic Adaptation of First- and Second-Phase β -Cell Secretion in the Offspring of Patients With Type 2 Diabetes: Studies With a Minimal Model to Assess β -Cell Function. <i>Diabetes</i> , 2003, 52, 470-480.	0.3	71
445	Acute Hyperglycemia Causes Intracellular Formation of CML and Activation of ras, p42/44 MAPK, and Nuclear Factor κB in PBMCs. <i>Diabetes</i> , 2003, 52, 621-633.	0.3	180
446	Reduced Skeletal Muscle Oxygen Uptake and Reduced β -Cell Function: Two early abnormalities in normal glucose-tolerant offspring of patients with type 2 diabetes. <i>Diabetes Care</i> , 2003, 26, 2126-2132.	4.3	59
447	Genetic Variation in the Human Winged Helix/Forkhead Transcription Factor Gene FOXC2 in Pima Indians. <i>Diabetes</i> , 2003, 52, 1292-1295.	0.3	35
448	Plasma Adiponectin and Endogenous Glucose Production in Humans. <i>Diabetes Care</i> , 2003, 26, 3315-3319.	4.3	98
449	Glucose Allostasis. <i>Diabetes</i> , 2003, 52, 903-909.	0.3	97
450	Palmitate-Induced Activation of the Hexosamine Pathway in Human Myotubes: Increased Expression of Glutamine:Fructose-6-Phosphate Aminotransferase. <i>Diabetes</i> , 2003, 52, 650-656.	0.3	60

#	ARTICLE	IF	CITATIONS
451	Plasma Adiponectin Concentrations Predict Insulin Sensitivity of Both Glucose and Lipid Metabolism. <i>Diabetes</i> , 2003, 52, 239-243.	0.3	529
452	Thiazolidinediones – some recent developments. <i>Expert Opinion on Investigational Drugs</i> , 2003, 12, 1179-1187.	1.9	56
453	Intramyocellular Lipids: Anthropometric Determinants and Relationships with Maximal Aerobic Capacity and Insulin Sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 1785-1791.	1.8	210
454	Association of High Serum Ferritin Concentration with Glucose Intolerance and Insulin Resistance in Healthy People. <i>Annals of Internal Medicine</i> , 2003, 139, 869.	2.0	79
455	Relative importance of liver, kidney, and substrates in epinephrine-induced increased gluconeogenesis in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E819-E826.	1.8	55
456	Elevated plasma nonesterified fatty acids are associated with deterioration of acute insulin response in IGT but not NGT. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 284, E1156-E1161.	1.8	35
457	Relationships Among Age, Proinsulin Conversion, and β -Cell Function in Nondiabetic Humans. <i>Diabetes</i> , 2002, 51, S234-S239.	0.3	79
458	Association of the T-G Polymorphism in Adiponectin (Exon 2) With Obesity and Insulin Sensitivity: Interaction With Family History of Type 2 Diabetes. <i>Diabetes</i> , 2002, 51, 37-41.	0.3	412
459	Glitazones: clinical effects and molecular mechanisms. <i>Annals of Medicine</i> , 2002, 34, 217-224.	1.5	192
460	Low Plasma Adiponectin Concentrations Do Not Predict Weight Gain in Humans. <i>Diabetes</i> , 2002, 51, 2964-2967.	0.3	66
461	The Prevalent Glu23Lys Polymorphism in the Potassium Inward Rectifier 6.2 (KIR6.2) Gene Is Associated With Impaired Glucagon Suppression in Response to Hyperglycemia. <i>Diabetes</i> , 2002, 51, 2854-2860.	0.3	68
462	Clinical Characterization of Insulin Secretion as the Basis for Genetic Analyses. <i>Diabetes</i> , 2002, 51, S122-S129.	0.3	29
463	Renal substrate exchange and gluconeogenesis in normal postabsorptive humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 282, E428-E434.	1.8	111
464	The Peroxisome Proliferator-Activated Receptor- α 2 Pro12Ala Polymorphism. <i>Diabetes</i> , 2002, 51, 2341-2347.	0.3	314
465	Association of the ACE gene I/D polymorphism with insulin sensitivity depends on the presence of additional macroangiopathic risk factors. <i>Atherosclerosis</i> , 2002, 160, 257-258.	0.4	4
466	Effect of Glimepiride on Insulin-Stimulated Glycogen Synthesis in Cultured Human Skeletal Muscle Cells: A comparison to glibenclamide. <i>Diabetes Care</i> , 2002, 25, 2129-2132.	4.3	25
467	Reduced lipolysis as possible cause for greater weight gain in subjects with the Pro12Ala polymorphism in PPAR α 2 ?. <i>Diabetologia</i> , 2002, 45, 152-153.	2.9	26
468	Interaction effect between common polymorphisms in PPAR α 2 (Pro12Ala) and insulin receptor substrate 1 (Gly972Arg) on insulin sensitivity. <i>Journal of Molecular Medicine</i> , 2002, 80, 33-38.	1.7	35

#	ARTICLE	IF	CITATIONS
469	Resistin and Adiponectin of Mice and Men. <i>Obesity</i> , 2002, 10, 1197-1199.	4.0	32
470	Glitazones: clinical effects and molecular mechanisms. <i>Annals of Medicine</i> , 2002, 34, 217-224.	1.5	67
471	Effects of Troglitazone on Cellular Differentiation, Insulin Signaling, and Glucose Metabolism in Cultured Human Skeletal Muscle Cells. <i>Biochemical and Biophysical Research Communications</i> , 2001, 280, 664-674.	1.0	55
472	Insulin Resistance and Insulin Sensitizers. <i>Hormone Research in Paediatrics</i> , 2001, 55, 3-13.	0.8	32
473	Evidence against a Rate-Limiting Role of Proinsulin Processing for Maximal Insulin Secretion in Subjects with Impaired Glucose Tolerance and β -Cell Dysfunction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1235-1239.	1.8	22
474	The Prevalent Gly1057Asp Polymorphism in the Insulin Receptor Substrate-2 Gene Is Not Associated with Impaired Insulin Secretion. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4822-4825.	1.8	33
475	Two novel prevalent polymorphisms in the hormone-sensitive lipase gene have no effect on insulin sensitivity of lipolysis and glucose disposal. <i>Journal of Lipid Research</i> , 2001, 42, 1782-1788.	2.0	6
476	Avoidance of Hypoglycemia Restores Hypoglycemia Awareness by Increasing β -Adrenergic Sensitivity in Type 1 Diabetes. <i>Annals of Internal Medicine</i> , 2001, 134, 729.	2.0	90
477	Pathophysiology and Pharmacological Treatment of Insulin Resistance*. <i>Endocrine Reviews</i> , 2000, 21, 585-618.	8.9	263
478	Suppression of Systemic, Intramuscular, and Subcutaneous Adipose Tissue Lipolysis by Insulin in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3740-3745.	1.8	47
479	Relationship of insulin activation of protein kinase B in human muscle cells with myogenic differentiation but not glucose uptake or glycogen synthesis. <i>Diabetes Research and Clinical Practice</i> , 2000, 50, 157-158.	1.1	0
480	Leptin levels in humans are acutely suppressed by isoproterenol despite acipimox-induced inhibition of lipolysis, but not by free fatty acids. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 335-339.	1.5	31
481	Autoimmune Thrombocytopenia Associated with <i>Borrelia burgdorferi</i> . <i>Clinical Infectious Diseases</i> , 1999, 28, 927-927.	2.9	43
482	Role of glutamine in human carbohydrate metabolism in kidney and other tissues. <i>Kidney International</i> , 1999, 55, 778-792.	2.6	175
483	Effects of glucagon on renal and hepatic glutamine gluconeogenesis in normal postabsorptive humans. <i>Metabolism: Clinical and Experimental</i> , 1998, 47, 1227-1232.	1.5	95
484	Human kidney and liver gluconeogenesis: evidence for organ substrate selectivity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 274, E817-E826.	1.8	98
485	Necrotizing Fasciitis Caused by Unencapsulated <i>Haemophilus influenzae</i> . <i>Clinical Infectious Diseases</i> , 1997, 25, 327-327.	2.9	21
486	Features of Malignancy in a Benign Pheochromocytoma. <i>Hormone Research</i> , 1997, 48, 135-136.	1.8	10

#	ARTICLE	IF	CITATIONS
487	A Functioning Adrenocortical Hemangioma. <i>Journal of Urology</i> , 1996, 155, 638-638.	0.2	17
488	Diagnostic Considerations in Pheochromocytoma and Chronic Hemodialysis: Case Report and Review of the Literature. <i>American Journal of Nephrology</i> , 1995, 15, 147-151.	1.4	45
489	Metabolic Effects of Metformin in Non-Insulin-Dependent Diabetes Mellitus. <i>New England Journal of Medicine</i> , 1995, 333, 550-554.	13.9	1,023
490	Metabolic Characterization of a Woman Homozygous for the Ser113Leu Missense Mutation in Carnitine Palmitoyl Transferase II. , 0, .		4