## Antonio Baroncelli

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1000629/antonio-baroncelli-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 257         | 15,876 citations      | 45      | 123     |
|-------------|-----------------------|---------|---------|
| papers      |                       | h-index | g-index |
| 277         | 18,831 ext. citations | 4.8     | 2.77    |
| ext. papers |                       | avg, IF | L-index |

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 257 | Emulating the impact of additional protonBroton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. <i>Computing and Software for Big Science</i> , <b>2022</b> , 6, 1  | 6   | O         |
| 256 | Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at s=13 TeV with the ATLAS experiment. <i>Physical Review D</i> , <b>2022</b> , 105,   | 4.9 | 1         |
| 255 | Performance of the ATLAS Level-1 topological trigger in Run (2). European Physical Journal C, <b>2022</b> , 82, 1   | 4.2 | O         |
| 254 | Operation and performance of the ATLAS semiconductor tracker in LHC Run (2). <i>Journal of Instrumentation</i> , <b>2022</b> , 17, P01013   | 1   | 1         |
| 253 | Search for Higgs boson decays into a pair of pseudoscalar particles in the bblfinal state with the ATLAS detector in pp collisions at s=13 TeV. <i>Physical Review D</i> , <b>2022</b> , 105,   | 4.9 | 1         |
| 252 | Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1                                       | 5.4 | 0         |
| 251 | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13[\$\$text {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1 | 4.2 | O         |
| 250 | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1                             | 5.4 | 0         |
| 249 | AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , <b>2022</b> , 6, 1   | 6   | O         |
| 248 | Measurement of the energy response of the ATLAS© alorimeter to charged pions from \$\$W^{pm }rightarrow tau ^{pm }(rightarrow pi ^{pm }nu _{tau })nu _{tau }\$\$ events in Run data. European Physical Journal C, 2022, 82, 1   | 4.2 | О         |
| 247 | The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1  | 4.2 |           |
| 246 | Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2022</b> , 137066                  | 4.2 | 0         |
| 245 | A search for an unexpected asymmetry in the production of e+land e⊞ pairs in protonβroton collisions recorded by the ATLAS detector at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2022</b> , 137106                     | 4.2 |           |
| 244 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$\$qrt\{s\} = 7\$\$$ , 8 and 13 $TeV$ . European Physical Journal C, <b>2022</b> , 82, 1  | 4.2 | 1         |
| 243 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using (sqrt{s} = 13hbox { TeV}) protonproton collision data. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1                                       | 4.2 | 2         |
| 242 | Measurement of the t(overline{t})t(overline{t}) production cross section in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | О         |
| 241 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | 2         |

| 240 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ( $sqrt{s} = 13$ ,{text {TeV}}) with the ATLAS detector. European Physical Journal C, <b>2021</b> , 81, 1  | 4.2 | 7  |
|-----|--|-----|----|
| 239 | Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb1 of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | 5  |
| 238 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at ( $sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5∙4 | 1  |
| 237 | Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into W^{\(\textit{H}\)}W^{?} or ZZ in Fully Hadronic Final States from sqrt[s]=13 TeV pp Collisions Recorded with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 121802   | 7.4 | 2  |
| 236 | Longitudinal Flow Decorrelations in Xe+Xe Collisions at sqrt[s_{NN}]=5.44 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 122301  | 7.4 | 2  |
| 235 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at ( sqrt{s} ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | 6  |
| 234 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | 8  |
| 233 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in protonproton collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | 5  |
| 232 | Measurement of the CP-violating phase \$\$phi_s\$\$ in \$\$ B_{s}^{0} rightarrow J/psi phi \$\$ decays in ATLAS at 13 TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81,  | 4.2 | 1  |
| 231 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV protonproton collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | 2  |
| 230 | Search for heavy resonances decaying into a pair of Z bosons in the (ell $^+$ ell $^+$ ell $^+$ ell $^+$ ) and (ell $^+$ ell $^-$ nu {{bar{nu }}}) final states using 139 (mathrm {fb}^{-1}) of proton $\overline{p}$ roton collisions at (sqrt{s} = 13,)TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1 | 4.2 | 8  |
| 229 | Search for new phenomena in final states with b-jets and missing transverse momentum in ( sqrt{mathrm{s}}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | 6  |
| 228 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the (ell ell bb) and (ell ell WW) final states in pp collisions at (sqrt{s}=13) (text {TeV}) with the ATLAS detector. European Physical Journal C, 2021, 81, 1   | 4.2 | 7  |
| 227 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV.<br>Journal of High Energy Physics, 2021, 2021, 1  | 5.4 | 3  |
| 226 | Search for new phenomena in events with an energetic jet and missing transverse momentum in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2021</b> , 103,   | 4.9 | 10 |
| 225 | Measurements of W+W $\blacksquare$ $\blacksquare$ jet production cross-sections in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | О  |
| 224 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4 | 8  |
| 223 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at (sqrt{s}=13,text {TeV}). European Physical Journal C, 2021, 81, 1  | 4.2 | O  |

| 222         | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a Elepton in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1 | 5.4  | 6  |
|-------------|---|------|----|
| 221         | Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. <i>Nature Physics</i> , <b>2021</b> , 17, 819-825  | 16.2 | 4  |
| 220         | Search for Displaced Leptons in sqrt[s]=13 TeV pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 127, 051802  | 7.4  | 2  |
| 219         | Test of the universality of Land Lepton couplings in W-boson decays with the ATLAS detector. <i>Nature Physics</i> , <b>2021</b> , 17, 813-818  | 16.2 | 1  |
| 218         | Two-particle azimuthal correlations in photonuclear ultraperipheral Pb+Pb collisions at 5.02 TeV with ATLAS. <i>Physical Review C</i> , <b>2021</b> , 104,  | 2.7  | 2  |
| 217         | Search for supersymmetry in events with four or more charged leptons in 139 fb[] of (sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1                             | 5.4  | 2  |
| 216         | Determination of the parton distribution functions of the proton from ATLAS measurements of differential $WH$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1            | 5.4  | 1  |
| 215         | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4  | O  |
| 214         | A search for the decays of stopped long-lived particles at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4  | 1  |
| 213         | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at (sqrt{s}=13) TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2  | 13 |
| 212         | Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at (b)=13 TeV. <i>Journal of Instrumentation</i> , <b>2021</b> , 16, P07029   | 1    | 1  |
| 211         | Measurement of hadronic event shapes in high-pT multijet final states at ( $sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4  | 3  |
| <b>21</b> 0 | A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 812, 135980                            | 4.2  | 21 |
| 209         | Medium-Induced Modification of Z-Tagged Charged Particle Yields in Pb+Pb Collisions at 5.02 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 072301   | 7.4  | 3  |
| 208         | Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fba of (sqrt{s}) = 13 TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4  | 8  |
| 207         | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton <b>p</b> roton collisions at ATLAS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1                   | 4.2  | 5  |
| 206         | Measurements of WH and ZH production in the (H rightarrow bbar{b}) decay channel in pp collisions at (13,text {Te}text {V}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1                           | 4.2  | 7  |
| 205         | Search for dark matter in association with an energetic photon in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1  | 5.4  | 5  |

### (2021-2021)

| 204 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1                             | 4.2 | 0  |
|-----|--|-----|----|
| 203 | The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , <b>2021</b> , 16, P07006  | 1   | О  |
| 202 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at $(sqrt{s} = 8, text {TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1                           | 4.2 | 1  |
| 201 | Jet energy scale and resolution measured in protonBroton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1  | 4.2 | 11 |
| 200 | Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents.<br>Journal of Instrumentation, <b>2021</b> , 16, P08025  | 1   | 1  |
| 199 | Measurements of the inclusive and differential production cross sections of a top-quarkIntiquark pair in association with a Z boson at (sqrt{s} = 13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1      | 4.2 | 1  |
| 198 | Exclusive dimuon production in ultraperipheral Pb+Pb collisions at sNN=5.02TeV with ATLAS. <i>Physical Review C</i> , <b>2021</b> , 104,   | 2.7 | 2  |
| 197 | Search for New Phenomena in Final States with Two Leptons and One or No b-Tagged Jets at sqrt[s]=13 TeV Using the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 127, 141801   | 7.4 | 1  |
| 196 | Search for dark matter produced in association with a single top quark in (sqrt{s}=13) TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | 4  |
| 195 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at (sqrt{mathrm{s}}) = 13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1 | 5.4 | 2  |
| 194 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | 1  |
| 193 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1                      | 5.4 | О  |
| 192 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1   | 5.4 | O  |
| 191 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1         | 5.4 | O  |
| 190 | Search for charginofieutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$©TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1    | 4.2 | 1  |
| 189 | Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1   | 4.2 | 1  |
| 188 | Search for Lepton-Flavor Violation in Z-Boson Decays with Leptons with the ATLAS Detector <i>Physical Review Letters</i> , <b>2021</b> , 127, 271801   | 7.4 | 0  |
| 187 | Search for new phenomena in pp collisions in final states with tau leptons, b -jets, and missing transverse momentum with the ATLAS detector. <i>Physical Review D</i> , <b>2021</b> , 104,  | 4.9 | 1  |

| 186 | Measurement of b-quark fragmentation properties in jets using the decay $BH \rightarrow J/RH$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1                           | 5.4 | О  |
|-----|---|-----|----|
| 185 | Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P11016-P11016  | 1   | 2  |
| 184 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using (sqrt{s}) = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1 | 5.4 | 7  |
| 183 | Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 221802   | 7.4 | 6  |
| 182 | Higgs boson production cross-section measurements and their EFT interpretation in the (4ell) decay channel at (sqrt{s}=)13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 12 |
| 181 | Search for heavy neutral Higgs bosons produced in association with b-quarks and decaying into b-quarks at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 102,   | 4.9 | 10 |
| 180 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in (sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 8  |
| 179 | ATLAS data quality operations and performance for 20152018 data-taking. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P04003-P04003   | 1   | 16 |
| 178 | Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 222002  | 7.4 | 4  |
| 177 | Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 082301   | 7.4 | 8  |
| 176 | Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb <sup>1</sup> of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 8  |
| 175 | Search for dijet resonances in events with an isolated charged lepton using (sqrt{s}) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1                                    | 5.4 | 3  |
| 174 | Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 Tev Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 031802  | 7.4 | 15 |
| 173 | Measurement of the Z(-知政roduction cross-section in pp collisions at ( $sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 2  |
| 172 | Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at (sqrt{s}=8) and 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1   | 4.2 | 3  |
| 171 | Transverse momentum and process dependent azimuthal anisotropies in (sqrt{s_{mathrm {NN}}}=8.16) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 7  |
| 170 | Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 251802   | 7.4 | 3  |
| 169 | Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , <b>2020</b> , 125, 261801   | 7.4 | 5  |

### (2020-2020)

| 168 | Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 30  |
|-----|--|-----|-----|
| 167 | Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in (sqrt{s}=13) (text {TeV}) pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1  | 4.2 | 50  |
| 166 | Search for top squarks in events with a Higgs or Z boson using 139 fb(^{-1}) of pp collision data at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 1   |
| 165 | Evidence for (tbar{t}tbar{t}) production in the multilepton final state in protonproton collisions at (sqrt{s}=13) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1                                      | 4.2 | 8   |
| 164 | Search for heavy diboson resonances in semileptonic final states in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 4   |
| 163 | Search for light long-lived neutral particles produced in pp collisions at (sqrt{s} = 13~mathrm {TeV}) and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1         | 4.2 | 8   |
| 162 | Search for a scalar partner of the top quark in the all-hadronic (t{bar{t}}) plus missing transverse momentum final state at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1                        | 4.2 | 17  |
| 161 | Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1   | 4.2 | 4   |
| 160 | Determination of jet calibration and energy resolution in proton $\beta$ roton collisions at (sqrt{s} = 8~hbox {TeV}) using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1   | 4.2 | 3   |
| 159 | Search for new resonances in mass distributions of jet pairs using 139 fbfl of pp collisions at ( sqrt{mathrm{s}} ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1                                    | 5.4 | 20  |
| 158 | Search for (toverline{t}) resonances in fully hadronic final states in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 6   |
| 157 | Reconstruction and identification of boosted di-Bystems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 3   |
| 156 | Evidence for electroweak production of two jets in association with a Zipair in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 803, 135341 | 4.2 | 5   |
| 155 | Combined measurements of Higgs boson production and decay using up to 80 fbfl of proton-proton collision data at s=13 TeV collected with the ATLAS experiment. <i>Physical Review D</i> , <b>2020</b> , 101,   | 4.9 | 121 |
| 154 | Dijet Resonance Search with Weak Supervision Using sqrt[s]=13 TeV pp Collisions in the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 131801  | 7.4 | 15  |
| 153 | Measurements of inclusive and differential cross-sections of combined (toverline{t}gamma) and tW[production in the elchannel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 1  | 5.4 | 2   |
| 152 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 8   |
| 151 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1  | 5.4 | 9   |

| 150 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4(ell) decay channel at (sqrt{s}) = 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1   | 4.2 | 9  |
|-----|--|-----|----|
| 149 | Fluctuations of anisotropic flow in Pb+Pb collisions at ( sqrt{{mathrm{s}}_{mathrm{NN}}} ) = 5.02 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 13 |
| 148 | Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P09015-P0901  | 51  | 13 |
| 147 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1     | 4.2 | 13 |
| 146 | Measurement of differential cross sections for single diffractive dissociation in (sqrt{s}) = 8 TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 1  |
| 145 | Measurement of isolated-photon plus two-jet production in pp collisions at (sqrt $\{s\}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 2  |
| 144 | CP Properties of Higgs Boson Interactions with Top Quarks in the tt[over ]H and tH Processes Using H-Bwith the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 061802  | 7.4 | 15 |
| 143 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at (sqrt $\{s\}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 5  |
| 142 | Search for the HH - $\frac{1}{2}$ boverline $\frac{1}{2}$ boverline $\frac{1}{2}$ process via vector-boson fusion production using proton-proton collisions at (sqrt $\frac{1}{2}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1 | 5.4 | 5  |
| 141 | Observation of the associated production of a top quark and a Z boson in pp collisions at (sqrt{s})= 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1   | 5.4 | 5  |
| 140 | Measurement of the transverse momentum distribution of DrellMan lepton pairs in proton collisions at (sqrt{s}=13,)TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 7  |
| 139 | Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , <b>2020</b> , 125, 051801  | 7·4 | 30 |
| 138 | Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1               | 5.4 | 1  |
| 137 | Measurements of top-quark pair spin correlations in the (emu) channel at (sqrt{s} = 13) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1  | 4.2 | 8  |
| 136 | Measurement of the cross-section and charge asymmetry of W bosons produced in proton collisions at (sqrt{s}=8~text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 11 |
| 135 | Observation of Electroweak Production of a Same-Sign W Boson Pair in Association with Two Jets in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2019</b> , 123, 161801  | 7.4 | 26 |
| 134 | Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at ( $sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 8  |
| 133 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton proton collision data at (sqrt{s} = 13) (text {TeV}). European Physical Journal C, 2019, 79, 1   | 4.2 | 37 |

| 132 | Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1                                      | 4.2 | 2  |  |
|-----|--|-----|----|--|
| 131 | Observation of electroweak WHZ boson pair production in association with two jets in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 793, 469-492 | 4.2 | 22 |  |
| 130 | Search for invisible Higgs boson decays in vector boson fusion at s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 793, 499-519                                      | 4.2 | 21 |  |
| 129 | Combinations of single-top-quark production cross-section measurements and  fLVVtb  determinations at (sqrt{s}) = 7 and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1                              | 5.4 | 5  |  |
| 128 | Measurement of VH, (mathrm{H}to mathrm{b}overline{mathrm{b}}) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1                | 5.4 | 8  |  |
| 127 | . Journal of High Energy Physics, <b>2019</b> , 2019, 1  | 5.4 | 9  |  |
| 126 | . Journal of High Energy Physics, <b>2019</b> , 2019, 1  | 5.4 | 10 |  |
| 125 | Cross-section measurements of the Higgs boson decaying into a pair of Eleptons in proton-proton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,   | 4.9 | 29 |  |
| 124 | Performance of top-quark and (varvec{W})-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 19 |  |
| 123 | Electron and photon energy calibration with the ATLAS detector using 2015I016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P03017-P03017  | 1   | 25 |  |
| 122 | Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,   | 4.9 | 4  |  |
| 121 | In situ calibration of large-radius jet energy and mass in 13 TeV protonproton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 16 |  |
| 120 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2 | 26 |  |
| 119 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at (sqrt{s}) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1                                      | 5.4 | 5  |  |
| 118 | Search for pair production of Higgs bosons in the (boverline{b}boverline{b}) final state using proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1                           | 5.4 | 31 |  |
| 117 | Constraints on mediator-based dark matter and scalar dark energy models using (sqrt{s}) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 31 |  |
| 116 | Search for long-lived neutral particles in pp collisions at ( $\{\text{sqrt}\{s\}\} = 13 \sim \{\text{text} \{\text{TeV}\}\}$ ) that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2 | 18 |  |
| 115 | Observation of Light-by-Light Scattering in Ultraperipheral Pb+Pb Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2019</b> , 123, 052001   | 7.4 | 41 |  |

| 114 | Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2019</b> , 122, 231801   | 7.4          | 45 |
|-----|--|--------------|----|
| 113 | Measurement of the ttlℤ and ttlW cross sections in proton-proton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,  | 4.9          | 14 |
| 112 | Searches for third-generation scalar leptoquarks in ( $sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4          | 18 |
| 111 | Search for diboson resonances in hadronic final states in 139 fb1 of pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4          | 10 |
| 110 | Search for excited electrons singly produced in proton $\beta$ roton collisions at \$\$sqrt{s} ~=~13~text {Te}text {V}\$\$ with the ATLAS experiment at the LHC. European Physical Journal C, <b>2019</b> , 79,  | 4.2          | 3  |
| 109 | Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13[\$\$text {TeV}\$\$. European Physical Journal C, <b>2019</b> , 79,  | 4.2          | 11 |
| 108 | Measurement of $\$K_S^0$ and $\$Lambda^0$ production in $\$t bar\{t\}$ dileptonic events in pp collisions at $\$sqrt\{s\} = \$7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2          | 3  |
| 107 | Measurement of the inclusive isolated-photon cross section in pp collisions at (sqrt{s}) = 13 TeV using 36 fbf of ATLAS data. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4          | 2  |
| 106 | Measurements of gluongluon fusion and vector-boson fusion Higgs boson production cross-sections in the H-\( \text{WW}\)? -\( \text{Eddecay}\) channel in pp collisions at s=13TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 50 | 4.2<br>8-529 | 27 |
| 105 | Measurement of the top-quark mass in (toverline $\{t\}$ ) + 1-jet events collected with the ATLAS detector in pp collisions at (sqrt $\{s\}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4          | 12 |
| 104 | Measurement of fiducial and differential (W $^+$ W $^-$ ) production cross-sections at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2          | 16 |
| 103 | Measurement of ZZ production in the Ifinal state with the ATLAS detector in pp collisions at ( sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4          | 2  |
| 102 | Measurement of (W^{pm })-boson and Z-boson production cross-sections in pp collisions at (sqrt{s}=2.76) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1  | 4.2          | 2  |
| 101 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson in protonBroton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1   | 4.2          | 4  |
| 100 | Electron and photon performance measurements with the ATLAS detector using the 2015 <b>2</b> 017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P12006-P12006   | 1            | 51 |
| 99  | Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1   | 5.4          | 21 |
| 98  | Measurement of (W^pm) boson production in Pb+Pb collisions at $(\sqrt{s_{mathrm{NN}}}) = 5.02$ ~text {Te}text {V}) with the ATLAS detector. European Physical Journal C, <b>2019</b> , 79, 1   | 4.2          | 7  |
| 97  | ATLAS b-jet identification performance and efficiency measurement with (t{bar{t}}) events in pp collisions at (sqrt{s}=13) TeV. European Physical Journal C, <b>2019</b> , 79, 1   | 4.2          | 43 |

#### (2018-2019)

| 96 | Measurement of flow harmonics correlations with mean transverse momentum in leadlead and protonlead collisions at (sqrt{s_{mathrm{NN}}} = 5.02~hbox {TeV}) with the ATLAS detector.<br>European Physical Journal C, <b>2019</b> , 79, 1  | 4.2 | 16  |
|----|--|-----|-----|
| 95 | Measurements of top-quark pair differential and double-differential cross-sections in the (ell )+jets channel with pp collisions at (sqrt{s}=13) TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1  | 4.2 | 13  |
| 94 | Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1  | 5.4 | 7   |
| 93 | Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,   | 4.9 | 29  |
| 92 | Measurement of the Higgs boson coupling properties in the H - ∠Z* - ∠Aldecay channel at ( sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 36  |
| 91 | Measurement of the production cross-section of a single top quark in association with a Z boson in protonBroton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 780, 557-577 | 4.2 | 14  |
| 90 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 12  |
| 89 | Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 784, 173-191  | 4.2 | 118 |
| 88 | Measurement of differential cross sections and W+/Wltross-section ratios for W boson production in association with jets at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 7   |
| 87 | Combination of inclusive and differential (mathrm{t}overline{mathrm{t}}) charge asymmetry measurements using ATLAS and CMS data at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1  | 5.4 | 4   |
| 86 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ( sqrt{s}=13 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1   | 5.4 | 21  |
| 85 | Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 903  | 4.2 | 66  |
| 84 | Measurements of Higgs boson properties in the diphoton decay channel with 36 fb1 of pp collision data at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,  | 4.9 | 74  |
| 83 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb[] of (sqrt{s}=13) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1                            | 5.4 | 33  |
| 82 | Combined measurement of differential and total cross sections in the H-和nd the H-又Z?-刈口 decay channels at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 114-133                   | 4.2 | 14  |
| 81 | Observation of H-bbddecays and VH production with the ATLAS detector. <i>Physics Letters, Section B:</i> Nuclear, Elementary Particle and High-Energy Physics, <b>2018</b> , 786, 59-86  | 4.2 | 87  |
| 8o | Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36 fb of proton-proton collision data at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,   | 4.9 | 23  |
| 79 | Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ -¾[and ZZ -¾2Ifinal states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 223-244                     | 4.2 | 28  |

| 78 | Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 762  | 4.2 | 23  |
|----|--|-----|-----|
| 77 | Measurement of the Higgs boson mass in the H -ZZ? -≯Iand H -Æthannels with s=13 TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 784, 345-366                               | 4.2 | 41  |
| 76 | Measurements of b-jet tagging efficiency with the ATLAS detector using (toverline{t}) events at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1  | 5.4 | 31  |
| 75 | Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in s=13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,  | 4.9 | 14  |
| 74 | Measurement of the Soft-Drop Jet Mass in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 092001   | 7.4 | 24  |
| 73 | Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2018</b> , 120, 211802  | 7.4 | 27  |
| 72 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 26   | 4.2 | 22  |
| 71 | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , <b>2017</b> , 77, 490   | 4.2 | 177 |
| 70 | Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 474  | 4.2 | 14  |
| 69 | Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 466   | 4.2 | 42  |
| 68 | Measurement of inclusive and differential cross sections in the H - ∠ZZ * - ∠Aldecay channel in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 25  |
| 67 | Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 775, 206-228 | 4.2 | 12  |
| 66 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , <b>2017</b> , 77, 673  | 4.2 | 33  |
| 65 | Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317  | 4.2 | 272 |
| 64 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 332  | 4.2 | 29  |
| 63 | Precision measurement and interpretation of inclusive, and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 367   | 4.2 | 56  |
| 62 | Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 393   | 4.2 | 52  |
| 61 | Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 898  | 4.2 | 19  |

### (2016-2017)

| 60 | Search for direct top squark pair production in events with a Higgs or 2 boson, and missing transverse momentum in ( sqrt{s}=13 ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1                      | 5.4 | 7   |
|----|---|-----|-----|
| 59 | Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 96,  | 4.9 | 116 |
| 58 | Measurement of the inclusive jet cross-sections in proton-proton collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1   | 5.4 | 12  |
| 57 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at (sqrt{s}=8) TeV.<br>Journal of High Energy Physics, <b>2017</b> , 2017, 1  | 5.4 | 16  |
| 56 | Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P12009-P12009   | 1   | 19  |
| 55 | Evidence for the (Hto boverline{b}) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1  | 5.4 | 50  |
| 54 | Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P05002-P05002  | 1   | 7   |
| 53 | A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeVppcollisions. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P11020-P11020  | 1   | 7   |
| 52 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 295  | 4.2 | 28  |
| 51 | Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 581   | 4.2 | 148 |
| 50 | Measurement of the Inelastic Proton-Proton Cross Section at sqrt[s]=13 TeV with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , <b>2016</b> , 117, 182002   | 7.4 | 92  |
| 49 | Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1         | 5.4 | 364 |
| 48 | Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at s=7 and 8 TeV with ATLAS. <i>Physical Review D</i> , <b>2016</b> , 94,  | 4.9 | 13  |
| 47 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 538   | 4.2 | 48  |
| 46 | Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 653   | 4.2 | 188 |
| 45 | Search for the Standard Model Higgs boson decaying into (boverline{b}) produced in association with top quarks decaying hadronically in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1 | 5.4 | 16  |
| 44 | Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6  | 4.2 | 185 |
| 43 | Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 4   | 4.2 | 13  |

| 42 | Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 45          | 4.2 | 152 |
|----|---|-----|-----|
| 41 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , <b>2016</b> , 76, 526   | 4.2 | 16  |
| 40 | Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 292   | 4.2 | 263 |
| 39 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 658                                    | 4.2 | 26  |
| 38 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 87              | 4.2 | 18  |
| 37 | Measurement of W∃ and Z-boson production cross sections in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 759, 601-621            | 4.2 | 64  |
| 36 | Measurement of the top quark mass in the ttl-dilepton channel from s=8 TeV ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> <b>2016</b> , 761, 350-371                                    | 4.2 | 42  |
| 35 | Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 91,                              | 4.9 | 125 |
| 34 | Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] [TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 17  | 4.2 | 194 |
| 33 | Search for the (boverline{b}) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1  | 5.4 | 64  |
| 32 | Measurement of the inclusive jet cross-section in proton-proton collisions at (sqrt{s}=7) TeV using 4.5 fb <sup>1</sup> of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1                        | 5.4 | 27  |
| 31 | Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 337 | 4.2 | 27  |
| 30 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 303                      | 4.2 | 49  |
| 29 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 476   | 4.2 | 104 |
| 28 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , <b>2015</b> , 75, 510  | 4.2 | 109 |
| 27 | Observation and measurement of Higgs boson decays to WW* with the ATLAS detector. <i>Physical Review D</i> , <b>2015</b> , 92,  | 4.9 | 86  |
| 26 | Combined Measurement of the Higgs Boson Mass in pp Collisions at sqrt[s]=7 and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , <b>2015</b> , 114, 191803   | 7.4 | 709 |
| 25 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector <b>2015</b> , 75, 1   |     | 3   |

| 24 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider <b>2015</b> , 75, 1   |     | 3    |
|----|--|-----|------|
| 23 | Measurement of the inclusive jet cross-section in proton-proton collisions at ( $sqrt{s}=7$ ) TeV using 4.5 fb1 of data with the ATLAS detector <b>2015</b> , 2015, 1  |     | 3    |
| 22 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at (sqrt{s}) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1                      | 5.4 | 14   |
| 21 | Search for supersymmetry at (sqrt{s}) = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 39   |
| 20 | Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2883   | 4.2 | 41   |
| 19 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3130   | 4.2 | 166  |
| 18 | Search for Invisible Decays of a Higgs Boson Produced in Association with a Z Boson in ATLAS. <i>Physical Review Letters</i> , <b>2014</b> , 112,  | 7.4 | 113  |
| 17 | Measurement of the Z/I <sup>a</sup> boson transverse momentum distribution in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1  | 5.4 | 79   |
| 16 | Measurement of splitting scales in -ævents at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2432   | 4.2 | 8    |
| 15 | Evidence for the spin-0 nature of the Higgs boson using ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 726, 120-144   | 4.2 | 267  |
| 14 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at ( sqrt{s}=7) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1  | 5.4 | 43   |
| 13 | Jet energy measurement with the ATLAS detector in proton-proton collisions at (sqrt{mathrm{s}}=7 mathrm{TeV}). European Physical Journal C, <b>2013</b> , 73, 1  | 4.2 | 209  |
| 12 | Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead[bad collisions at sNN=2.76 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 719, 220-241                 | 4.2 | 165  |
| 11 | Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1   | 4.2 | 41   |
| 10 | Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2306   | 4.2 | 153  |
| 9  | Measurement of the top quark pair production cross section in pp collisions at s=7TeV in dilepton final states with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 459-477  | 4.2 | 41   |
| 8  | Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in leadlead collisions at sNN=2.76TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 330-348 | 4.2 | 200  |
| 7  | Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 716, 1-29   | 4.2 | 5271 |

| 6 | Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1   | 4.2 | 232 |
|---|---|-----|-----|
| 5 | Measurement of the top quark-pair production cross section with ATLAS in pp collisions at (sqrt{s}=7) TeV. European Physical Journal C, <b>2011</b> , 71, 1                                 | 4.2 | 138 |
| 4 | Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at (sqrt{s}=7mbox{~TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1 | 4.2 | 53  |
| 3 | Measurement of the inclusive isolated prompt photon cross section in pp collisions at s=7 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 83,                         | 4.9 | 112 |
| 2 | The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874   | 4.2 | 817 |
| 1 | The ATLAS Experiment at the CERN Large Hadron Collider. <i>Journal of Instrumentation</i> , <b>2008</b> , 3, S08003-S08003 <sub>1273</sub>  |     |     |