

Yong Cui

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1000933/yong-cui-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

8,727
citations

36
h-index

74
g-index

74
ext. papers

11,131
ext. citations

14.4
avg, IF

6.62
L-index

#	Paper	IF	Citations
69	Over 16% efficiency organic photovoltaic cells enabled by a chlorinated acceptor with increased open-circuit voltages. <i>Nature Communications</i> , 2019 , 10, 2515	17.4	1093
68	Single-Junction Organic Photovoltaic Cells with Approaching 18% Efficiency. <i>Advanced Materials</i> , 2020 , 32, e1908205	24	896
67	Design, Synthesis, and Photovoltaic Characterization of a Small Molecular Acceptor with an Ultra-Narrow Band Gap. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 3045-3049	16.4	590
66	Over 17% efficiency ternary organic solar cells enabled by two non-fullerene acceptors working in an alloy-like model. <i>Energy and Environmental Science</i> , 2020 , 13, 635-645	35.4	462
65	Fine-Tuned Photoactive and Interconnection Layers for Achieving over 13% Efficiency in a Fullerene-Free Tandem Organic Solar Cell. <i>Journal of the American Chemical Society</i> , 2017 , 139, 7302-7309	16.4	399
64	Design and Synthesis of a Low Bandgap Small Molecule Acceptor for Efficient Polymer Solar Cells. <i>Advanced Materials</i> , 2016 , 28, 8283-8287	24	373
63	Eco-Compatible Solvent-Processed Organic Photovoltaic Cells with Over 16% Efficiency. <i>Advanced Materials</i> , 2019 , 31, e1903441	24	318
62	Organic photovoltaic cell with 17% efficiency and superior processability. <i>National Science Review</i> , 2020 , 7, 1239-1246	10.8	318
61	Achieving Highly Efficient Nonfullerene Organic Solar Cells with Improved Intermolecular Interaction and Open-Circuit Voltage. <i>Advanced Materials</i> , 2017 , 29, 1700254	24	314
60	Achieving Over 15% Efficiency in Organic Photovoltaic Cells via Copolymer Design. <i>Advanced Materials</i> , 2019 , 31, e1808356	24	314
59	Improved Charge Transport and Reduced Nonradiative Energy Loss Enable Over 16% Efficiency in Ternary Polymer Solar Cells. <i>Advanced Materials</i> , 2019 , 31, e1902302	24	311
58	Single-Junction Organic Photovoltaic Cell with 19% Efficiency. <i>Advanced Materials</i> , 2021 , 33, e2102420	24	302
57	Efficient Semitransparent Organic Solar Cells with Tunable Color enabled by an Ultralow-Bandgap Nonfullerene Acceptor. <i>Advanced Materials</i> , 2017 , 29, 1703080	24	276
56	Wide-gap non-fullerene acceptor enabling high-performance organic photovoltaic cells for indoor applications. <i>Nature Energy</i> , 2019 , 4, 768-775	62.3	256
55	14.7% Efficiency Organic Photovoltaic Cells Enabled by Active Materials with a Large Electrostatic Potential Difference. <i>Journal of the American Chemical Society</i> , 2019 , 141, 7743-7750	16.4	244
54	Optical Gaps of Organic Solar Cells as a Reference for Comparing Voltage Losses. <i>Advanced Energy Materials</i> , 2018 , 8, 1801352	21.8	211
53	Reduced non-radiative charge recombination enables organic photovoltaic cell approaching 19% efficiency. <i>Joule</i> , 2021 , 5, 2408-2419	27.8	144

52	Design and application of volatilizable solid additives in non-fullerene organic solar cells. <i>Nature Communications</i> , 2018 , 9, 4645	17.4	130
51	Modulating Molecular Orientation Enables Efficient Nonfullerene Small-Molecule Organic Solar Cells. <i>Chemistry of Materials</i> , 2018 , 30, 2129-2134	9.6	127
50	Critical Role of Molecular Electrostatic Potential on Charge Generation in Organic Solar Cells. <i>Chinese Journal of Chemistry</i> , 2018 , 36, 491-494	4.9	125
49	15.3% efficiency all-small-molecule organic solar cells enabled by symmetric phenyl substitution. <i>Science China Materials</i> , 2020 , 63, 1142-1150	7.1	99
48	Highly Efficient Photovoltaic Polymers Based on Benzodithiophene and Quinoxaline with Deeper HOMO Levels. <i>Macromolecules</i> , 2015 , 48, 5172-5178	5.5	96
47	Achieving 12.8% Efficiency by Simultaneously Improving Open-Circuit Voltage and Short-Circuit Current Density in Tandem Organic Solar Cells. <i>Advanced Materials</i> , 2017 , 29, 1606340	24	91
46	1 cm Organic Photovoltaic Cells for Indoor Application with over 20% Efficiency. <i>Advanced Materials</i> , 2019 , 31, e1904512	24	87
45	Toward Efficient Polymer Solar Cells Processed by a Solution-Processed Layer-By-Layer Approach. <i>Advanced Materials</i> , 2018 , 30, e1802499	24	83
44	PBDT-TSR: a highly efficient conjugated polymer for polymer solar cells with a regioregular structure. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 1708-1713	13	68
43	Organic Photovoltaic Cells for Indoor Applications: Opportunities and Challenges. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 38815-38828	9.5	58
42	A New Conjugated Polymer that Enables the Integration of Photovoltaic and Light-Emitting Functions in One Device. <i>Advanced Materials</i> , 2021 , 33, e2101090	24	58
41	A Thiadiazole-Based Conjugated Polymer with Ultradeep HOMO Level and Strong Electroluminescence Enables 18.6% Efficiency in Organic Solar Cell. <i>Advanced Energy Materials</i> , 2021 , 11, 2101705	21.8	51
40	A Novel pH Neutral Self-Doped Polymer for Anode Interfacial Layer in Efficient Polymer Solar Cells. <i>Macromolecules</i> , 2016 , 49, 8126-8133	5.5	49
39	Enhancing the Performance of the Half Tin and Half Lead Perovskite Solar Cells by Suppression of the Bulk and Interfacial Charge Recombination. <i>Advanced Materials</i> , 2018 , 30, e1803703	24	49
38	Design, Synthesis, and Photovoltaic Characterization of a Small Molecular Acceptor with an Ultra-Narrow Band Gap. <i>Angewandte Chemie</i> , 2017 , 129, 3091-3095	3.6	43
37	Molecular design toward efficient polymer solar cells processed by green solvents. <i>Polymer Chemistry</i> , 2015 , 6, 4089-4095	4.9	40
36	Toward efficient non-fullerene polymer solar cells: Selection of donor polymers. <i>Organic Electronics</i> , 2015 , 17, 295-303	3.5	40
35	17% efficiency all-small-molecule organic solar cells enabled by nanoscale phase separation with a hierarchical branched structure. <i>Energy and Environmental Science</i> ,	35.4	39

34	18.5% Efficiency Organic Solar Cells with a Hybrid Planar/Bulk Heterojunction. <i>Advanced Materials</i> , 2021 , 33, e2103091	24	37
33	High-performance fullerene-free polymer solar cells with solution-processed conjugated polymers as anode interfacial layer. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2017 , 35, 219-229	3.5	33
32	Optimization of side chains in alkylthiophene-substituted benzo[1,2-b:4,5-b']dithiophene-based photovoltaic polymers. <i>Polymer Chemistry</i> , 2015 , 6, 2752-2760	4.9	33
31	The Critical Role of Anode Work Function in Non-Fullerene Organic Solar Cells Unveiled by Counterion-Size-Controlled Self-Doping Conjugated Polymers. <i>Chemistry of Materials</i> , 2018 , 30, 1078-1084	8.6	32
30	Thermoplastic Elastomer Tunes Phase Structure and Promotes Stretchability of High-Efficiency Organic Solar Cells. <i>Advanced Materials</i> , 2021 , 33, e2106732	24	32
29	Investigations of the Conjugated Polymers Based on Dithienogermole (DTG) Units for Photovoltaic Applications. <i>Macromolecules</i> , 2014 , 47, 5558-5565	5.5	30
28	Investigation of Conjugated Polymers Based on Naphtho[2,3-c]thiophene-4,9-dione in Fullerene-Based and Fullerene-Free Polymer Solar Cells. <i>Macromolecules</i> , 2017 , 50, 1453-1462	5.5	27
27	Quadrupole Moment Induced Morphology Control Via a Highly Volatile Small Molecule in Efficient Organic Solar Cells. <i>Advanced Functional Materials</i> , 2021 , 31, 2010535	15.6	26
26	The crucial role of intermolecular interactions in AD _A -type electron acceptors and their effective modulation. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 2664-2670	13	25
25	Over 100-nm-Thick MoO _x Films with Superior Hole Collection and Transport Properties for Organic Solar Cells. <i>Advanced Energy Materials</i> , 2018 , 8, 1800698	21.8	25
24	Bimodal polyethylene promoted by novel nickel complex. <i>Polymer International</i> , 2004 , 53, 2155-2161	3.3	23
23	Highly efficient and stable 2D-3D perovskite solar cells fabricated by interfacial modification. <i>Nanotechnology</i> , 2019 , 30, 275202	3.4	22
22	Recent advances in high-efficiency organic solar cells fabricated by eco-compatible solvents at relatively large-area scale. <i>APL Materials</i> , 2020 , 8, 120901	5.7	20
21	Organic photovoltaic cells for low light applications offering new scope and orientation. <i>Organic Electronics</i> , 2020 , 85, 105798	3.5	17
20	A Universal Nonhalogenated Polymer Donor for High-Performance Organic Photovoltaic Cells. <i>Advanced Materials</i> , 2021 , e2105803	24	17
19	Impact of Electrostatic Interaction on Bulk Morphology in Efficient Donor-Acceptor Photovoltaic Blends. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 15988-15994	16.4	17
18	Accurate photovoltaic measurement of organic cells for indoor applications. <i>Joule</i> , 2021 , 5, 1016-1023	27.8	16
17	Controlled Synthesis of 2-Acetyl-6-carbethoxypyridine and 2,6-Diacetylpyridine from 2,6-Dimethylpyridine. <i>Synthetic Communications</i> , 2005 , 35, 2317-2324	1.7	15

16	Multi-Functional Solid Additive Induced Favorable Vertical Phase Separation and Ordered Molecular Packing for Highly Efficient Layer-by-Layer Organic Solar Cells. <i>Small</i> , 2021 , 17, e2103497	11	14
15	Design of Near-Infrared Nonfullerene Acceptor with Ultralow Nonradiative Voltage Loss for High-Performance Semitransparent Ternary Organic Solar Cells.. <i>Angewandte Chemie - International Edition</i> , 2021 ,	16.4	13
14	High-Performance Non-Fused Wide Bandgap Acceptor for Versatile Photovoltaic Applications. <i>Advanced Materials</i> , 2021 , e2108090	24	13
13	Organic photovoltaic cells with high efficiencies for both indoor and outdoor applications. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 893-900	7.8	13
12	Efficient Exciton Dissociation Enabled by the End Group Modification in Non-Fullerene Acceptors. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 7691-7698	3.8	11
11	Simultaneous Improvement of Efficiency and Stability of Organic Photovoltaic Cells by using a Cross-Linkable Fullerene Derivative. <i>Small</i> , 2021 , 17, e2101133	11	10
10	Effectively Improving Extinction Coefficient of Benzodithiophene and Benzodithiophenedione-based Photovoltaic Polymer by Grafting Alkylthio Functional Groups. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 2650-2655	4.5	10
9	Optimizing polymer aggregation and blend morphology for boosting the photovoltaic performance of polymer solar cells via a random terpolymerization strategy. <i>Journal of Energy Chemistry</i> , 2021 , 59, 30-37	12	10
8	SYNTHESES, CRYSTAL STRUCTURES AND ELECTRONIC SPECTRA OF MIXED-LIGAND ZINC(II) COMPLEXES WITH DIIMINES AND DITHIOLATES. <i>Journal of Coordination Chemistry</i> , 2000 , 49, 201-209	1.6	6
7	Suppressing Energetic Disorder Enables Efficient Indoor Organic Photovoltaic Cells With a PTV Derivative. <i>Frontiers in Chemistry</i> , 2021 , 9, 684241	5	4
6	The Importance of End Groups for Solution-Processed Small-Molecule Bulk-Heterojunction Photovoltaic Cells. <i>ChemSusChem</i> , 2016 , 9, 973-80	8.3	4
5	Elucidating End-Group Modifications of Carbazole-Based Nonfullerene Acceptors in Indoor Applications for Achieving a PCE of over 20. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 26247-26255	9.5	3
4	Impact of Electrostatic Interaction on Bulk Morphology in Efficient Donor-Acceptor Photovoltaic Blends. <i>Angewandte Chemie</i> , 2021 , 133, 16124-16130	3.6	3
3	Influence of Large Steric Hinderance Substituent Position on Conformation and Charge Transfer Process for Non-Fused Ring Acceptors.. <i>Small Methods</i> , 2022 , e2200007	12.8	1
2	Solar Cells: Enhancing the Performance of the Half Tin and Half Lead Perovskite Solar Cells by Suppression of the Bulk and Interfacial Charge Recombination (Adv. Mater. 35/2018). <i>Advanced Materials</i> , 2018 , 30, 1870263	24	
1	Preparation, Structure and Properties of the One-Dimensional Polymeric Complex Na ₂ [AlW ₃ O ₄ (O ₂ Cet) ₈] ₂ . <i>Journal of Coordination Chemistry</i> , 2000 , 51, 83-92	1.6	