
## Fred Ko

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1001081/publications.pdf Version: 2024-02-01



FRED KO

#	Article	IF	CITATIONS
1	A Randomized Trial of a Multifactorial Strategy to Prevent Serious Fall Injuries. New England Journal of Medicine, 2020, 383, 129-140.	27.0	129
2	Inflammation and mortality in a frail mouse model. Age, 2012, 34, 705-715.	3.0	65
3	Strategies to Reduce Injuries and Develop Confidence in Elders (STRIDE): A Cluster-Randomized Pragmatic Trial of a Multifactorial Fall Injury Prevention Strategy: Design and Methods. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1053-1061.	3.6	56
4	Impaired mitochondrial degradation by autophagy in the skeletal muscle of the aged female interleukin 10 null mouse. Experimental Gerontology, 2016, 73, 23-27.	2.8	53
5	Electrophoretic characterization of species of fibronectin bearing sequences from the N-terminal heparin-binding domain in synovial fluid samples from patients with osteoarthritis and rheumatoid arthritis. Arthritis Research, 2003, 5, R329-39.	2.0	16
6	Effect of a Multifactorial Fall Injury Prevention Intervention on Patient Wellâ€Being: The <scp>STRIDE</scp> Study. Journal of the American Geriatrics Society, 2021, 69, 173-179.	2.6	15
7	Prevalence of Frailty and Prefrailty in People With Human Immunodeficiency Virus Aged 50 or Older: A Systematic Review and Meta-Analysis. Open Forum Infectious Diseases, 2022, 9, ofac129.	0.9	14
8	Preferential recognition of a fragment species of osteoarthritic synovial fluid fibronectin by antibodies to the alternatively spliced EIIIA segment. Arthritis and Rheumatism, 2001, 44, 2572-2585.	6.7	12
9	Conventional imaging and 2-deoxy-2-[18F]fluoro-D-glucose positron emission tomography for predicting the clinical outcome of patients with previously treated Hodgkin's disease. Molecular Imaging and Biology, 2004, 6, 47-54.	2.6	12
10	Conventional imaging and 2-deoxy-2-[18F]fluoro-D-glucose positron emission tomography for predicting the clinical outcome of previously treated non-hodgkin's lymphoma patients. Molecular Imaging and Biology, 2003, 5, 232-239.	2.6	11
11	Chronic Post-Surgical Pain in the Frail Older Adult. Drugs and Aging, 2020, 37, 321-329.	2.7	11
12	Numb is required for optimal contraction of skeletal muscle. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 454-466.	7.3	9
13	Co-Localization of Macrophage Inhibitory Factor and Nix in Skeletal Muscle of the Aged Male Interleukin 10 Null Mouse. Journal of Frailty & Aging,the, 2017, 6, 118-121.	1.3	5
14	Laparotomy in Mice Induces Blood Cell Expression of Inflammatory and Stress Genes. Journal of Interferon and Cytokine Research, 2015, 35, 302-312.	1.2	4
15	Recognition of the alternatively spliced segments of fibronectin by the RCJ 3.1C5.18 chondrocytic rat cell line. Osteoarthritis and Cartilage, 2010, 18, 228-239.	1.3	1