

Masayuki Osawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10012497/publications.pdf>

Version: 2024-02-01

68
papers

1,124
citations

1040056

9
h-index

414414

32
g-index

68
all docs

68
docs citations

68
times ranked

1733
citing authors

#	ARTICLE	IF	CITATIONS
1	A distinctive new species of the genus <i>Polyonyx</i> Stimpson, 1858 (Crustacea: Decapoda: Anomura: Tj ETQq1 1 0.784314 rgBT /Overlo	0.5	1
2	An annotated checklist of anomuran species (Crustacea: Decapoda) of India. <i>Zootaxa</i> , 2022, 5157, 1-100.	0.5	10
3	New Records of Species of Gebiidea and Anomura (Crustacea: Decapoda) from the Sea of Japan. <i>Species Diversity</i> , 2020, 25, 295-307.	0.4	1
4	Submarine cave hermit crabs (Crustacea: Decapoda: Anomura: Paguroidea) from three islands of the Ryukyu Islands, southwestern Japan. <i>Zootaxa</i> , 2019, 4560, zootaxa.4560.3.3.	0.5	8
5	Two large squat lobsters of the superfamily Chirostyloidea (Crustacea: Decapoda: Anomura) from the Ryukyu Islands, southwestern Japan, with description of a new species of the genus <i>Eumunida</i> Smith, 1883. <i>Zootaxa</i> , 2019, 4555, 319.	0.5	2
6	First record of <i>Propagurus haigae</i> (McLaughlin, 1997) (Decapoda, Anomura, Paguridae) from Japan. <i>Crustaceana</i> , 2019, 92, 477-483.	0.3	0
7	First record of <i>Polyonyx loimicola</i> Sankolli, 1965 (Crustacea, Decapoda, Anomura, Porcellanidae) from the Red Sea, Egypt. <i>Marine Biodiversity Records</i> , 2019, 12, .	1.2	0
8	A new species of the <i>Polyonyx sinensis</i> group (Crustacea: Decapoda: Anomura: Porcellanidae) from the Central Philippines. <i>Zootaxa</i> , 2018, 4486, 393.	0.5	2
9	New records of species of the <i>Polyonyx sinensis</i> group (Crustacea: Decapoda: Anomura: Porcellanidae) from Japan, the Philippines, Singapore, and Malaysia, with descriptions of two new species. <i>Zootaxa</i> , 2018, 4429, 303.	0.5	4
10	A new species of the genus <i>Raphidopus</i> Stimpson, 1858 (Crustacea: Decapoda: Anomura: Porcellanidae) from Peninsular Malaysia, with additional records of <i>R. johnsoni</i> Ng & Nakasone, 1994 from Southeast Asia, and a key to species in the genus. <i>Zootaxa</i> , 2018, 4433, 111.	0.5	2
11	A new species of the genus <i>Ancylocheles</i> Haig, 1978 (Crustacea: Decapoda: Anomura: Porcellanidae) from Gujarat, northwestern India. <i>Zootaxa</i> , 2017, 4299, 384.	0.5	0
12	Rediscovery of <i>Chirostylus dolichopus</i> Ortmann, 1892 (Crustacea: Decapoda: Anomura: Chirostylidae) from its type locality, Boso Peninsula, Japan, with description of the colouration in life. <i>Marine Biodiversity Records</i> , 2016, 9, .	1.2	0
13	A new species of the genus <i>Diogenes</i> Dana, 1851 (Crustacea: Decapoda: Anomura: Diogenidae) from Gujarat, northwestern India. <i>Zootaxa</i> , 2016, 4208, zootaxa.4208.2.6.	0.5	6
14	<i>Enosteoides</i> Johnson, 1970 (Crustacea: Decapoda: Anomura: Porcellanidae) from the Central Philippines, with description of a new species of the genus. <i>Nauplius</i> , 2016, 24, .	0.3	2
15	<p>A new strikingly-colored species of the genus Galathea Fabricius, 1793</p>(Crustacea: Decapoda: Anomura: Galatheidae) from the Ryukyu Islands, Japan</p>. </p>. <i>Zootaxa</i> , 2015, 4039, 591.	0.5	0
16	Two squat lobster species (Crustacea: Decapoda: Anomura) from the Persian Gulf, with description of a new species of <i>Raymunida</i> Macpherson & Machordom, 2000. <i>Zootaxa</i> , 2014, 3861, 265-74.	0.5	2
17	The Present Status and Problems of Threatened Benthic Animals in the Tidal Flats of Japan. <i>Japanese Journal of Benthology</i> , 2014, 69, 1-17.	0.1	5
18	First record of the porcellanid crab, <i>Polyonyx boucheti</i> (Crustacea: Decapoda: Anomura) from the Indian Ocean. <i>Marine Biodiversity Records</i> , 2013, 6, .	1.2	2

#	ARTICLE	IF	CITATIONS
19	New records of <i>Pagurixus</i> Melin, 1939 (Crustacea: Decapoda: Paguridae) from the Ryukyu Islands, southwestern Japan, with description of a new species. <i>Zootaxa</i> , 2013, 3669, 350.	0.5	1
20	A new subtidal species of the genus <i>Petrolisthes</i> Stimpson, 1858 (Crustacea: Decapoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 Islands, southwestern Japan. <i>Zootaxa</i> , 2013, 3670, 329.	0.5	5
21	Identity of <i>Pagurus watasei</i> (Crustacea: Decapoda: Anomura: Paguroidea). <i>Species Diversity</i> , 2013, 18, 39-44.	0.4	0
22	The Magnitude of Global Marine Species Diversity. <i>Current Biology</i> , 2012, 22, 2189-2202.	3.9	797
23	A new species of <i>Galathea</i> Fabricius, 1793 (Crustacea: Decapoda: Anomura: Galatheidae) from Okinawa, southern Japan. <i>Zootaxa</i> , 2012, 3264, 53.	0.5	2
24	A new genus and new species of pagurid hermit crab (Crustacea: Decapoda: Anomura: Paguroidea) from a submarine cave in Kume Island, Ryukyu Islands. <i>Zootaxa</i> , 2012, 3367, 145.	0.5	4
25	A new species of the genus <i>Pagurus</i> Fabricius, 1775 (Crustacea: Decapoda: Anomura: Paguridae) from the Ryukyu Islands, southwestern Japan. <i>Zootaxa</i> , 2012, 3367, 155.	0.5	4
26	Hermit crabs (Crustacea: Decapoda: Diogenidae) from the KUMEJIMA 2009 Expedition, Japan. <i>Zootaxa</i> , 2012, 3367, 176.	0.5	4
27	<i>Raymunida</i> Macpherson & Machordom, 2000 (Crustacea: Decapoda: Anomura: Munididae) from the KUMEJIMA 2009 Expedition in the Ryukyu Islands, Japan. <i>Zootaxa</i> , 2012, 3367, 134.	0.5	4
28	A New Genus and Two New Species of Peltogastridae (Crustacea: Cirripedia: Rhizocephala) Parasitizing Hermit Crabs from Okinawa Island (Ryukyu Archipelago, Japan), and their DNA-barcodes. <i>Zoological Science</i> , 2011, 28, 853-862.	0.7	24
29	DNA barcoding of hermit crabs of genus <i>Clibanarius</i> Dana, 1852 (Anomura: Diogenidae) in the Ryukyu Islands, southwestern Japan. <i>Zootaxa</i> , 2010, 2414, 59.	0.5	10
30	<i>Petrolisthes polychaetus</i> n. sp., a new species of Porcellanidae (Decapoda, Anomura) from Hainan Island, China. <i>Crustaceana</i> , 2010, 83, 1507-1517.	0.3	4
31	A new hermit crab species of the genus <i>Catapagurus</i> (Crustacea: Decapoda: Anomura: Paguridae) from the Ryukyu Islands, southern Japan. <i>Zootaxa</i> , 2009, 2211, 57-68.	0.5	3
32	Two Estuarine hermit Crab Species of the Genus <i>Clibanarius</i> (Crustacea: Decapoda: Diogenidae) from the Ryukyu Islands, Southern Japan. <i>Species Diversity</i> , 2009, 14, 267-278.	0.4	2
33	Additional records of hermit crabs (Crustacea: Decapoda: Anomura: Paguroidea) from Taiwan. <i>Proceedings of the Biological Society of Washington</i> , 2009, 122, 317-332.	0.3	4
34	First Record from Japan of a Poorly Known Porcellanid Crab, <i>Lissoporcellana miyakei</i> (Crustacea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 10	0.4	2
35	<i>Clibanarius ambonensis</i> (Crustacea: Decapoda: Anomura: Diogenidae) from the Ryukyu Islands, south-western Japan. <i>Marine Biodiversity Records</i> , 2008, 1, .	1.2	3
36	Two new species of <i>Turleania</i> McLaughlin, 1997 (Crustacea: Decapoda: Anomura: Paguridae) from the Ryukyu Islands, southwestern Japan, and a redescription of <i>T. balli</i> (McLaughlin & Haig, 1996). <i>Zootaxa</i> , 2008, 1753, 49.	0.5	4

#	ARTICLE	IF	CITATIONS
37	New records of Porcellanidae (Decapoda, Anomura) from Taiwan. <i>Crustaceana</i> , 2007, 80, 731-738.	0.3	1
38	A new Munidopsis (Crustacea: Decapoda: Galatheidae) associated with gorgonian corals from the deep waters off Taiwan. <i>Proceedings of the Biological Society of Washington</i> , 2007, 120, 167-174.	0.3	7
39	Sand Crabs of the Genus Albunea (Crustacea: Decapoda: Anomura: Albuneidae) from the Ryukyu Islands, Southwestern Japan, with the Description of a New Species. <i>Species Diversity</i> , 2007, 12, 127-140.	0.4	4
40	A new species of Chirostylus Ortmann, 1892 (Crustacea: Decapoda: Anomura: Chirostylidae) from the Ryukyu Islands, southwestern Japan, with a supplemental description of Chirostylus ortmanni Miyake & Baba, 1968. <i>Zootaxa</i> , 2007, 1450, 31-43.	0.5	4
41	A new species of Polyonyx Stimpson, 1858 (Crustacea: Decapoda: Anomura: Porcellanidae) from the Philippines and Loyalty Islands. <i>Zootaxa</i> , 2007, 1450, .	0.5	3
42	Porcellanidae (Crustacea: Decapoda: Anomura) from New Caledonia and the Loyalty Islands. <i>Zootaxa</i> , 2007, 1548, 1-49.	0.5	17
43	A new hermit crab species of the Pagurixus anceps group (Crustacea: Decapoda: Anomura: Paguridae) from southern Japan, and supplemental notes on P. patiae Komai, 2006. <i>Zootaxa</i> , 2007, 1627, .	0.5	6
44	A New Species of the Genus Pylopaguropsis (Crustacea: Decapoda: Anomura: Paguridae) from the Ryukyu Islands, Southwestern Japan, with Notes on Two Poorly Known Pagurids. <i>Species Diversity</i> , 2007, 12, 29-46.	0.4	8
45	A review of the Pagurixus boninensis species group, with descriptions of six new species (Crustacea: Tj ETQq1 1 0.784314 rgBT /Ove	0.5	12
46	Two new species of Pagurixus (Crustacea: Decapoda: Anomura: Paguridae) from submarine caves of the Ryukyu Islands, southwestern Japan. <i>Zootaxa</i> , 2006, 1148, 27-45.	0.5	13
47	Munidopsis (Decapoda: Anomura: Galatheidae) from the Abyssal Depths of Taiwan, with Description of One New Species. <i>Journal of Crustacean Biology</i> , 2006, 26, 420-428.	0.8	15
48	A new species of Munidopsis (Crustacea: Decapoda: Galatheidae) from deep waters off Taiwan. <i>Proceedings of the Biological Society of Washington</i> , 2006, 119, 251-258.	0.3	10
49	A new species of Trichopagurus de Saint Laurent (Crustacea: Decapoda: Anomura: Paguridae) from the Ryukyu and Yap Islands, and redescription of T. trichophthalmus (Forest). <i>Zootaxa</i> , 2005, 801, 1-20.	0.5	7
50	A new species of Lissoporcellana (Crustacea: Decapoda: Anomura: Porcellanidae) from Okinawa, southwestern Japan. <i>Zootaxa</i> , 2005, 1038, 53.	0.5	4
51	Complete larval development of the rare porcellanid crab, Novorostrum decorocrus Osawa, 1998 (Crustacea: Decapoda: Anomura: Porcellanidae), reared under laboratory conditions. <i>Journal of Natural History</i> , 2005, 39, 763-778.	0.5	7
52	The Identity of Raymunida elegantissima (Crustacea: Decapoda: Anomura: Galatheidae) and Description of a Closely Related New Species from Japan. <i>Species Diversity</i> , 2005, 10, 85-104.	0.4	5
53	A New Hermit Crab Species of Pylopaguropsis (Crustacea: Decapoda: Anomura: Paguridae) from the Western Pacific, and Supplemental Note on P. laevispinosa McLaughlin and Haig. <i>Zoological Science</i> , 2004, 21, 93-104.	0.7	1
54	A new shallow-water species of the genus Galathea (Decapoda: Anomura: Galatheidae) from the Ryukyu and Izu Islands, Japan. <i>Crustacean Research</i> , 2004, 33, 92-102.	0.8	4

#	ARTICLE	IF	CITATIONS
55	Zoal Development of Two Spot-Pattern Morphs of <i>Neopetrolisthes maculatus</i> , and of <i>N. spinatus</i> (Crustacea : Decapoda : Anomura : Porcellanidae), Reared under Laboratory Conditions. <i>Species Diversity</i> , 2003, 8, 175-198.	0.4	2
56	COMPLETE LARVAL DEVELOPMENT OF PETROLISTHES UNILOBATUS REARED UNDER LABORATORY CONDITIONS (DECAPODA: ANOMURA: PORCELLANIDAE). <i>Journal of Crustacean Biology</i> , 2002, 22, 567-580.	0.8	6
57	Complete Larval Development of <i>Petrolisthes Unilobatus</i> Reared under Laboratory Conditions (Decapoda: Anomura: Porcellanidae). <i>Journal of Crustacean Biology</i> , 2002, 22, 567-580.	0.8	7
58	Hermit crabs (Crustacea: Decapoda: Anomura: Paguroidea) from submarine caves in the Ryukyu Islands, south-western Japan. <i>Journal of Natural History</i> , 2002, 38, 1097-1132.	0.5	7
59	HETEROPOLYONYX BIFORMA NEW GENUS AND SPECIES, FROM JAPAN, AND REDESCRIPTION OF POLYONYX UTINOMII (DECAPODA: PORCELLANIDAE). <i>Journal of Crustacean Biology</i> , 2001, 21, 506-520.	0.8	0
60	Heteropolyonyx Biforma New Genus and Species, from Japan, and Redescription of <i>Polyonyx Utinomii</i> (Decapoda: Porcellanidae). <i>Journal of Crustacean Biology</i> , 2001, 21, 506-520.	0.8	3
61	A new distinctive species of pagurid hermit crab (Crustacea: Decapoda: Anomura) from Japan. <i>Zoological Science</i> , 2001, 18, 1291-1301.	0.7	7
62	Zoal Development of <i>Novorostrum indicum</i> (Crustacea : Decapoda : Porcellanidae) Reared under Laboratory Conditions. <i>Species Diversity</i> , 2000, 5, 13-22.	0.4	3
63	<i>Novorostrum</i> , New Genus (Decapoda: Anomura: Porcellanidae), with Descriptions of Three Related Species. <i>Journal of Crustacean Biology</i> , 1998, 18, 161.	0.8	7
64	Two Rare Species of <i>Petrolisthes</i> (Decapoda: Anomura: Porcellanidae) from the Ryukyu Islands, with the Description of a New Species of the Genus. <i>Journal of Crustacean Biology</i> , 1998, 18, 597.	0.8	2
65	Zoal Development of Four Indo-West Pacific Species of <i>Petrolisthes</i> (Crustacea : Decapoda : Anomura) Tj ETQq1 1,0,784314 rgBT /O	0.4	9
66	Additional Note On <i>Tsunogaipagurus Chuni</i> (Bals, 1911) (Decapoda, Anomura, Parapaguridae). <i>Crustaceana</i> , 1996, 69, 878-881.	0.3	0
67	Two New Species of the Genus <i>Petrolisthes</i> (Decapoda: Anomura: Porcellanidae) from the Indo-West Pacific. <i>Journal of Crustacean Biology</i> , 1996, 16, 602.	0.8	3
68	Larval development of four <i>Petrolisthes</i> species (Decapoda: Anomura: Porcellanidae) under laboratory conditions, with comments on the larvae of the genus. <i>Crustacean Research</i> , 1995, 24, 157-187.	0.8	16