

Jakob R Passweg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1001413/publications.pdf>

Version: 2024-02-01

117
papers

5,293
citations

361413

20
h-index

85541

71
g-index

123
all docs

123
docs citations

123
times ranked

6940
citing authors

#	ARTICLE	IF	CITATIONS
1	A Gain-of-Function Mutation of <i>JAK2</i> in Myeloproliferative Disorders. <i>New England Journal of Medicine</i> , 2005, 352, 1779-1790.	27.0	3,240
2	Absence of NKG2D ligands defines leukaemia stem cells and mediates their immune evasion. <i>Nature</i> , 2019, 572, 254-259.	27.8	246
3	Hematopoietic cell transplantation and cellular therapy survey of the EBMT: monitoring of activities and trends over 30 years. <i>Bone Marrow Transplantation</i> , 2021, 56, 1651-1664.	2.4	221
4	The EBMT activity survey on hematopoietic-cell transplantation and cellular therapy 2018: CAR-Ts come into focus. <i>Bone Marrow Transplantation</i> , 2020, 55, 1604-1613.	2.4	147
5	Current outcome of HLA identical sibling versus unrelated donor transplants in severe aplastic anemia: an EBMT analysis. <i>Haematologica</i> , 2015, 100, 696-702.	3.5	141
6	The EBMT activity survey report 2017: a focus on allogeneic HCT for nonmalignant indications and on the use of non-HCT cell therapies. <i>Bone Marrow Transplantation</i> , 2019, 54, 1575-1585.	2.4	129
7	Is the use of unrelated donor transplantation leveling off in Europe? The 2016 European Society for Blood and Marrow Transplant activity survey report. <i>Bone Marrow Transplantation</i> , 2018, 53, 1139-1148.	2.4	117
8	Posttransplant cyclophosphamide vs antithymocyte globulin in HLA-mismatched unrelated donor transplantation. <i>Blood</i> , 2019, 134, 892-899.	1.4	110
9	Post-remission treatment with allogeneic stem cell transplantation in patients aged 60 years and older with acute myeloid leukaemia: a time-dependent analysis. <i>Lancet Haematology</i> , 2015, 2, e427-e436.	4.6	88
10	Targeting compensatory MEK/ERK activation increases JAK inhibitor efficacy in myeloproliferative neoplasms. <i>Journal of Clinical Investigation</i> , 2019, 129, 1596-1611.	8.2	84
11	Acute myeloid leukaemia genomics. <i>British Journal of Haematology</i> , 2017, 179, 530-542.	2.5	82
12	Comparison of Intensive Chemotherapy and Hypomethylating Agents before Allogeneic Stem Cell Transplantation for Advanced Myelodysplastic Syndromes: A Study of the Myelodysplastic Syndrome Subcommittee of the Chronic Malignancies Working Party of the European Society for Blood and Marrow Transplant Research. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1615-1620.	2.0	46
13	Impact of the SARS-CoV-2 pandemic on hematopoietic cell transplantation and cellular therapies in Europe 2020: a report from the EBMT activity survey. <i>Bone Marrow Transplantation</i> , 2022, 57, 742-752.	2.4	45
14	One and Half Million Hematopoietic Stem Cell Transplants (HSCT). Dissemination, Trends and Potential to Improve Activity By Telemedicine from the Worldwide Network for Blood and Marrow Transplantation (WBMT). <i>Blood</i> , 2019, 134, 2035-2035.	1.4	36
15	Hematopoietic stem cell transplantation: a review and recommendations for follow-up care for the general practitioner. <i>Swiss Medical Weekly</i> , 2012, 142, w13696.	1.6	32
16	Donor Characteristics Affecting Graft Failure, Graft-versus-Host Disease, and Survival after Unrelated Donor Transplantation with Reduced-Intensity Conditioning for Hematologic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1869-1873.	2.0	31
17	The sympathomimetic agonist mirabegron did not lower <i>JAK2</i> -V617F allele burden, but restored nestin-positive cells and reduced reticulin fibrosis in patients with myeloproliferative neoplasms: results of phase II study SAKK 33/14. <i>Haematologica</i> , 2019, 104, 710-716.	3.5	29
18	Reduced dose of post-transplantation cyclophosphamide compared to ATG for graft-versus-host disease prophylaxis in recipients of mismatched unrelated donor hematopoietic cell transplantation: a single-center study. <i>Annals of Hematology</i> , 2019, 98, 1485-1493.	1.8	27

#	ARTICLE	IF	CITATIONS
19	Long-term observation reveals high-frequency engraftment of human acute myeloid leukemia in immunodeficient mice. <i>Haematologica</i> , 2017, 102, 854-864.	3.5	25
20	Management of hemolytic anemia following allogeneic stem cell transplantation. <i>Hematology American Society of Hematology Education Program</i> , 2015, 2015, 378-384.	2.5	24
21	Early administration of donor lymphocyte infusions upon molecular relapse after allogeneic hematopoietic stem cell transplantation for chronic myeloid leukemia: a study by the Chronic Malignancies Working Party of the EBMT. <i>Haematologica</i> , 2014, 99, 1492-1498.	3.5	19
22	Clinical and morphological practices in the diagnosis of transplant-associated microangiopathy: a study on behalf of Transplant Complications Working Party of the EBMT. <i>Bone Marrow Transplantation</i> , 2019, 54, 1022-1028.	2.4	19
23	Dual targeting of JAK2 and ERK interferes with the myeloproliferative neoplasm clone and enhances therapeutic efficacy. <i>Leukemia</i> , 2021, 35, 2875-2884.	7.2	19
24	Inert Gas Washout in Bronchiolitis Obliterans Following Hematopoietic Cell Transplantation. <i>Chest</i> , 2018, 154, 157-168.	0.8	18
25	Melphalan dose in myeloma patients ≥65 years of age undergoing high-dose therapy and autologous stem cell transplantation: a multicentric observational registry study. <i>Bone Marrow Transplantation</i> , 2019, 54, 1029-1037.	2.4	18
26	Very long-term follow-up of aplastic anemia treated with immunosuppressive therapy or allogeneic hematopoietic cell transplantation. <i>Annals of Hematology</i> , 2020, 99, 2529-2538.	1.8	15
27	Busulfan-cyclophosphamide versus cyclophosphamide-busulfan as conditioning regimen before allogeneic hematopoietic cell transplantation: a prospective randomized trial. <i>Annals of Hematology</i> , 2021, 100, 209-216.	1.8	13
28	MPN patients with low mutant <i>JAK2</i> allele burden show late expansion restricted to erythroid and megakaryocytic lineages. <i>Blood</i> , 2020, 136, 2591-2595.	1.4	12
29	Cellular immunotherapy with multiple infusions of in vitro-expanded haploidentical natural killer cells after autologous transplantation for patients with plasma cell myeloma. <i>Cytotherapy</i> , 2021, 23, 329-338.	0.7	12
30	Eltrombopag for the Treatment of Aplastic Anemia in Europe. <i>Blood</i> , 2018, 132, 1304-1304.	1.4	12
31	Relapse of Aplastic Anemia with Majority Donor Chimerism (Donor-Type Aplasia) Occurring Late after Bone Marrow Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 480-485.	2.0	11
32	Impact of busulfan pharmacokinetics on outcome in adult patients receiving an allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2022, 57, 903-910.	2.4	11
33	Dyslipidemia and lipid-lowering treatment in a hematopoietic stem cell transplant cohort: 25 years of follow-up data. <i>Journal of Clinical Lipidology</i> , 2018, 12, 464-480.e3.	1.5	10
34	The impact of cytogenetic risk on the outcomes of allogeneic hematopoietic cell transplantation in patients with relapsed/refractory acute myeloid leukemia: On behalf of the acute leukemia working party (ALWP) of the European group for blood and marrow transplantation (EBMT). <i>American Journal of Hematology</i> , 2021, 96, 40-50.	4.1	10
35	Immune cytopenia after allogeneic haematopoietic stem-cell transplantation: challenges, approaches, and future directions. <i>Lancet Haematology</i> , 2021, 8, e229-e239.	4.6	10
36	Prospective Molecular MRD Detection By NGS: A Powerful Independent Predictor for Relapse and Survival in Adults with Newly Diagnosed AML. <i>Blood</i> , 2017, 130, LBA-5-LBA-5.	1.4	10

#	ARTICLE	IF	CITATIONS
37	Antibody response to mRNA SARS-CoV-2 vaccination in 182 patients after allogeneic hematopoietic cell transplantation. <i>Transplant Infectious Disease</i> , 2022, , .	1.7	10
38	Very Long Term Stability of Mixed Chimerism after Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Hematologic Malignancies. <i>Bone Marrow Research</i> , 2015, 2015, 1-6.	1.7	9
39	Improvement of relative survival in elderly patients with acute myeloid leukaemia emerging from population-based cancer registries in Switzerland between 2001 and 2013. <i>Cancer Epidemiology</i> , 2018, 52, 55-62.	1.9	8
40	New-onset Post-transplant Diabetes and Therapy in Long-term Survivors After Allogeneic Hematopoietic Stem Cell Transplantation. <i>In Vivo</i> , 2020, 34, 3545-3549.	1.3	8
41	Global Hematopoietic Stem Cell Transplantation (HSCT) At One Million: An Achievement Of Pioneers and Foreseeable Challenges For The Next Decade. A Report From The Worldwide Network For Blood and Marrow Transplantation (WBMT). <i>Blood</i> , 2013, 122, 2133-2133.	1.4	8
42	Outcome of Allogeneic Stem Cell Transplantation for Patients Transformed to Myelodysplastic Syndrome or Leukemia from Severe Aplastic Anemia: A Report from the MDS Subcommittee of the Chronic Malignancies Working Party and the Severe Aplastic Anemia Working Party of the European Group for Blood and Marrow Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1448-1450.	2.0	7
43	Anti-Platelet Factor 4/Heparin Antibody Formation Occurs Endogenously and at Unexpected High Frequency in Polycythemia Vera. <i>BioMed Research International</i> , 2017, 2017, 1-13.	1.9	7
44	Analysis of biological models to predict clinical outcomes based on HLA-DPB1 disparities in unrelated transplantation. <i>Blood Advances</i> , 2021, 5, 3377-3386.	5.2	7
45	Inferior Outcome of Allogeneic Stem Cell Transplantation in First Complete Remission for Secondary AML As Compared to De Novo Disease: Results from a Retrospective, Registry-Based Analysis on Behalf of the Acute Leukemia Working Party of the EBMT. <i>Blood</i> , 2018, 132, 2166-2166.	1.4	7
46	Mechanisms of Adaptation to Ibrutinib in High Risk Chronic Lymphocytic Leukemia. <i>Blood</i> , 2018, 132, 585-585.	1.4	7
47	Ibrutinib for Bridging to Allogeneic Hematopoietic Stem Cell Transplantation (alloHCT) in Chronic Lymphocytic Leukemia (CLL) and Mantle Cell Lymphoma (MCL) Is Safe and Effective: First Results of a Survey By the Chronic Malignancy and the Lymphoma Working Parties of the EBMT. <i>Blood</i> , 2016, 128, 4657-4657.	1.4	7
48	Optimized cyclosporine starting dose may reduce risk of acute GvHD after allogeneic hematopoietic cell transplantation: a single-center cohort study. <i>Bone Marrow Transplantation</i> , 2022, 57, 613-619.	2.4	7
49	Worldwide Network for Blood and Marrow Transplantation (WBMT) Recommendations Regarding Essential Medications Required To Establish An Early Stage Hematopoietic Cell Transplantation Program. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 267.e1-267.e5.	1.2	6
50	Impact of depth of clinical response on outcomes of acute myeloid leukemia patients in first complete remission who undergo allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2021, 56, 2108-2117.	2.4	6
51	Human platelet antigen antibody induction in uncomplicated pregnancy is associated with HLA sensitization. <i>Transfusion</i> , 2017, 57, 1272-1279.	1.6	5
52	Low Incidence of hepatic sinusoidal obstruction syndrome/veno-occlusive disease in adults undergoing allogeneic stem cell transplantation with prophylactic ursodiol and low-dose heparin. <i>Bone Marrow Transplantation</i> , 2022, 57, 391-398.	2.4	5
53	The value of the post-thaw CD34+ count with and without DMSO removal in the setting of autologous stem cell transplantation. <i>Transfusion</i> , 2019, 59, 1052-1060.	1.6	4
54	Post-Transplant Sorafenib Improves Overall Survival in FLT3 Mutated AML: A Report from the EBMT Acute Leukemia Working Party. <i>Blood</i> , 2018, 132, 708-708.	1.4	4

#	ARTICLE	IF	CITATIONS
55	Myeloablative Allogeneic Hematopoietic Stem Cell Transplantation for Adult Patients with T-Cell Acute Lymphoblastic Leukemia: A Survey From the Acute Leukemia Working Party of the European Group for Blood and Marrow Transplantation (EBMT). <i>Blood</i> , 2012, 120, 356-356.	1.4	4
56	Haematopoietic stem cell transplantation: activity in Switzerland compared with surrounding European countries. <i>Swiss Medical Weekly</i> , 2013, 143, w13757.	1.6	4
57	Peripheral blood schistocytes in the acute phase after allogeneic or autologous stem cell transplantation assessed by digital microscopy. <i>International Journal of Laboratory Hematology</i> , 2020, 42, 145-151.	1.3	3
58	Secondary CNL after SAA reveals insights in leukemic transformation of bone marrow failure syndromes. <i>Blood Advances</i> , 2020, 4, 5540-5546.	5.2	3
59	Conception and Pregnancy Outcomes after Haematopoietic Stem Cell Transplant: A Retrospective Study from the Transplant Complications Working Party of the European Society for Blood and Marrow Transplantation. <i>Blood</i> , 2018, 132, 2139-2139.	1.4	3
60	Co-Occurring CSF3R W791* Germline and Somatic T618I Driver Mutations Induce Early CNL and Clonal Progression to Mixed Phenotype Acute Leukemia. <i>Current Oncology</i> , 2022, 29, 805-815.	2.2	3
61	Global Trends in Hematopoietic Cell Transplantation.. <i>Blood</i> , 2012, 120, 3143-3143.	1.4	2
62	Impact of Upfront Stem Cell Transplantation in Newly Diagnosed Multiple Myeloma with Del(17) and t(4;14): A Report from the EBMT Chronic Malignancies Working Party. <i>Blood</i> , 2018, 132, 2143-2143.	1.4	2
63	External Validation of the Revised Pretransplant Assessment of Mortality Score in Allogeneic Hematopoietic Cell Transplantation: A Cohort Study. <i>HemaSphere</i> , 2022, 6, e704.	2.7	2
64	Comment: Shall Killer Cell Immunoglobulin-Like Receptor Genotyping be Incorporated in Donor Search Algorithms?. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1539-1540.	2.0	1
65	Respiratory viral infections prior to and after allogeneic haematopoietic cell transplantation. <i>British Journal of Haematology</i> , 2020, 188, 486-487.	2.5	1
66	Blast counts are lower in the aspirate as compared to trephine biopsy in acute myeloid leukemia and myelodysplastic syndrome expressing CD56. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 1078-1084.	1.3	1
67	Transfusions in Aplastic Anemia Patients Cause HLA Alloimmunization: Comparisons of Current and Past Cohorts Demonstrate Progress. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 939.e1-939.e8.	1.2	1
68	Outcome of Allogeneic Haematopoietic Stem Cell Transplantation in Myeloproliferative Neoplasms-Unclassifiable: A Retrospective Study By the Chronic Malignancies Working Party of EBMT. <i>Blood</i> , 2019, 134, 3335-3335.	1.4	1
69	Outcomes Following Second Allogeneic Haematopoietic Cell Transplantation in Patients with Myelofibrosis: A Retrospective Study on Behalf of the Chronic Malignancies Working Party of EBMT. <i>Blood</i> , 2019, 134, 698-698.	1.4	1
70	Impact of Molecular HLA Matching for Allogeneic Stem Cell Transplantation from Unrelated Donors.. <i>Blood</i> , 2004, 104, 979-979.	1.4	1
71	Post-Remission Treatment with Allogeneic Stem Cell Transplantation Improves Outcome in Patients Aged 60 Years and Older with Acute Myeloid Leukemia in First Remission. <i>Blood</i> , 2014, 124, 321-321.	1.4	1
72	Decreased Incidence of GvHD after Reduced Intensity Conditioning and a Fixed T-CELL Dose in Hematological Malignancy Patients. <i>Blood</i> , 2014, 124, 5889-5889.	1.4	1

#	ARTICLE	IF	CITATIONS
73	Allogeneic Hematopoietic Cell Transplantation for Adult Patients with ALL: Current Results and Prognostic Factors. an Analysis from Acute Leukemia Working Party of the EBMT. Blood, 2015, 126, 3202-3202.	1.4	1
74	Allogeneic Hematopoietic Transplantation in Patients with CLL: Results of a Large Disease-Specific Risk Factor Analysis. Blood, 2015, 126, 3209-3209.	1.4	1
75	Global Use and Trends in Hematopoietic Stem Cell Transplantation Analyzed by the Worldwide Network of Blood and Marrow Transplantation WBMT: A Targeted Approach for a Widening Gap. Blood, 2011, 118, 1016-1016.	1.4	1
76	Prospective Phase II Pilot Study of Rabbit Antithymocyte Globulin (ATG, Thymoglobuline) with Cyclosporin for Patients with Acquired Aplastic Anemia and Matched Pair Analysis with Patients Treated with Horse ATG (Lymphoglobuline) and Cyclosporin: A Study From the EBMT Severe Aplastic Anemia Working Party (RATGAA07). Blood, 2011, 118, 2408-2408.	1.4	1
77	Allogeneic Hematopoietic Stem Cell Transplantation (alloHSCT) Improves Outcome As Compared to Conventional Consolidation in Patients Aged 40â€“60 Years with AML in CR1 with Apparent Greater Benefit for Reduced Intensity Rather Than Myeloablative Conditioning. Blood, 2011, 118, 159-159.	1.4	1
78	Red Blood Cell Allo-Antibodies after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2018, 132, 2551-2551.	1.4	1
79	Allogeneic Hematopoietic Stem Cell Transplantation (HSCT) in Patients with Therapy-Related Myeloid Neoplasm: A Study from the Chronic Malignancies Working Party of the EBMT. Blood, 2019, 134, 45-45.	1.4	1
80	Haematopoietic stem cell transplantation in adult soft-tissue sarcoma: an analysis from the European Society for Blood and Marrow Transplantation. ESMO Open, 2020, 5, e000860.	4.5	1
81	Baseline calprotectin fails to predict incidence of acute gastrointestinal graft vs. host disease: a prospective study. Bone Marrow Transplantation, 2019, 54, 343-347.	2.4	0
82	Does the order of busulfan and cyclophosphamide affect allogeneic stem cell transplantation related liver toxicity?. Annals of Hematology, 2021, 100, 1349-1350.	1.8	0
83	Lack of association of travel time to transplant center and posttransplant care model with outcome parameters after allogeneic transplantation. Bone Marrow Transplantation, 2021, 56, 2024-2026.	2.4	0
84	An ounce of which prevention is worth â€“??. Blood, 2021, 137, 1852-1853.	1.4	0
85	Donor Hematopoietic Stem Cells Did No Major Contribution to Hair Follicle Repair Either in Short or in Long Term Allogeneic Hematopoietic Stem Cell Transplants Recipients.. Blood, 2004, 104, 4167-4167.	1.4	0
86	Sideroblastic Changes Can Be Recognized in the Erythrogram.. Blood, 2005, 106, 4909-4909.	1.4	0
87	Birth Order and Outcome in HLA-Identical Sibling Donor Hematopoietic Stem Cell Transplants. Impact of a Sequential Fetomaternal - Maternofetal Cell Transfer?.. Blood, 2005, 106, 2034-2034.	1.4	0
88	Preemptive Immunotherapy with Highly Purified CD56+/CD3â€“ Natural Killer Cells after Haploidentical Stem Cell Transplantation. A Prospective Phase II Study in 2 Centers.. Blood, 2006, 108, 411-411.	1.4	0
89	High Dose Chemotherapy Using Beam without Autologous Rescue Followed by Reduced Intensity Conditioning Allogeneic Stem Cell Transplantation for Refractory or Relapsing Lymphomas - A Comparison of Delayed Versus Immediate Transplantation.. Blood, 2006, 108, 5352-5352.	1.4	0
90	Cyclophosphamide-Busulfan Instead of Busulfan-Cyclophosphamide for Conditioning in Allogeneic Hematopoietic Stem Cell Transplantation.. Blood, 2009, 114, 2268-2268.	1.4	0

#	ARTICLE	IF	CITATIONS
91	Prognostic Impact of Iron Overload During Follow-up After Allogeneic Stem Cell Transplantation. Blood, 2011, 118, 347-347.	1.4	0
92	Allogeneic Transplantation for Multiple Myeloma – the Swiss Experience. Blood, 2011, 118, 3112-3112.	1.4	0
93	Outcome of Aplastic Anemia in Children. A Survey On Behalf of the SAA and PDWP of the EBMT. Blood, 2012, 120, 643-643.	1.4	0
94	Comparison Of Intensive Chemotherapy and Hypomethylating Agents Prior To Allogeneic Stem Cell Transplantation For Advanced MDS (RAEB, RAEB-T). A Study Of The MDS Subcommittee Of The CmwP Of EBMT. Blood, 2013, 122, 2121-2121.	1.4	0
95	Prognostic Value Of Five-Group Cytogenetic Risk Classification In Patients With MDS After Allogeneic Hematopoietic Stem Cell Transplantation: A Retrospective Multicenter Study Of The Chronic Malignancies Working Party Of The EBMT. Blood, 2013, 122, 2092-2092.	1.4	0
96	The Hierarchy of Alternative Donors for Allogeneic Hematopoietic Stem Cell Transplantation in Poor Risk AML in CR1: 10/10 Matched Unrelated Donors Still to be Preferred over Haplo-Identical Donors or Umbilical Cord Blood. Blood, 2014, 124, 681-681.	1.4	0
97	The Comparative Value of Hematopoietic Stem Cell Transplantation and Chemotherapy in Cytogenetically Normal AML Subclassified By NPM1 Mutation Status and FLT3-ITD Allelic Ratio. Blood, 2014, 124, 323-323.	1.4	0
98	Allogeneic Stem Cell Transplantation for Elderly Patients with Intermediate-Risk Cytogenetic Acute Myeloid Leukemia and Internal Tandem Duplication of FLT3 (FLT3-ITD); A Study from the Acute Leukemia Working Party (ALWP) of the European Society of Blood and Marrow Transplantation (EBMT). Blood, 2015, 126, 4364-4364.	1.4	0
99	Very Good Response and Overall Survival after Allogeneic Stem Cell Transplantation in Patients with Systemic Light Chain Amyloidosis; Results of a Non-Interventional Study By the Plasma Cell Disorder Subcommittee of the Chronic Malignancy Working Party of the EBMT. Blood, 2015, 126, 4397-4397.	1.4	0
100	Relapse Risk Score after Allogeneic Stem Cell Transplantation for MDS Patients. an EBMT Study from the MDS Subcommittee of Chronic Malignancies Working Party (CMWP). Blood, 2016, 128, 4701-4701.	1.4	0
101	Identification of Baseline Characteristics That Predict Good Outcome of Allogeneic Hematopoietic Cell Transplantation in Young Chronic Lymphocytic Leukemia Patients - a Retrospective Analysis from the Chronic Malignancies Working Party of the European Society for Blood and Marrow Transplantation.. Blood, 2016, 128, 522-522.	1.4	0
102	Outcomes of Allogeneic Hematopoietic Stem Cell Transplantation for Acute Myelogenous Leukemia (AML) with Complex Karyotypes (CK): A Retrospective Study from the Acute Leukemia Working Party (ALWP) of the European Society for Blood and Marrow Transplantation (EBMT) and MD Anderson Cancer Center (MDACC). Blood, 2016, 128, 3479-3479.	1.4	0
103	The Use of Anti-Thymocyte Globulin Is Associated with Increased Chance of Survival Free from Relapse and Graft-Versus-Host Disease after Allogeneic Peripheral Blood Stem Cell Transplantation for Adults with Philadelphia-Negative Acute Lymphoblastic Leukemia: An Analysis By the Acute Leukemia Working Party of the EBMT. Blood, 2016, 128, 666-666.	1.4	0
104	Long-Term Follow-up of the Randomized Controlled Study in Patients with Newly Diagnosed Severe Aplastic Anemia Treated with ATG, Cyclosporine, with or without G-CSF: On Behalf of the SAA Working Party of the EBMT. Blood, 2018, 132, 1307-1307.	1.4	0
105	Treosulfan Conditioning for Allogeneic Transplantation in Multiple Myeloma Improved Overall Survival in Upfront Hematopoietic Stem Cell Transplantation – a Large Retrospective Study By the Chronic Malignancies Working Party of the EBMT. Blood, 2018, 132, 3464-3464.	1.4	0
106	Allogeneic Stem Cell Transplantation for Blast Crisis Chronic Myeloid Leukemia in the Era of Tyrosine Kinase Inhibitors – a Retrospective Study By the EBMT Chronic Malignancies Working Party. Blood, 2018, 132, 3465-3465.	1.4	0
107	Post-Transplant Cyclophosphamide Versus Antithymocyte Globulin in Patients with Acute Myeloid Leukemia Undergoing Allogeneic Stem Cell Transplantation from One Antigen HLA-Mismatched Donors: A Retrospective Analysis from the Acute Leukemia Working Party of the EBMT. Blood, 2018, 132, 1016-1016.	1.4	0
108	The Impact of Cytogenetics on the Outcome of Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Relapsed/Refractory Acute Myeloid Leukemia: A Survey from the Acute Leukemia Working Party (ALWP) of EBMT. Blood, 2018, 132, 4639-4639.	1.4	0

#	ARTICLE	IF	CITATIONS
109	Pre-Transplant Genetic Susceptibility in Adult Allogeneic Hematopoietic Cell Transplant Recipients: Incidence and Clinical Relevance in Transplant-Associated Thrombotic Microangiopathy. <i>Blood</i> , 2018, 132, 3401-3401.	1.4	0
110	Prognostic Value of a New Clinically-Based Classification System in Patients with CMML Undergoing Allogeneic Hematopoietic Stem Cell Transplantation: A Retrospective Analysis of the EBMT Chronic Malignancies Working Party. <i>Blood</i> , 2018, 132, 4390-4390.	1.4	0
111	The Global State of Hematopoietic Stem Cell Transplantation for Multiple Myeloma: An Analysis of the Worldwide Network of Blood and Marrow Transplantation (WBMT) Database and the Global Burden of Disease Study. <i>Blood</i> , 2019, 134, 412-412.	1.4	0
112	I-Care for MDS: Development of Guidelines-Based Indicators for Appropriate Care in Adult Patients with Myelodysplastic Syndromes. <i>Blood</i> , 2019, 134, 4752-4752.	1.4	0
113	Autologous and Allogeneic Hematopoietic Stem-Cell Transplantation for Patients with Richter's Syndrome: A Large Series from the Chronic Malignancies Working Party of the European Society for Blood and Marrow Transplantation. <i>Blood</i> , 2019, 134, 2053-2053.	1.4	0
114	Frequency, reactivity and evolution of human leukocyte antigen and human platelet antigen antibodies in the setting of hematopoietic cell transplantation. <i>Transfusion and Apheresis Science</i> , 2021, , 103301.	1.0	0
115	Transplant Outcomes in Patients with Ph+ Chronic Myeloid Leukemia: Haploidentical Donors Compared to Matched Sibling Donors and Matched/Mismatched Unrelated Donors: A Retrospective Analysis from the EBMT Chronic Malignancies Working Party (EBMT-CMWP). <i>Blood</i> , 2021, 138, 3959-3959.	1.4	0
116	Impact of Specific Adverse Cytogenetic Features on Outcomes after Allogeneic Hematopoietic Cell Transplantation in Myelodysplastic Syndrome with Very Poor Risk Cytogenetics: A Study from the Chronic Malignancies Working Party of EBMT. <i>Blood</i> , 2021, 138, 3953-3953.	1.4	0
117	Allogeneic Hematopoietic Cell Transplantation in Patients with Therapy-Related Myeloid Neoplasm after Breast Cancer: A Study of the Chronic Malignancies Working Party of the EBMT. <i>Blood</i> , 2020, 136, 3-4.	1.4	0