

Zhong-Li Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10016425/publications.pdf>

Version: 2024-02-01

66
papers

12,108
citations

61857

43
h-index

91712

69
g-index

69
all docs

69
docs citations

69
times ranked

14449
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Tailoring the Surface and Interface Structures of Copper-Based Catalysts for Electrochemical Reduction of CO ₂ to Ethylene and Ethanol. <i>Small</i> , 2022, 18, e2107450. | 5.2 | 87 |
| 2 | Ru ions enhancing the interface bonding between the Pt nanoparticle catalyst and perovskite support for super anti-sintering performance. <i>Journal of Materials Chemistry A</i> , 2022, 10, 8227-8237. | 5.2 | 2 |
| 3 | Morphologically controlled cobalt oxide nanoparticles for efficient oxygen evolution reaction. <i>Journal of Colloid and Interface Science</i> , 2021, 582, 322-332. | 5.0 | 51 |
| 4 | Tailored Catalytic Nanoframes from Metal-Organic Frameworks by Anisotropic Surface Modification and Etching for the Hydrogen Evolution Reaction. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 4747-4755. | 7.2 | 92 |
| 5 | Tailored Catalytic Nanoframes from Metal-Organic Frameworks by Anisotropic Surface Modification and Etching for the Hydrogen Evolution Reaction. <i>Angewandte Chemie</i> , 2021, 133, 4797-4805. | 1.6 | 18 |
| 6 | Ti ³⁺ Tuning the Ratio of Cu ⁺ /Cu ⁰ in the Ultrafine Cu Nanoparticles for Boosting the Hydrogenation Reaction. <i>Small</i> , 2021, 17, e2008052. | 5.2 | 25 |
| 7 | Optimizing Electron Densities of Ni-C Complexes by Hybrid Coordination for Efficient Electrocatalytic CO ₂ Reduction. <i>ChemSusChem</i> , 2020, 13, 929-937. | 3.6 | 76 |
| 8 | Hierarchical Tubular Architecture Constructed by Vertically Aligned CoS ₂ -MoS ₂ Nanosheets for Hydrogen Evolution Electrocatalysis. <i>Chemistry - A European Journal</i> , 2020, 26, 6195-6204. | 1.7 | 18 |
| 9 | Tailored synthesis of Zn-N co-doped porous MoC nanosheets towards efficient hydrogen evolution. <i>Nanoscale</i> , 2019, 11, 1700-1709. | 2.8 | 39 |
| 10 | Metal organic framework derived nickel phosphide/graphitic carbon hybrid for electrochemical hydrogen generation reaction. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 96, 634-638. | 2.7 | 27 |
| 11 | Pore-tuning to boost the electrocatalytic activity of polymeric micelle-templated mesoporous Pd nanoparticles. <i>Chemical Science</i> , 2019, 10, 4054-4061. | 3.7 | 175 |
| 12 | Nanoarchitectonics for Transition-Metal-Sulfide-Based Electrocatalysts for Water Splitting. <i>Advanced Materials</i> , 2019, 31, e1807134. | 11.1 | 998 |
| 13 | Hollow Functional Materials Derived from Metal-Organic Frameworks: Synthetic Strategies, Conversion Mechanisms, and Electrochemical Applications. <i>Advanced Materials</i> , 2019, 31, e1804903. | 11.1 | 370 |
| 14 | Elaborately assembled core-shell structured metal sulfides as a bifunctional catalyst for highly efficient electrochemical overall water splitting. <i>Nano Energy</i> , 2018, 47, 494-502. | 8.2 | 383 |
| 15 | Spatially Confined Assembly of Monodisperse Ruthenium Nanoclusters in a Hierarchically Ordered Carbon Electrode for Efficient Hydrogen Evolution. <i>Angewandte Chemie</i> , 2018, 130, 5950-5954. | 1.6 | 12 |
| 16 | Spatially Confined Assembly of Monodisperse Ruthenium Nanoclusters in a Hierarchically Ordered Carbon Electrode for Efficient Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 5848-5852. | 7.2 | 135 |
| 17 | Assembly of Hollow Carbon Nanospheres on Graphene Nanosheets and Creation of Iron-Nitrogen-Doped Porous Carbon for Oxygen Reduction. <i>ACS Nano</i> , 2018, 12, 5674-5683. | 7.3 | 277 |
| 18 | Facile Synthesis of Palladium Nanoparticle-Embedded N-Doped Carbon Fibers for Electrochemical Sensing. <i>ChemPlusChem</i> , 2018, 83, 401-406. | 1.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Hollow Porous Heterometallic Phosphide Nanocubes for Enhanced Electrochemical Water Splitting. <i>Small</i> , 2018, 14, e1802442. | 5.2 | 166 |
| 20 | Electrochemically <i>in situ</i> controllable assembly of hierarchically-ordered and integrated inorganic-carbon hybrids for efficient hydrogen evolution. <i>Materials Horizons</i> , 2018, 5, 1194-1203. | 6.4 | 31 |
| 21 | Sub-50 nm Iron-Nitrogen-Doped Hollow Carbon Sphere-Encapsulated Iron Carbide Nanoparticles as Efficient Oxygen Reduction Catalysts. <i>Advanced Science</i> , 2018, 5, 1800120. | 5.6 | 187 |
| 22 | Mesoporous Ni-Fe oxide multi-composite hollow nanocages for efficient electrocatalytic water oxidation reactions. <i>Journal of Materials Chemistry A</i> , 2017, 5, 4320-4324. | 5.2 | 108 |
| 23 | One-Pot Synthesis of Zeolitic Imidazolate Framework 67-Derived Hollow Co ₃ S ₄ @MoS ₂ Heterostructures as Efficient Bifunctional Catalysts. <i>Chemistry of Materials</i> , 2017, 29, 5566-5573. | 3.2 | 510 |
| 24 | Perfectly ordered mesoporous iron-nitrogen doped carbon as highly efficient catalyst for oxygen reduction reaction in both alkaline and acidic electrolytes. <i>Nano Energy</i> , 2017, 36, 286-294. | 8.2 | 183 |
| 25 | Assembly of hollow mesoporous nanoarchitectures composed of ultrafine Mo ₂ C nanoparticles on N-doped carbon nanosheets for efficient electrocatalytic reduction of oxygen. <i>Materials Horizons</i> , 2017, 4, 1171-1177. | 6.4 | 167 |
| 26 | Mesoporous Semimetallic Conductors: Structural and Electronic Properties of Cobalt Phosphide Systems. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 13508-13512. | 7.2 | 36 |
| 27 | Mesoporous Semimetallic Conductors: Structural and Electronic Properties of Cobalt Phosphide Systems. <i>Angewandte Chemie</i> , 2017, 129, 13693-13697. | 1.6 | 16 |
| 28 | First Synthesis of Continuous Mesoporous Copper Films with Uniformly Sized Pores by Electrochemical Soft Templating. <i>Angewandte Chemie</i> , 2016, 128, 12938-12942. | 1.6 | 15 |
| 29 | Reactive Multifunctional Template-Induced Preparation of Fe-N-Doped Mesoporous Carbon Microspheres Towards Highly Efficient Electrocatalysts for Oxygen Reduction. <i>Advanced Materials</i> , 2016, 28, 7948-7955. | 11.1 | 342 |
| 30 | Synthesis of Cobalt Sulfide/Sulfur Doped Carbon Nanocomposites with Efficient Catalytic Activity in the Oxygen Evolution Reaction. <i>Chemistry - A European Journal</i> , 2016, 22, 18259-18264. | 1.7 | 43 |
| 31 | Nanostructured nonprecious metal catalysts for electrochemical reduction of carbon dioxide. <i>Nano Today</i> , 2016, 11, 373-391. | 6.2 | 200 |
| 32 | Integrated Three-Dimensional Carbon Paper/Carbon Tubes/Cobalt-Sulfide Sheets as an Efficient Electrode for Overall Water Splitting. <i>ACS Nano</i> , 2016, 10, 2342-2348. | 7.3 | 575 |
| 33 | Synergistic Effect between Metal-Nitrogen-Carbon Sheets and NiO Nanoparticles for Enhanced Electrochemical Water-Oxidation Performance. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 10530-10534. | 7.2 | 301 |
| 34 | Gelatin-derived sustainable carbon-based functional materials for energy conversion and storage with controllability of structure and component. <i>Science Advances</i> , 2015, 1, e1400035. | 4.7 | 144 |
| 35 | C and N Hybrid Coordination Derived Co-C-N Complex as a Highly Efficient Electrocatalyst for Hydrogen Evolution Reaction. <i>Journal of the American Chemical Society</i> , 2015, 137, 15070-15073. | 6.6 | 377 |
| 36 | Oxygen electrocatalysts in metal-air batteries: from aqueous to nonaqueous electrolytes. <i>Chemical Society Reviews</i> , 2014, 43, 7746-7786. | 18.7 | 1,264 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | 3D ordered macroporous LaFeO ₃ as efficient electrocatalyst for Li-O ₂ batteries with enhanced rate capability and cyclic performance. <i>Energy and Environmental Science</i> , 2014, 7, 2213. | 15.6 | 339 |
| 38 | Electrostatic Induced Stretch Growth of Homogeneous \hat{I}^2 -Ni(OH) ₂ on Graphene with Enhanced High-Rate Cycling for Supercapacitors. <i>Scientific Reports</i> , 2014, 4, 3669. | 1.6 | 222 |
| 39 | Tailoring deposition and morphology of discharge products towards high-rate and long-life lithium-oxygen batteries. <i>Nature Communications</i> , 2013, 4, 2438. | 5.8 | 519 |
| 40 | The development and challenges of rechargeable non-aqueous lithium-air batteries. <i>International Journal of Smart and Nano Materials</i> , 2013, 4, 27-46. | 2.0 | 30 |
| 41 | <i>In Situ</i> Fabrication of Porous Graphene Electrodes for High-Performance Energy Storage. <i>ACS Nano</i> , 2013, 7, 2422-2430. | 7.3 | 394 |
| 42 | Synthesis of Perovskite-Based Porous La _{0.75} Sr _{0.25} MnO ₃ Nanotubes as a Highly Efficient Electrocatalyst for Rechargeable Lithium-Oxygen Batteries. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 3887-3890. | 7.2 | 482 |
| 43 | Homogeneous CoO on Graphene for Binder-Free and Ultralong-Life Lithium Ion Batteries. <i>Advanced Functional Materials</i> , 2013, 23, 4345-4353. | 7.8 | 333 |
| 44 | Batteries: Homogeneous CoO on Graphene for Binder-Free and Ultralong-Life Lithium Ion Batteries (<i>Adv. Funct. Mater.</i> 35/2013). <i>Advanced Functional Materials</i> , 2013, 23, 4274-4274. | 7.8 | 17 |
| 45 | A stable sulfone based electrolyte for high performance rechargeable Li-O ₂ batteries. <i>Chemical Communications</i> , 2012, 48, 11674. | 2.2 | 99 |
| 46 | Lithium Ion Batteries: Graphene Oxide Gel-Derived, Free-Standing, Hierarchically Porous Carbon for High-Capacity and High-Rate Rechargeable Li-O ₂ Batteries (<i>Adv. Funct. Mater.</i> 17/2012). <i>Advanced Functional Materials</i> , 2012, 22, 3745-3745. | 7.8 | 2 |
| 47 | High aspect ratio \hat{I}^3 -MnOOH nanowires for high performance rechargeable nonaqueous lithium-oxygen batteries. <i>Chemical Communications</i> , 2012, 48, 7598. | 2.2 | 109 |
| 48 | Facile, mild and fast thermal-decomposition reduction of graphene oxide in air and its application in high-performance lithium batteries. <i>Chemical Communications</i> , 2012, 48, 976-978. | 2.2 | 240 |
| 49 | Rhodium-nickel nanoparticles grown on graphene as highly efficient catalyst for complete decomposition of hydrous hydrazine at room temperature for chemical hydrogen storage. <i>Energy and Environmental Science</i> , 2012, 5, 6885. | 15.6 | 214 |
| 50 | Facile and controllable one-pot synthesis of an ordered nanostructure of Co(OH) ₂ nanosheets and their modification by oxidation for high-performance lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 3764. | 6.7 | 94 |
| 51 | \hat{I}^{\pm} -MnO ₂ hollow clews for rechargeable Li-air batteries with improved cyclability. <i>Science Bulletin</i> , 2012, 57, 4210-4214. | 1.7 | 19 |
| 52 | One-step and rapid synthesis of clean and monodisperse dendritic Pt nanoparticles and their high performance toward methanol oxidation and p-nitrophenol reduction. <i>Nanoscale</i> , 2012, 4, 1549. | 2.8 | 130 |
| 53 | Graphene Oxide Gel-Derived, Free-Standing, Hierarchically Porous Carbon for High-Capacity and High-Rate Rechargeable Li-O ₂ Batteries. <i>Advanced Functional Materials</i> , 2012, 22, 3699-3705. | 7.8 | 390 |
| 54 | Facile and Low-Cost Synthesis of Large-Area Pure V ₂ O ₅ Nanosheets for High-Capacity and High-Rate Lithium Storage over a Wide Temperature Range. <i>ChemPlusChem</i> , 2012, 77, 124-128. | 1.3 | 80 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Novel DMSO-based electrolyte for high performance rechargeable Li ⁺ O ₂ batteries. Chemical Communications, 2012, 48, 6948. | 2.2 | 281 |
| 56 | A facile co-gelation route to synthesize FeCo/carbon nanocomposites and their application as magnetically separable adsorber. Journal of Alloys and Compounds, 2011, 509, 585-589. | 2.8 | 10 |
| 57 | Co-gelation synthesis of porous graphitic carbons with high surface area and their applications. Carbon, 2011, 49, 161-169. | 5.4 | 97 |
| 58 | A new kind of mesoporous Fe ₇ Co ₃ /carbon nanocomposite and its application as magnetically separable adsorber. Materials Letters, 2010, 64, 1219-1221. | 1.3 | 21 |
| 59 | Simple synthesis of magnetic mesoporous FeNi/carbon composites with a large capacity for the immobilization of biomolecules. Carbon, 2010, 48, 3182-3189. | 5.4 | 55 |
| 60 | Facile Synthesis of Porous Fe ₇ Co ₃ /Carbon Nanocomposites and Their Applications as Magnetically Separable Adsorber and Catalyst Support. Langmuir, 2010, 26, 10135-10140. | 1.6 | 19 |
| 61 | Mn Valence, Magnetic, and Electrical Properties of LaMnO _{3+δ} Nanofibers by Electrospinning. ACS Applied Materials & Interfaces, 2010, 2, 2689-2693. | 4.0 | 23 |
| 62 | Preparation of One-Dimensional CoFe ₂ O ₄ Nanostructures and Their Magnetic Properties. Journal of Physical Chemistry C, 2008, 112, 15171-15175. | 1.5 | 126 |
| 63 | Preparation of Ferrite MFe ₂ O ₄ (M = Co, Ni) Ribbons with Nanoporous Structure and Their Magnetic Properties. Journal of Physical Chemistry B, 2008, 112, 11292-11297. | 1.2 | 124 |
| 64 | Structures and Physical Properties of $n = 3$ Ruddlesden-Popper Compounds Ca ₄ Mn _{3δ} Nb _x O ₁₀ (0 δ \leq 0.2). Chemistry of Materials, 2008, 20, 1988-1996. | 3.2 | 17 |
| 65 | Tunable Synthesis, Growth Mechanism, and Magnetic Properties of La _{0.5} Ba _{0.5} MnO ₃ . Crystal Growth and Design, 2007, 7, 2568-2575. | 1.4 | 29 |
| 66 | The magnetic and structural properties of hydrothermal-synthesized single-crystal Sn _{1-x} Fe _x O ₂ nanograins. Journal of Magnetism and Magnetic Materials, 2007, 317, 1-7. | 1.0 | 25 |