

# Miloslav Jirku

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10032683/publications.pdf>

Version: 2024-02-01

54

papers

1,403

citations

471509

17

h-index

361022

35

g-index

56

all docs

56

docs citations

56

times ranked

2087

citing authors

#	ARTICLE	IF	CITATIONS
1	Reintroduction of large herbivores restored plant species richness in abandoned dry temperate grassland. <i>Plant Ecology</i> , 2022, 223, 525-535.	1.6	10
2	The declining occurrence of moose ( <i>Alces alces</i> ) at the southernmost edge of its range raise conservation concerns. <i>Ecology and Evolution</i> , 2021, 11, 5468-5483.	1.9	10
3	Restoring a butterfly hot spot by large ungulates refaunation: the case of the Milovice military training range, Czech Republic. <i>Bmc Ecology and Evolution</i> , 2021, 21, 73.	1.6	15
4	High species diversity of fish tapeworms in congeneric hosts in Africa: revision of Monobothrioides (Cestoda: Caryophyllidea), including description of two new species and molecular phylogeny. <i>Organisms Diversity and Evolution</i> , 2021, 21, 447-466.	1.6	1
5	Expanded host and geographic range of tadpole associations with the Severe Perkinsea Infection group. <i>Biology Letters</i> , 2021, 17, 20210166.	2.3	8
6	Lasting decrease in functionality and richness: Effects of ivermectin use on dung beetle communities. <i>Agriculture, Ecosystems and Environment</i> , 2021, 321, 107634.	5.3	13
7	New distributional data and genetic variation of <i>Panaspis breviceps</i> (Squamata: Scincidae) indicate a biogeographic connection across the Congo Basin. <i>African Zoology</i> , 2021, 56, 312-318.	0.4	0
8	<i>Eimeria melogale</i> n. sp. (Apicomplexa: Eimeriidae) in the Javan ferret-badger ( <i>Melogale orientalis</i> ). <i>European Journal of Protistology</i> , 2020, 73, 125668.	1.5	1
9	Diverse alveolate infections of tadpoles, a new threat to frogs?. <i>PLoS Pathogens</i> , 2020, 16, e1008107.	4.7	9
10	Cryptic diversity of a widespread global pathogen reveals expanded threats to amphibian conservation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 20382-20387.	7.1	86
11	From taxonomic deflation to newly detected cryptic species: Hidden diversity in a widespread African squeaker catfish. <i>Scientific Reports</i> , 2019, 9, 15748.	3.3	6
12	Reproduction of the golden jackal ( <i>Canis aureus</i> ) outside current resident breeding populations in Europe: evidence from the Czech Republic. <i>Mammalia</i> , 2018, 82, 592-595.	0.7	14
13	Two new species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) in Philippine tarsier ( <i>Tarsius syrichta</i> ). <i>European Journal of Protistology</i> , 2018, 66, 77-85.	1.5	5
14	Host specificity and basic ecology of <i>Mammomonogamus</i> (Nematoda, Syngamidae) from lowland gorillas and forest elephants in Central African Republic. <i>Parasitology</i> , 2017, 144, 1016-1025.	1.5	11
15	Discordant population histories of host and its parasite: A role for ecological permeability of extreme environment?. <i>PLoS ONE</i> , 2017, 12, e0175286.	2.5	3
16	Some nematodes from freshwater fishes in central Africa. <i>Folia Parasitologica</i> , 2017, 64, .	1.3	8
17	< i>Nematopsis temporariae</i> (Gregarinina, Apicomplexa, Alveolata) is an intracellular infectious agent of tadpole livers. <i>Environmental Microbiology Reports</i> , 2016, 8, 675-679.	2.4	18
18	Burrow systems of mole-rats as refuges for frogs in the Miombo woodlands of south-east Africa. <i>Journal of Tropical Ecology</i> , 2016, 32, 158-161.	1.1	7

#	ARTICLE	IF	CITATIONS
19	Acanthocephalans of the genus <i>Megistacantha</i> Golvan, 1960 (Palaeacanthocephala: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 747 Parasitology, 2016, 93, 927-933.	1.1	0
20	Species complexes and phylogenetic lineages of <i>Hoferellus</i> (Myxozoa, Cnidaria) including revision of the genus: A problematic case for taxonomy. <i>Parasites and Vectors</i> , 2016, 9, 13.	2.5	12
21	Two <i>Procamallanus</i> ( <i>Spirocammallanus</i> ) species (Nematoda: Camallanidae) from freshwater fishes in the Lower Congo River. <i>Acta Parasitologica</i> , 2015, 60, 226-33.	1.1	8
22	Cryptic infection of a broad taxonomic and geographic diversity of tadpoles by <i>Perkinsea</i> protists. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4743-51.	7.1	68
23	<i>Dujardinascaris mormyropsis</i> n. sp. (Nematoda: Anisakidae) from the osteoglossiform fish <i>Mormyrops anguilloides</i> (Linnaeus) (Mormyridae) in Central Africa. <i>Systematic Parasitology</i> , 2014, 88, 55-62.	1.1	9
24	Redescription and molecular characterisation of <i>Dujardinascaris madagascariensis</i> and a note on <i>D. dujardini</i> (Nematoda: Heterocheilidae), parasites of <i>Crocodylus niloticus</i> , with a key to <i>Dujardinascaris</i> spp. in crocodilians. <i>Zootaxa</i> , 2014, 3893, 261-76.	0.5	4
25	<i>Rhabdochona</i> spp. (Nematoda: Rhabdochonidae) from fishes in the Central African Republic, including three new species. <i>Folia Parasitologica</i> , 2014, 61, 157-172.	1.3	8
26	Ultrastructure and localisation of late-sporogonic developmental stages of <i>Sphaerospora ranae</i> (Myxosporea: Sphaerosporidae). <i>Folia Parasitologica</i> , 2014, 61, 311-321.	1.3	3
27	The morphology and systematics of <i>Rhabdochona paski</i> Baylis, 1928 (Nematoda: Rhabdochonidae), a widespread parasite of freshwater fishes in Africa. <i>Systematic Parasitology</i> , 2013, 85, 55-63.	1.1	8
28	Evolutionary Plasticity in Coccidia – Striking Morphological Similarity of Unrelated Coccidia (Apicomplexa) from Related Hosts: <i>Eimeria</i> spp. from African and Asian Pangolins (Mammalia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 377		
29	<i>Sphaerospora</i> sensu stricto: Taxonomy, diversity and evolution of a unique lineage of myxosporeans (Myxozoa). <i>Molecular Phylogenetics and Evolution</i> , 2013, 68, 93-105.	2.7	51
30	CBOL Protist Working Group: Barcoding Eukaryotic Richness beyond the Animal, Plant, and Fungal Kingdoms. <i>PLoS Biology</i> , 2012, 10, e1001419.	5.6	488
31	The last snapshot of natural pelagic fish assemblage in Lake Turkana, Kenya: A hydroacoustic study. <i>Journal of Great Lakes Research</i> , 2012, 38, 98-106.	1.9	9
32	Bothriocephalidean tapeworms (Cestoda) of freshwater fish in Africa, including erection of <i>Kirstenella</i> n. gen. and description of <i>Tetracampos martiniae</i> n. sp.. <i>Zootaxa</i> , 2012, 3309, 1.	0.5	31
33	Distribution of the Entodiniomorphid Ciliate <i>Troglocorys cava</i> Tokiwa, ModrÁ½, Ito, PomajbÁ½kovÁ½, PetrÁ¾ekovÁ½, & Imai, , (Entodiniomorphida: Blepharocorythidae) in Wild and Captive Chimpanzees. <i>Journal of Eukaryotic Microbiology</i> , 2012, 59, 97-99.	1.7	12
34	Tapeworms (Cestoda: Proteocephalidea) of <i>Synodontis</i> spp. (Siluriformes) in Africa: survey of species and their redescriptions. <i>Zootaxa</i> , 2011, 2976, 1.	0.5	7
35	Another Chloromyxid Lineage: Molecular Phylogeny and Redescription of <i>Chloromyxum careni</i> from the Asian Horned frog <i>Megophrys nasuta</i> . <i>Journal of Eukaryotic Microbiology</i> , 2011, 58, 50-59.	1.7	26
36	Revision of <i>Wenyonia</i> Woodland, 1923 (Cestoda: Caryophyllidea) from catfishes (Siluriformes) in Africa. <i>Systematic Parasitology</i> , 2011, 79, 83-107.	1.1	21

#	ARTICLE	IF	CITATIONS
37	A Suspected Parasite Spill-Back of Two Novel Myxidium spp. (Myxosporea) Causing Disease in Australian Endemic Frogs Found in the Invasive Cane Toad. PLoS ONE, 2011, 6, e18871.	2.5	49
38	Goussia LabbÃ©, 1896 (Apicomplexa, Eimeriorina) in Amphibia: Diversity, Biology, Molecular Phylogeny and Comments on the Status of the Genus. Protist, 2009, 160, 123-136.	1.5	25
39	Mexiconema africanum sp. n. (Nematoda: Daniconematidae) from the catfish Auchenoglanis occidentalis from Lake Turkana, Kenya. Parasitology Research, 2009, 105, 1047-1052.	1.6	6
40	A new species of Isospora Schneider, 1881 (Apicomplexa: Eimeriidae) in Ruppellâ€™s agama Agama rueppelli (Vaillant) (Sauria: Agamidae) from East Africa, with a review of this genus in agamid lizards. Systematic Parasitology, 2009, 74, 219-223.	1.1	5
41	A Model for Taxonomic Work on Homoxenous Coccidia: Redescription, Host Specificity, and Molecular Phylogeny of <i>Eimeria ranae</i> Dobell, 1909, with a Review of Anuranâ€¢Host <i>Eimeria</i> (Apicomplexa: Eimeriorina). Journal of Eukaryotic Microbiology, 2009, 56, 39-51.	1.7	33
42	Philometrids (Nematoda: Philometridae) from fishes of Lake Turkana, Kenya, including two new species of Philometra and erection of Afrophilometra gen. n.. Folia Parasitologica, 2009, 56, 41-54.	1.3	22
43	Two new species of Eimeria Schneider, 1875 (Apicomplexa: Eimeriidae) from Gerbilliscus guineae Thomas (Rodentia: Gerbillinae) in the Niokolo Koba National Park, Senegal. Systematic Parasitology, 2008, 71, 223-228.	1.1	1
44	Cryptosporidia: Epicellular parasites embraced by the host cell membrane. International Journal for Parasitology, 2008, 38, 913-922.	3.1	72
45	New species of Cryptosporidium Tyzzer, 1907 (Apicomplexa) from amphibian host: morphology, biology and phylogeny. Folia Parasitologica, 2008, 55, 81-94.	1.3	49
46	New species of Cryptosporidium Tyzzer, 1907 (Apicomplexa) from amphibian host: morphology, biology and phylogeny. Folia Parasitologica, 2008, 55, 81-94.	1.3	12
47	A NEW SPECIES OF PARACAPILLARIA (NEMATODA: CAPILLARIIDAE) FROM THE INTESTINE OF THE TOAD DUTTAPHRYNUS MELANOSTICTUS (ANURA) FROM THE MALAYAN PENINSULA. Journal of Parasitology, 2007, 93, 907-909.	0.7	5
48	Tracing the genus <i>Sphaerospora</i> : rediscovery, redescription and phylogeny of the <i>Sphaerospora ranae</i> (Morelle, ) n. comb. (Myxosporea, Sphaerosporidae), with emendation of the genus <i>Sphaerospora</i> . Parasitology, 2007, 134, 1727-1739.	1.5	42
49	A NEW SPECIES OF MYXIDIUM (MYXOSPOREA: MYXIDIIDAE), FROM THE WESTERN CHORUS FROG, PSEUDACRIS TRISERIATA TRISERIATA, AND BLANCHARD'S CRICKET FROG, ACRIS CREPITANS BLANCHARDI (HYLIDAE), FROM EASTERN NEBRASKA: MORPHOLOGY, PHYLOGENY, AND CRITICAL COMMENTS ON AMPHIBIAN MYXIDIUM TAXONOMY. Journal of Parasitology, 2006, 92, 611-619.	0.7	36
50	Three new species of coccidia (Apicomplexa: Eimeriorina) from the Marble-throated skink, Marmorosphax tricolor Bavay, 1869 (Reptilia: Scincidae), endemic to New Caledonia with a taxonomic revision of <i>Eimeria</i> spp. from scincid hosts. Parasitology Research, 2006, 99, 419-428.	1.6	28
51	Extra-intestinal localization of Goussia sp. (Apicomplexa) oocysts in <i>Rana dalmatina</i> (Anura: Ranidae), and the fate of infection after metamorphosis. Diseases of Aquatic Organisms, 2006, 70, 237-241.	1.0	4
52	Two new species of Eimeria Schneider 1875 (Apicomplexa: Eimeriidae) from the broad-toothed field mouse, <i>Apodemus mystacinus</i> Danford and Alston 1877 (Rodentia: Muridae) from Jordan. Parasitology Research, 2005, 97, 33-40.	1.6	4
53	THREE NEW SPECIES OF EIMERIA (APICOMPLEXA: EIMERIIDAE) FROM THE SILVERY MOLE RAT HELIOPHOBIUS ARGENTEOCINEREUS PETERS, 1846 (RODENTIA: BATHYERGIDAE) FROM MALAWI. Journal of Parasitology, 2005, 91, 1200-1203.	0.7	6
54	Two new species of Isospora (Apicomplexa: Eimeriidae) from geckoes of the genus <i>Rhacodactylus</i> (Sauria: Gekkonidae) endemic to New Caledonia. Folia Parasitologica, 2004, 51, 283-286.	1.3	4