

Zrinka Tarle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1003409/publications.pdf>

Version: 2024-02-01

83
papers

1,884
citations

236925

25
h-index

302126

39
g-index

83
all docs

83
docs citations

83
times ranked

1488
citing authors

#	ARTICLE	IF	CITATIONS
1	Aging-Dependent Changes in Mechanical Properties of the New Generation of Bulk-Fill Composites. <i>Materials</i> , 2022, 15, 902.	2.9	19
2	Ion release and hydroxyapatite precipitation of resin composites functionalized with two types of bioactive glass. <i>Journal of Dentistry</i> , 2022, 118, 103950.	4.1	17
3	Effect of adhesive coating on calcium, phosphate, and fluoride release from experimental and commercial remineralizing dental restorative materials. <i>Scientific Reports</i> , 2022, 12, .	3.3	7
4	Long-Term Assessment of Contemporary Ion-Releasing Restorative Dental Materials. <i>Materials</i> , 2022, 15, 4042.	2.9	8
5	Rapid 3 s Curing: What Happens in Deep Layers of New Bulk-Fill Composites?. <i>Materials</i> , 2021, 14, 515.	2.9	15
6	Incorporation of Copper-Doped Mesoporous Bioactive Glass Nanospheres in Experimental Dental Composites: Chemical and Mechanical Characterization. <i>Materials</i> , 2021, 14, 2611.	2.9	17
7	Anti-demineralizing protective effects on enamel identified in experimental and commercial restorative materials with functional fillers. <i>Scientific Reports</i> , 2021, 11, 11806.	3.3	13
8	Rapid high-intensity light-curing of bulk-fill composites: A quantitative analysis of marginal integrity. <i>Journal of Dentistry</i> , 2021, 111, 103708.	4.1	12
9	Polymerization kinetics of experimental resin composites functionalized with conventional (45S5) and a customized low-sodium fluoride-containing bioactive glass. <i>Scientific Reports</i> , 2021, 11, 21225.	3.3	8
10	Experimental Bioactive Glass-Containing Composites and Commercial Restorative Materials: Anti-Demineralizing Protection of Dentin. <i>Biomedicines</i> , 2021, 9, 1616.	3.2	13
11	Effect of Conventional Adhesive Application or Co-Curing Technique on Dentin Bond Strength. <i>Materials</i> , 2021, 14, 7664.	2.9	5
12	Effect of rapid high-intensity light-curing on polymerization shrinkage properties of conventional and bulk-fill composites. <i>Journal of Dentistry</i> , 2020, 101, 103448.	4.1	27
13	Polymerization shrinkage behaviour of resin composites functionalized with unsilanized bioactive glass fillers. <i>Scientific Reports</i> , 2020, 10, 15237.	3.3	17
14	The effect of rapid high-intensity light-curing on micromechanical properties of bulk-fill and conventional resin composites. <i>Scientific Reports</i> , 2020, 10, 10560.	3.3	28
15	A New Customized Bioactive Glass Filler to Functionalize Resin Composites: Acid-Neutralizing Capability, Degree of Conversion, and Apatite Precipitation. <i>Journal of Clinical Medicine</i> , 2020, 9, 1173.	2.4	25
16	Curing potential of experimental resin composites filled with bioactive glass: A comparison between Bis-EMA and UDMA based resin systems. <i>Dental Materials</i> , 2020, 36, 711-723.	3.5	35
17	Fluoride-Releasing Restorative Materials: The Effect of a Resinous Coat on Ion Release. <i>Acta Stomatologica Croatica</i> , 2020, 54, 371-381.	1.0	13
18	The effects of extended curing time and radiant energy on microhardness and temperature rise of conventional and bulk-fill resin composites. <i>Clinical Oral Investigations</i> , 2019, 23, 3777-3788.	3.0	26

#	ARTICLE	IF	CITATIONS
19	The effect of excitation laser power in Raman spectroscopic measurements of the degree of conversion of resin composites. <i>Dental Materials</i> , 2019, 35, 1227-1237.	3.5	5
20	Wavelength-dependent light transmittance in resin composites: practical implications for curing units with different emission spectra. <i>Clinical Oral Investigations</i> , 2019, 23, 4399-4409.	3.0	11
21	Long-term water sorption and solubility of experimental bioactive composites based on amorphous calcium phosphate and bioactive glass. <i>Dental Materials Journal</i> , 2019, 38, 555-564.	1.8	25
22	Degree of conversion of experimental resin composites containing bioactive glass 45S5: the effect of post-cure heating. <i>Scientific Reports</i> , 2019, 9, 17245.	3.3	47
23	Antibiotic prescription in emergency dental service in Zagreb, Croatia – a retrospective cohort study. <i>International Dental Journal</i> , 2019, 69, 273-280.	2.6	12
24	Mechanical properties of experimental composites containing bioactive glass after artificial aging in water and ethanol. <i>Clinical Oral Investigations</i> , 2019, 23, 2733-2741.	3.0	36
25	Clinical and patient reported outcomes of bleaching effectiveness. <i>Acta Odontologica Scandinavica</i> , 2018, 76, 30-38.	1.6	26
26	Degree of Conversion. , 2018, , 63-85.		2
27	Toxicity of Pre-heated Composites Polymerized Directly and Through CAD/CAM Overlay. <i>Acta Stomatologica Croatica</i> , 2018, 52, 203-217.	1.0	7
28	In Vitro Biocompatibility of Preheated Giomer and Microfilled Hybrid Composite. <i>Acta Stomatologica Croatica</i> , 2018, 52, 286-297.	1.0	2
29	Polymerization kinetics of experimental bioactive composites containing bioactive glass. <i>Journal of Dentistry</i> , 2018, 76, 83-88.	4.1	32
30	Real-time curing characteristics of experimental resin composites containing amorphous calcium phosphate. <i>European Journal of Oral Sciences</i> , 2018, 126, 426-432.	1.5	3
31	Curing potential of experimental resin composites with systematically varying amount of bioactive glass: Degree of conversion, light transmittance and depth of cure. <i>Journal of Dentistry</i> , 2018, 75, 113-120.	4.1	26
32	Real-time Temperature Monitoring During Light-Curing of Experimental Composites. <i>Acta Stomatologica Croatica</i> , 2018, 52, 87-96.	1.0	4
33	Dentin Bond Strength of Experimental Composites Containing Bioactive Glass: Changes During Aging for up to 1 Year. <i>Journal of Adhesive Dentistry</i> , 2018, 20, 325-334.	0.5	12
34	Light transmittance and polymerization kinetics of amorphous calcium phosphate composites. <i>Clinical Oral Investigations</i> , 2017, 21, 1173-1182.	3.0	19
35	Genotoxic potential of dental bulk-fill resin composites. <i>Dental Materials</i> , 2017, 33, 788-795.	3.5	34
36	Long Term Degree of Conversion of two Bulk-Fill Composites. <i>Acta Stomatologica Croatica</i> , 2016, 50, 292-300.	1.0	26

#	ARTICLE	IF	CITATIONS
37	Remineralizing amorphous calcium phosphate based composite resins: the influence of inert fillers on monomer conversion, polymerization shrinkage, and microhardness. Croatian Medical Journal, 2016, 57, 465-473.	0.7	15
38	MICROHARDNESS OF BULK-FILL COMPOSITE MATERIALS. Acta Clinica Croatica, 2016, 55, 607-613.	0.2	20
39	Effects of bleaching agent on physical and aesthetic properties of restorative materials. Dental Materials Journal, 2016, 35, 788-795.	1.8	5
40	Criteria for the Replacement of Restorations: Academy of Operative Dentistry European Section. Operative Dentistry, 2016, 41, S48-S57.	1.2	45
41	Impedance changes during setting of amorphous calcium phosphate composites. Dental Materials, 2016, 32, 1312-1321.	3.5	14
42	Conversion and temperature rise of remineralizing composites reinforced with inert fillers. Journal of Dentistry, 2016, 48, 26-33.	4.1	17
43	Accounting for measurement reliability to improve the quality of inference in dental microhardness research: a worked example. Clinical Oral Investigations, 2016, 20, 1143-1149.	3.0	2
44	New Insights into the Setting Processes of Glass Ionomer Cements from Analysis of Dielectric Properties. Journal of the American Ceramic Society, 2015, 98, 3869-3876.	3.8	5
45	Optical Emission Spectroscopy of an Atmospheric Pressure Plasma Jet during Tooth Bleaching Gel Treatment. Applied Spectroscopy, 2015, 69, 1327-1333.	2.2	11
46	Monomer conversion and shrinkage force kinetics of low-viscosity bulk-fill resin composites. Acta Odontologica Scandinavica, 2015, 73, 474-480.	1.6	65
47	Pre-heating of high-viscosity bulk-fill resin composites: Effects on shrinkage force and monomer conversion. Journal of Dentistry, 2015, 43, 1358-1364.	4.1	89
48	Enamel and Dentin Microhardness and Chemical Composition After Experimental Light-activated Bleaching. Operative Dentistry, 2015, 40, E132-E141.	1.2	54
49	Real-Time Local Experimental Monitoring of the Bleaching Process. Photomedicine and Laser Surgery, 2015, 33, 230-235.	2.0	0
50	Temperature rise during experimental light-activated bleaching. Lasers in Medical Science, 2015, 30, 567-576.	2.1	29
51	Raman Spectroscopic Assessment of Degree of Conversion of Bulk-Fill Resin Composites " Changes at 24 Hours Post Cure. Operative Dentistry, 2015, 40, E92-E101.	1.2	83
52	Influence of irradiation time on subsurface degree of conversion and microhardness of high-viscosity bulk-fill resin composites. Clinical Oral Investigations, 2015, 19, 831-840.	3.0	116
53	Effect of silanized nanosilica addition on remineralizing and mechanical properties of experimental composite materials with amorphous calcium phosphate. Clinical Oral Investigations, 2014, 18, 783-792.	3.0	31
54	Optical Effects of Experimental Light-Activated Bleaching Procedures. Photomedicine and Laser Surgery, 2014, 32, 160-167.	2.0	26

#	ARTICLE	IF	CITATIONS
55	Impedance as a measure of setting reaction in glass ionomer cements. <i>Journal of Non-Crystalline Solids</i> , 2014, 389, 93-103.	3.1	7
56	Reinforcement of experimental composite materials based on amorphous calcium phosphate with inert fillers. <i>Dental Materials</i> , 2014, 30, 1052-1060.	3.5	45
57	Effect of temperature on post-cure polymerization of bulk-fill composites. <i>Journal of Dentistry</i> , 2014, 42, 1255-1260.	4.1	55
58	Atmospheric Pressure Plasma Jet as an Accelerator of Tooth Bleaching. <i>Acta Stomatologica Croatica</i> , 2014, 48, 268-278.	1.0	6
59	Degree of conversion and microhardness of dental composite resin materials. <i>Journal of Molecular Structure</i> , 2013, 1044, 299-302.	3.6	37
60	Optical approach in characterizing dental biomaterials. , 2013, , .		0
61	Antimicrobial Effectiveness of Intracanal Ozone Treatment. <i>Acta Stomatologica Croatica</i> , 2013, 47, 127-136.	1.0	0
62	Effect of Quality of Dental Restorations and Time Elapsed Since Placement on Biofilm Retention. <i>Acta Stomatologica Croatica</i> , 2013, 47, 322-328.	1.0	3
63	Efficacy of ozone on microorganisms in the tooth root canal. <i>Collegium Antropologicum</i> , 2013, 37, 101-7.	0.2	12
64	Genotoxic effect of two bleaching agents on oral mucosa. <i>Cancer Genomics and Proteomics</i> , 2013, 10, 209-15.	2.0	8
65	Evaluation of the slumping property of dental composites during modeling. <i>Journal of Dental Sciences</i> , 2012, 7, 330-335.	2.5	0
66	Risk factors for bruxism among Croatian navy employees. <i>Journal of Oral Rehabilitation</i> , 2012, 39, 668-676.	3.0	13
67	In vitro assessment of human dentin wear resulting from toothbrushing. <i>Journal of the California Dental Association</i> , 2010, 38, 109-13.	0.1	4
68	Ozone Application in Dentistry. <i>Archives of Medical Research</i> , 2009, 40, 136-137.	3.3	24
69	Influence of curing mode intensities on cell culture cytotoxicity/genotoxicity. <i>American Journal of Dentistry</i> , 2009, 22, 43-8.	0.1	7
70	The prevalence of proximal fractures of dental crowns with amalgam fillings. <i>Collegium Antropologicum</i> , 2009, 33, 449-53.	0.2	1
71	Cytotoxicity of Composite Materials Polymerized with LED Curing Units. <i>Operative Dentistry</i> , 2008, 33, 23-30.	1.2	40
72	Visualization of Marginal Integrity of Resin-Enamel Interface by Holographic Interferometry. <i>Operative Dentistry</i> , 2007, 32, 266-272.	1.2	5

#	ARTICLE	IF	CITATIONS
73	Composite Photopolymerization with Diode Laser. Operative Dentistry, 2007, 32, 279-284.	1.2	17
74	Comparison of Composite Curing Parameters: Effects of Light Source and Curing Mode on Conversion, Temperature Rise and Polymerization Shrinkage. Operative Dentistry, 2006, 31, 219-226.	1.2	59
75	Esthetic reconstruction of teeth in patient with dentinogenesis imperfecta--a case report. Collegium Antropologicum, 2006, 30, 231-4.	0.2	1
76	Influence of light intensity from different curing units upon composite temperature rise. Journal of Oral Rehabilitation, 2005, 32, 362-367.	3.0	55
77	Measurement of linear polymerization contraction using digital laser interferometry. Operative Dentistry, 2005, 30, 346-52.	1.2	5
78	Digital interferometry for measuring of the resin composite thickness variation during blue light polymerization. Optics Communications, 2004, 231, 45-51.	2.1	22
79	Measurement of the composite resin thickness variations using digital interferometry. , 2003, 5144, 343.		0
80	Composite conversion and temperature rise using a conventional, plasma arc, and an experimental blue LED curing unit. Journal of Oral Rehabilitation, 2002, 29, 662-667.	3.0	99
81	Photopolymerization of composite resins with plasma light. Journal of Oral Rehabilitation, 2002, 29, 782-786.	3.0	21
82	Pulsed blue laser curing of hybrid composite resins. Biomaterials, 1997, 18, 1349-1354.	11.4	48
83	Polymerization of composites using pulsed laser. European Journal of Oral Sciences, 1995, 103, 394-398.	1.5	29