
Sang Soo Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1003637/publications.pdf Version: 2024-02-01



SANC SOOLEE

#	Article	IF	CITATIONS
1	Enhancement of soil physical properties and soil water retention with biochar-based soil amendments. Science of the Total Environment, 2022, 836, 155746.	3.9	21
2	Effect of exclosure on subsurface water level and sediment yield in the tropical highlands of Ethiopia. Journal of Environmental Management, 2022, 317, 115414.	3.8	4
3	Biochar application strategies for polycyclic aromatic hydrocarbons removal from soils. Environmental Research, 2022, 213, 113599.	3.7	28
4	Starch-Mg/Al layered double hydroxide composites as an efficient solid phase extraction sorbent for non-steroidal anti-inflammatory drugs as environmental pollutants. Journal of Hazardous Materials, 2021, 401, 123782.	6.5	38
5	Leveraging carbon dioxide to control the H2/CO ratio in catalytic pyrolysis of fishing net waste. Renewable and Sustainable Energy Reviews, 2021, 138, 110559.	8.2	18
6	Construction of biotreatment platforms for aromatic hydrocarbons and their future perspectives. Journal of Hazardous Materials, 2021, 416, 125968.	6.5	20
7	Bioremediation strategies with biochar for polychlorinated biphenyls (PCBs)-contaminated soils: A review. Environmental Research, 2021, 200, 111757.	3.7	31
8	Progress, prospects, and challenges in standardization of sampling and analysis of micro- and nano-plastics in the environment. Journal of Cleaner Production, 2021, 325, 129321.	4.6	20
9	Rainfall Erosivity Factor of Korean Soils Estimated by Using USLE under Climate Change. Han'guk T'oyang Piryo Hakhoe Chi Han'guk T'oyang Piryo Hakhoe, 2021, 54, 265-275.	0.1	3
10	Status, characterization, and potential utilization of municipal solid waste as renewable energy source: Lahore case study in Pakistan. Environment International, 2020, 134, 105291.	4.8	100
11	Molecular mechanisms in phytoremediation of environmental contaminants and prospects of engineered transgenic plants/microbes. Science of the Total Environment, 2020, 705, 135858.	3.9	112
12	CO2 to fuel via pyrolysis of banana peel. Chemical Engineering Journal, 2020, 392, 123774.	6.6	29
13	Core-shell structured molecularly imprinted materials for sensing applications. TrAC - Trends in Analytical Chemistry, 2020, 133, 116043.	5.8	60
14	Ammonium removal using a calcined natural zeolite modified with sodium nitrate. Journal of Hazardous Materials, 2020, 393, 122481.	6.5	65
15	Using CO ₂ as an Oxidant in the Catalytic Pyrolysis of Peat Moss from the North Polar Region. Environmental Science & Technology, 2020, 54, 6329-6343.	4.6	40
16	Decontamination of petroleum-contaminated soil via pyrolysis under carbon dioxide atmosphere. Journal of Cleaner Production, 2019, 236, 117724.	4.6	37
17	Enhancement of syngas for H2 production via catalytic pyrolysis of orange peel using CO2 and bauxite residue. Applied Energy, 2019, 254, 113803.	5.1	20
18	Carbon dioxide-cofeeding pyrolysis of pine sawdust over nickle-based catalyst for hydrogen production. Energy Conversion and Management, 2019, 201, 112140.	4.4	44

#	Article	IF	CITATIONS
19	Size fractionated phytomonitoring of airborne particulate matter (PM) and speciation of PM bound toxic metals pollution through Calotropis procera in an urban environment. Ecological Indicators, 2019, 104, 32-40.	2.6	23
20	Solid waste management: Scope and the challenge of sustainability. Journal of Cleaner Production, 2019, 228, 658-678.	4.6	369
21	Heavy metals in food crops: Health risks, fate, mechanisms, and management. Environment International, 2019, 125, 365-385.	4.8	1,135
22	Spatial distribution of heavy metals in crops in a wastewater irrigated zone and health risk assessment. Environmental Research, 2019, 168, 382-388.	3.7	90
23	Natural zeolite and its application in concrete composite production. Composites Part B: Engineering, 2019, 165, 354-364.	5.9	137
24	Impacts of biochar application on upland agriculture: A review. Journal of Environmental Management, 2019, 234, 52-64.	3.8	184
25	Biochar application to low fertility soils: A review of current status, and future prospects. Geoderma, 2019, 337, 536-554.	2.3	571
26	A comparison of figure of merit (FOM) for various materials in adsorptive removal of benzene under ambient temperature and pressure. Environmental Research, 2019, 168, 96-108.	3.7	73
27	Peat moss-derived biochars as effective sorbents for VOCs' removal in groundwater. Environmental Geochemistry and Health, 2019, 41, 1637-1646.	1.8	19
28	Potential toxicity of trace elements and nanomaterials to Chinese cabbage in arsenic- and lead-contaminated soil amended with biochars. Environmental Geochemistry and Health, 2019, 41, 1777-1791.	1.8	24
29	Carbon and nitrogen mineralization and enzyme activities in soil aggregate-size classes: Effects of biochar, oyster shells, and polymers. Chemosphere, 2018, 198, 40-48.	4.2	73
30	Biochar influences soil carbon pools and facilitates interactions with soil: A field investigation. Land Degradation and Development, 2018, 29, 2162-2171.	1.8	89
31	Biofiltration of hydrogen sulfide: Trends and challenges. Journal of Cleaner Production, 2018, 187, 131-147.	4.6	105
32	In-situ biochar application conserves nutrients while simultaneously mitigating runoff and erosion of an Fe-oxide-enriched tropical soil. Science of the Total Environment, 2018, 619-620, 665-671.	3.9	58
33	Analytical Method for Measurement of Tobacco-Specific Nitrosamines in E-Cigarette Liquid and Aerosol. Applied Sciences (Switzerland), 2018, 8, 2699.	1.3	8
34	Enhanced accessibility of carbon in pyrolysis of brown coal using carbon dioxide. Journal of CO2 Utilization, 2018, 27, 433-440.	3.3	20
35	Benefits and limitations of biochar amendment in agricultural soils: A review. Journal of Environmental Management, 2018, 227, 146-154.	3.8	292
36	Influence of soil properties and feedstocks on biochar potential for carbon mineralization and improvement of infertile soils. Geoderma, 2018, 332, 100-108.	2.3	206

#	Article	IF	CITATIONS
37	Review of nanomaterials as sorbents in solid-phase extraction for environmental samples. TrAC - Trends in Analytical Chemistry, 2018, 108, 347-369.	5.8	240
38	Biochar-induced changes in soil properties affected immobilization/mobilization of metals/metalloids in contaminated soils. Journal of Soils and Sediments, 2017, 17, 717-730.	1.5	211
39	Effects of biochar and polyacrylamide on decomposition of soil organic matter and 14C-labeled alfalfa residues. Journal of Soils and Sediments, 2017, 17, 611-620.	1.5	14
40	Slow pyrolyzed biochars from crop residues for soil metal(loid) immobilization and microbial community abundance in contaminated agricultural soils. Chemosphere, 2017, 177, 157-166.	4.2	50
41	Effects of carbon nanotube and biochar on bioavailability of Pb, Cu and Sb in multi-metal contaminated soil. Environmental Geochemistry and Health, 2017, 39, 1409-1420.	1.8	53
42	Determining soil quality in urban agricultural regions by soil enzyme-based index. Environmental Geochemistry and Health, 2017, 39, 1531-1544.	1.8	8
43	Pyrolysis process of agricultural waste using CO2 for waste management, energy recovery, and biochar fabrication. Applied Energy, 2017, 185, 214-222.	5.1	198
44	Biochars as Potential Adsorbers of CH4, CO2 and H2S. Sustainability, 2017, 9, 121.	1.6	68
45	Effect of Corn Residue Biochar on the Hydraulic Properties of Sandy Loam Soil. Sustainability, 2017, 9, 266.	1.6	65
46	Assessment of Soil Health in Urban Agriculture: Soil Enzymes and Microbial Properties. Sustainability, 2017, 9, 310.	1.6	34
47	Modeling the impacts of temperature and precipitation changes on soil CO2 fluxes from a Switchgrass stand recently converted from cropland. Journal of Environmental Sciences, 2016, 43, 15-25.	3.2	17
48	Sulphamethazine in poultry manure changes carbon and nitrogen mineralisation in soils. Chemistry and Ecology, 2016, 32, 899-918.	0.6	21
49	Sorption of polycyclic aromatic hydrocarbons (PAHs) by dietary fiber extracted from wheat bran. Chemical Speciation and Bioavailability, 2016, 28, 13-17.	2.0	5
50	Steam activation of biochars facilitates kinetics and pH-resilience of sulfamethazine sorption. Journal of Soils and Sediments, 2016, 16, 889-895.	1.5	51
51	Impact of soybean stover- and pine needle-derived biochars on Pb and As mobility, microbial community, and carbon stability in a contaminated agricultural soil. Journal of Environmental Management, 2016, 166, 131-139.	3.8	144
52	Lead and copper immobilization in a shooting range soil using soybean stover- and pine needle-derived biochars: Chemical, microbial and spectroscopic assessments. Journal of Hazardous Materials, 2016, 301, 179-186.	6.5	178
53	Distribution and Accumulative Pattern of Tetracyclines and Sulfonamides in Edible Vegetables of Cucumber, Tomato, and Lettuce. Journal of Agricultural and Food Chemistry, 2015, 63, 398-405.	2.4	149
54	Enhanced sulfamethazine removal by steam-activated invasive plant-derived biochar. Journal of Hazardous Materials, 2015, 290, 43-50.	6.5	299

#	Article	IF	CITATIONS
55	The role of biochar, natural iron oxides, and nanomaterials as soil amendments for immobilizing metals in shooting range soil. Environmental Geochemistry and Health, 2015, 37, 931-942.	1.8	97
56	Synergy effects of biochar and polyacrylamide on plants growth and soil erosion control. Environmental Earth Sciences, 2015, 74, 2463-2473.	1.3	82
57	Acid-activated biochar increased sulfamethazine retention in soils. Environmental Science and Pollution Research, 2015, 22, 2175-2186.	2.7	107
58	Efficiency of Poultry Manure Biochar for Stabilization of Metals in Contaminated Soil. Journal of Applied Biological Chemistry, 2015, 58, 39-50.	0.2	20
59	Heavy Metal Stabilization in Soils using Waste Resources - A Critical Review. Journal of Applied Biological Chemistry, 2015, 58, 157-174.	0.2	6
60	Inhibitory Effect of Veterinary Antibiotics on Denitrification in Groundwater: A Microcosm Approach. Scientific World Journal, The, 2014, 2014, 1-7.	0.8	42
61	Natural and synthesised iron-rich amendments for As and Pb immobilisation in agricultural soil. Chemistry and Ecology, 2014, 30, 267-279.	0.6	30
62	Effect of Rapeseed Green Manure Amendment on Soil Properties and Rice Productivity. Communications in Soil Science and Plant Analysis, 2014, 45, 751-764.	0.6	13
63	Production and use of biochar from buffaloâ€weed (<i>Ambrosia trifida</i> L.) for trichloroethylene removal from water. Journal of Chemical Technology and Biotechnology, 2014, 89, 150-157.	1.6	89
64	Speciation and phytoavailability of lead and antimony in a small arms range soil amended with mussel shell, cow bone and biochar: EXAFS spectroscopy and chemical extractions. Chemosphere, 2014, 95, 433-441.	4.2	230
65	Veterinary antibiotics contamination in water, sediment, and soil near a swine manure composting facility. Environmental Earth Sciences, 2014, 71, 1433-1440.	1.3	159
66	Effects of biochar, cow bone, and eggshell on Pb availability to maize in contaminated soil irrigated with saline water. Environmental Earth Sciences, 2014, 71, 1289-1296.	1.3	88
67	Biochar as a sorbent for contaminant management in soil and water: A review. Chemosphere, 2014, 99, 19-33.	4.2	3,175
68	Sorption of Polycyclic Aromatic Hydrocarbons (PAHs) to Lignin: Effects of Hydrophobicity and Temperature. Bulletin of Environmental Contamination and Toxicology, 2014, 93, 84-88.	1.3	37
69	Invasive plant-derived biochar inhibits sulfamethazine uptake by lettuce in soil. Chemosphere, 2014, 111, 500-504.	4.2	116
70	Monitoring of Selected Veterinary Antibiotics in Animal Carcass Disposal Site and Adjacent Agricultural Soil. Journal of Applied Biological Chemistry, 2014, 57, 189-196.	0.2	7
71	Changes of biochemical properties and heavy metal bioavailability in soil treated with natural liming materials. Environmental Earth Sciences, 2013, 70, 3411-3420.	1.3	55
72	Effects of natural and calcined poultry waste on Cd, Pb and As mobility in contaminated soil. Environmental Earth Sciences, 2013, 69, 11-20.	1.3	45

#	Article	IF	CITATIONS
73	Immobilization of lead in contaminated firing range soil using biochar. Environmental Science and Pollution Research, 2013, 20, 8464-8471.	2.7	122
74	Heavy metal immobilization in soil near abandoned mines using eggshell waste and rapeseed residue. Environmental Science and Pollution Research, 2013, 20, 1719-1726.	2.7	94
75	Trichloroethylene adsorption by pine needle biochars produced at various pyrolysis temperatures. Bioresource Technology, 2013, 143, 615-622.	4.8	319
76	Carbonaceous resin capsule for vapor-phase monitoring of volatile hydrocarbons in soil: partitioning and kinetic model verification. Environmental Geochemistry and Health, 2013, 35, 715-725.	1.8	2
77	Modeling adsorption kinetics of trichloroethylene onto biochars derived from soybean stover and peanut shell wastes. Environmental Science and Pollution Research, 2013, 20, 8364-8373.	2.7	92
78	Commercial versus synthesized polymers for soil erosion control and growth of Chinese cabbage. SpringerPlus, 2013, 2, 534.	1.2	17
79	Efficacy of rapeseed residue and eggshell waste on enzyme activity and soil quality in rice paddy. Chemistry and Ecology, 2013, 29, 501-510.	0.6	2
80	Effects of Limeâ€Based Waste Materials on Immobilization and Phytoavailability of Cadmium and Lead in Contaminated Soil. Clean - Soil, Air, Water, 2013, 41, 1235-1241.	0.7	73
81	Effects of Synthetic Chelators and Low-Molecular-Weight Organic Acids on Chromium, Copper, and Arsenic Uptake and Translocation in Maize (Zea mays L.). Soil Science, 2012, 177, 655-663.	0.9	41
82	An assessment of the utilization of waste resources for the immobilization of Pb and Cu in the soil from a Korean military shooting range. Environmental Earth Sciences, 2012, 67, 1023-1031.	1.3	57
83	Effects of pyrolysis temperature on soybean stover- and peanut shell-derived biochar properties and TCE adsorption in water. Bioresource Technology, 2012, 118, 536-544.	4.8	988
84	Effects of soil dilution and amendments (mussel shell, cow bone, and biochar) on Pb availability and phytotoxicity in military shooting range soil. Ecotoxicology and Environmental Safety, 2012, 79, 225-231.	2.9	276
85	Soil pollution assessment and identification of hyperaccumulating plants in chromated copper arsenate (CCA) contaminated sites, Korea. Chemosphere, 2012, 87, 872-878.	4.2	98
86	Immobilization of lead in a Korean military shooting range soil using eggshell waste: An integrated mechanistic approach. Journal of Hazardous Materials, 2012, 209-210, 392-401.	6.5	149
87	Eggshell and coral wastes as low cost sorbents for the removal of Pb2+, Cd2+ and Cu2+ from aqueous solutions. Journal of Industrial and Engineering Chemistry, 2012, 18, 198-204.	2.9	167
88	Effects of rapeseed residue on lead and cadmium availability and uptake by rice plants in heavy metal contaminated paddy soil. Chemosphere, 2011, 85, 677-682.	4.2	191
89	Application of eggshell waste for the immobilization of cadmium and lead in a contaminated soil. Environmental Geochemistry and Health, 2011, 33, 31-39.	1.8	119
90	Monitoring of selected veterinary antibiotics in environmental compartments near a composting facility in Gangwon Province, Korea. Environmental Monitoring and Assessment, 2011, 174, 693-701.	1.3	80

#	Article	IF	CITATIONS
91	Effects of natural and calcined oyster shells on Cd and Pb immobilization in contaminated soils. Environmental Earth Sciences, 2010, 61, 1301-1308.	1.3	178
92	Using Highâ€Resolution Computed Tomography Analysis To Characterize Soil‣urface Seals. Soil Science Society of America Journal, 2008, 72, 1478-1485.	1.2	26
93	The Effects of Biochar Amendment on Soil Fertility. SSSA Special Publication Series, 0, , 123-144.	0.2	30