

Young Jun Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1004410/publications.pdf>

Version: 2024-02-01

133
papers

4,652
citations

101384

36
h-index

123241

61
g-index

133
all docs

133
docs citations

133
times ranked

3821
citing authors

#	ARTICLE	IF	CITATIONS
1	Ethanol ablation for the treatment of thyroglossal duct cysts: follow-up results for longer than 2 years. <i>European Radiology</i> , 2022, 32, 3525-3531.	2.3	4
2	Risk factors for metastasis in indeterminate lymph nodes in preoperative patients with thyroid cancer. <i>European Radiology</i> , 2022, 32, 3863-3868.	2.3	7
3	Preoperative Magnetic Resonance Image and Computerized Tomography Findings Predictive of Facial Nerve Invasion in Patients with Parotid Cancer without Preoperative Facial Weakness: A Retrospective Observational Study. <i>Cancers</i> , 2022, 14, 1086.	1.7	0
4	Sonographic assessment of minor extrathyroidal extension of papillary thyroid microcarcinoma involving the posterior thyroid capsule. <i>European Radiology</i> , 2022, , 1.	2.3	2
5	Thermal Ablation for the Management of Papillary Thyroid Microcarcinoma in the Era of Active Surveillance and Hemithyroidectomy. <i>Current Oncology Reports</i> , 2022, 24, 1045-1052.	1.8	10
6	Immunoglobulin G4-Related Thyroid Disease: A Single-Center Experience and Literature Review. <i>Endocrinology and Metabolism</i> , 2022, 37, 312-322.	1.3	2
7	Diagnostic Performance of Five Adult-based US Risk Stratification Systems in Pediatric Thyroid Nodules. <i>Radiology</i> , 2022, 305, 190-198.	3.6	13
8	Unnecessary thyroid nodule biopsy rates under four ultrasound risk stratification systems: a systematic review and meta-analysis. <i>European Radiology</i> , 2021, 31, 2877-2885.	2.3	39
9	Interobserver Reproducibility in Sonographic Measurement of Diameter and Volume of Papillary Thyroid Microcarcinoma. <i>Thyroid</i> , 2021, 31, 452-458.	2.4	18
10	The diagnostic performance of CT and MRI for detecting extranodal extension in patients with head and neck squamous cell carcinoma: a systematic review and diagnostic meta-analysis. <i>European Radiology</i> , 2021, 31, 2048-2061.	2.3	25
11	Efficacy of radiofrequency ablation for recurrent thyroid cancer invading the airways. <i>European Radiology</i> , 2021, 31, 2153-2160.	2.3	21
12	Neuroimaging Findings in Patients with COVID-19: A Systematic Review and Meta-Analysis. <i>Korean Journal of Radiology</i> , 2021, 22, 1875.	1.5	20
13	Prediction model for cervical lymph node metastasis in human papillomavirus-related oropharyngeal squamous cell carcinomas. <i>European Radiology</i> , 2021, 31, 7429-7439.	2.3	4
14	Diagnostic Algorithm for Metastatic Lymph Nodes of Differentiated Thyroid Carcinoma. <i>Cancers</i> , 2021, 13, 1338.	1.7	16
15	Clinical practice guidelines for radiofrequency ablation of benign thyroid nodules: a systematic review. <i>Ultrasonography</i> , 2021, 40, 256-264.	1.0	31
16	High-resolution MR imaging of cranial neuropathy in patients with anti-GQ1b antibody syndrome. <i>Journal of the Neurological Sciences</i> , 2021, 423, 117380.	0.3	4
17	Chemical ablation using ethanol or OK-432 for the treatment of thyroglossal duct cysts: a systematic review and meta-analysis. <i>European Radiology</i> , 2021, 31, 9048-9056.	2.3	8
18	Histogram analysis of arterial spin labeling perfusion data to determine the human papillomavirus status of oropharyngeal squamous cell carcinomas. <i>Neuroradiology</i> , 2021, 63, 1345-1352.	1.1	8

#	ARTICLE	IF	CITATIONS
19	Treatment Efficacy of Radiofrequency Ablation for Recurrent Tumor at the Central Compartment After Hemithyroidectomy. <i>American Journal of Roentgenology</i> , 2021, 216, 1574-1578.	1.0	1
20	Recurrence and additional treatment of cystic thyroid nodules after ethanol ablation: validation of three proposed criteria. <i>Ultrasonography</i> , 2021, 40, 378-386.	1.0	2
21	Image findings in patients with chronic invasive fungal infection of paranasal sinuses. <i>Journal of Neuroradiology</i> , 2021, 48, 325-330.	0.6	6
22	Defining Safety Space for Functional Tongue Surgery in Korean Male Obstructive Sleep Apnea Syndrome Patients; Analysis on Spatial Relation of the Tongue and the Lingual Artery. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2021, 64, 641-651.	0.0	0
23	MRI Predictors of Malignant Transformation in Patients with Inverted Papilloma: A Decision Tree Analysis Using Conventional Imaging Features and Histogram Analysis of Apparent Diffusion Coefficients. <i>Korean Journal of Radiology</i> , 2021, 22, 751.	1.5	9
24	Diagnostic Performance of the Modified Korean Thyroid Imaging Reporting and Data System for Thyroid Malignancy: A Multicenter Validation Study. <i>Korean Journal of Radiology</i> , 2021, 22, 1579.	1.5	20
25	Radiofrequency ablation of recurrent thyroid cancers: an anatomy-based management. <i>Ultrasonography</i> , 2021, , .	1.0	0
26	The relationship of thyroid nodule size on malignancy risk according to histological type of thyroid cancer. <i>Acta Radiologica</i> , 2020, 61, 620-628.	0.5	9
27	Radiofrequency Ablation of Facial Venolymphatic Malformations: Assessment of Efficacy and Safety and the Role of Injectable Electrodes. <i>Journal of Vascular and Interventional Radiology</i> , 2020, 31, 544-550.	0.2	4
28	Characteristics of metastatic brachial plexopathy in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2020, 28, 1913-1918.	1.0	17
29	CT and MRI Findings of Glomangiopericytoma in the Head and Neck: Case Series Study and Systematic Review. <i>American Journal of Neuroradiology</i> , 2020, 41, 155-159.	1.2	14
30	Oropharyngeal squamous cell carcinoma: radiomic machine-learning classifiers from multiparametric MR images for determination of HPV infection status. <i>Scientific Reports</i> , 2020, 10, 17525.	1.6	36
31	Diagnostic Accuracy of MRI-Based Morphometric Parameters for Detecting Olfactory Nerve Dysfunction. <i>American Journal of Neuroradiology</i> , 2020, 41, 1698-1702.	1.2	2
32	Thin-Section MR Imaging for Carotid Cavernous Fistula. <i>American Journal of Neuroradiology</i> , 2020, 41, 1599-1605.	1.2	6
33	Comparison of diagnostic performance between CT and MRI for detection of cartilage invasion for primary tumor staging in patients with laryngo-hypopharyngeal cancer: a systematic review and meta-analysis. <i>European Radiology</i> , 2020, 30, 3803-3812.	2.3	14
34	Efficacy and safety of high-intensity focused ultrasound (HIFU) for treating benign thyroid nodules: a systematic review and meta-analysis. <i>Acta Radiologica</i> , 2020, 61, 1636-1643.	0.5	11
35	Treatment outcomes in acute invasive fungal rhinosinusitis extending to the extrasinonasal area. <i>Scientific Reports</i> , 2020, 10, 3688.	1.6	12
36	Diagnostic Performance of Four Ultrasound Risk Stratification Systems: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , 2020, 30, 1159-1168.	2.4	50

#	ARTICLE	IF	CITATIONS
37	Clinical applications of Doppler ultrasonography for thyroid disease: consensus statement by the Korean Society of Thyroid Radiology. <i>Ultrasonography</i> , 2020, 39, 315-330.	1.0	21
38	Computer-Aided Diagnosis System for the Evaluation of Thyroid Nodules on Ultrasonography: Prospective Non-Inferiority Study according to the Experience Level of Radiologists. <i>Korean Journal of Radiology</i> , 2020, 21, 369.	1.5	18
39	Sonographic Assessment of the Extent of Extrathyroidal Extension in Thyroid Cancer. <i>Korean Journal of Radiology</i> , 2020, 21, 1187.	1.5	32
40	Long-Term Results of Thermal Ablation of Benign Thyroid Nodules: A Systematic Review and Meta-Analysis. <i>Endocrinology and Metabolism</i> , 2020, 35, 339-350.	1.3	46
41	Effectiveness of Injecting Cold 5% Dextrose into Patients with Nerve Damage Symptoms during Thyroid Radiofrequency Ablation. <i>Endocrinology and Metabolism</i> , 2020, 35, 407-415.	1.3	15
42	Malignancy risk of initially benign thyroid nodules: validation with various Thyroid Imaging Reporting and Data System guidelines. <i>European Radiology</i> , 2019, 29, 133-140.	2.3	23
43	Active Surveillance for Small Papillary Thyroid Cancer: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , 2019, 29, 1399-1408.	2.4	88
44	Accuracy and precision of ultrasound shear wave elasticity measurements according to target elasticity and acquisition depth: A phantom study. <i>PLoS ONE</i> , 2019, 14, e0219621.	1.1	8
45	Detection of Local Recurrence in Patients with Head and Neck Squamous Cell Carcinoma Using Voxel-Based Color Maps of Initial and Final Area under the Curve Values Derived from DCE-MRI. <i>American Journal of Neuroradiology</i> , 2019, 40, 1392-1401.	1.2	15
46	A technique for safe deep facial tissue dissection: Indocyanine green-assisted intraoperative real-time visualization of the vasa nervorum of facial nerve with a near-infrared camera. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 1819-1826.	0.7	6
47	The Role of Core Needle Biopsy for the Evaluation of Thyroid Nodules with Suspicious Ultrasound Features. <i>Korean Journal of Radiology</i> , 2019, 20, 158.	1.5	28
48	Degenerating Thyroid Nodules: Ultrasound Diagnosis, Clinical Significance, and Management. <i>Korean Journal of Radiology</i> , 2019, 20, 947.	1.5	13
49	A Scoring System for Prediction of Cervical Lymph Node Metastasis in Patients with Head and Neck Squamous Cell Carcinoma. <i>American Journal of Neuroradiology</i> , 2019, 40, 1049-1054.	1.2	30
50	Diffusion-weighted Magnetic Resonance Imaging for Predicting Response to Chemoradiation Therapy for Head and Neck Squamous Cell Carcinoma: A Systematic Review. <i>Korean Journal of Radiology</i> , 2019, 20, 649.	1.5	32
51	Feasibility of reduced-dose CT of the head and neck with iterative reconstruction: a phantom and prospective clinical study. <i>Acta Radiologica</i> , 2019, 60, 1457-1464.	0.5	0
52	Diagnostic performance of CT in detection of metastatic cervical lymph nodes in patients with thyroid cancer: a systematic review and meta-analysis. <i>European Radiology</i> , 2019, 29, 4635-4647.	2.3	42
53	Longer-term outcomes of radiofrequency ablation for locally recurrent papillary thyroid cancer. <i>European Radiology</i> , 2019, 29, 4897-4903.	2.3	56
54	Diagnostic Performance of Practice Guidelines for Thyroid Nodules: Thyroid Nodule Size versus Biopsy Rates. <i>Radiology</i> , 2019, 291, 92-99.	3.6	63

#	ARTICLE	IF	CITATIONS
55	Thermal Ablation for Small Papillary Thyroid Cancer: A Systematic Review. <i>Thyroid</i> , 2019, 29, 1774-1783.	2.4	45
56	Management strategy for nerve damage during radiofrequency ablation of thyroid nodules. <i>International Journal of Hyperthermia</i> , 2019, 36, 203-209.	1.1	45
57	Ethanol ablation as a treatment strategy for benign cystic thyroid nodules: a comparison of the ethanol retention and aspiration techniques. <i>Ultrasonography</i> , 2019, 38, 166-171.	1.0	30
58	Prognostic Value of Radiologic Extranodal Extension in Human Papillomavirus-Related Oropharyngeal Squamous Cell Carcinoma. <i>Korean Journal of Radiology</i> , 2019, 20, 1266.	1.5	20
59	Does Radiofrequency Ablation Induce Neoplastic Changes in Benign Thyroid Nodules: A Preliminary Study. <i>Endocrinology and Metabolism</i> , 2019, 34, 169.	1.3	22
60	<i>Ex vivo</i> comparison between thyroid-dedicated bipolar and monopolar radiofrequency electrodes. <i>International Journal of Hyperthermia</i> , 2018, 34, 624-630.	1.1	2
61	Serial magnetic resonance imaging evaluations of irradiated superior cervical sympathetic ganglia: Not every retropharyngeal enlarging mass is a sign of malignancy. <i>European Journal of Radiology</i> , 2018, 98, 126-129.	1.2	4
62	Core needle biopsy of thyroid nodules: outcomes and safety from a large single-center single-operator study. <i>Acta Radiologica</i> , 2018, 59, 924-931.	0.5	17
63	Radiofrequency ablation of primary thyroid carcinoma: efficacy according to the types of thyroid carcinoma. <i>International Journal of Hyperthermia</i> , 2018, 34, 611-616.	1.1	48
64	Factors affecting hearing deterioration in vestibular schwannoma patients treated with gamma knife radiosurgery: the Asan Medical Center experience. <i>Acta Oto-Laryngologica</i> , 2018, 138, 96-104.	0.3	8
65	Value of extranodal extension detected by computed tomography for predicting clinical response after chemoradiotherapy in head and neck squamous cell cancer. <i>Acta Oto-Laryngologica</i> , 2018, 138, 392-399.	0.3	4
66	Effect of an Arm Traction Device on Image Quality and Radiation Exposure during Neck CT: A Prospective Study. <i>American Journal of Neuroradiology</i> , 2018, 39, 151-155.	1.2	7
67	The Diagnostic Value of Diffusion-Weighted Imaging in Differentiating Metastatic Lymph Nodes of Head and Neck Squamous Cell Carcinoma: A Systematic Review and Meta-Analysis. <i>American Journal of Neuroradiology</i> , 2018, 39, 1889-1895.	1.2	27
68	The role of core needle biopsy in the diagnosis of initially detected thyroid nodules: a systematic review and meta-analysis. <i>European Radiology</i> , 2018, 28, 4909-4918.	2.3	21
69	Web-based thyroid imaging reporting and data system: Malignancy risk of atypia of undetermined significance or follicular lesion of undetermined significance thyroid nodules calculated by a combination of ultrasonography features and biopsy results. <i>Head and Neck</i> , 2018, 40, 1917-1925.	0.9	3
70	Thyroid Incidentalomas Detected on ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography with Computed Tomography: Malignant Risk Stratification and Management Plan. <i>Thyroid</i> , 2018, 28, 762-768.	2.4	16
71	2017 Thyroid Radiofrequency Ablation Guideline: Korean Society of Thyroid Radiology. <i>Korean Journal of Radiology</i> , 2018, 19, 632.	1.5	370
72	A Comparison of Ultrasound-Guided Fine Needle Aspiration versus Core Needle Biopsy for Thyroid Nodules: Pain, Tolerability, and Complications. <i>Endocrinology and Metabolism</i> , 2018, 33, 114.	1.3	24

#	ARTICLE	IF	CITATIONS
73	The diagnostic performance of shear wave elastography for malignant cervical lymph nodes: A systematic review and meta-analysis. <i>European Radiology</i> , 2017, 27, 222-230.	2.3	49
74	Complications following US-guided core-needle biopsy for thyroid lesions: a retrospective study of 6,169 consecutive patients with 6,687 thyroid nodules. <i>European Radiology</i> , 2017, 27, 1186-1194.	2.3	50
75	A Computer-Aided Diagnosis System Using Artificial Intelligence for the Diagnosis and Characterization of Thyroid Nodules on Ultrasound: Initial Clinical Assessment. <i>Thyroid</i> , 2017, 27, 546-552.	2.4	160
76	Improved Diagnostic Accuracy Using Arterial Phase CT for Lateral Cervical Lymph Node Metastasis from Papillary Thyroid Cancer. <i>American Journal of Neuroradiology</i> , 2017, 38, 782-788.	1.2	40
77	The Role of Core Needle Biopsy for Thyroid Nodules with Initially Indeterminate Results on Previous Fine-Needle Aspiration: A Systematic Review and Meta-Analysis. <i>American Journal of Neuroradiology</i> , 2017, 38, 1421-1426.	1.2	26
78	Safety of Radiofrequency Ablation of Benign Thyroid Nodules and Recurrent Thyroid Cancers: A Systematic Review and Meta-Analysis. <i>International Journal of Hyperthermia</i> , 2017, 33, 1-35.	1.1	77
79	Ultrasound-Pathology Discordant Nodules on Core-Needle Biopsy: Malignancy Risk and Management Strategy. <i>Thyroid</i> , 2017, 27, 707-713.	2.4	13
80	Treatment Efficacy and Safety of Ethanol Ablation for Thyroglossal Duct Cysts: A Comparison with Surgery. <i>European Radiology</i> , 2017, 27, 2708-2716.	2.3	14
81	Complications encountered in ultrasonography-guided radiofrequency ablation of benign thyroid nodules and recurrent thyroid cancers. <i>European Radiology</i> , 2017, 27, 3128-3137.	2.3	121
82	Dynamic Risk Stratification in Stage I Papillary Thyroid Cancer Patients Younger Than 45 Years of Age. <i>Thyroid</i> , 2017, 27, 1400-1407.	2.4	12
83	Efficacy and safety of core-needle biopsy in initially detected thyroid nodules via propensity score analysis. <i>Scientific Reports</i> , 2017, 7, 8242.	1.6	25
84	USâ€­guided coreâ€­needle biopsy versus USâ€­guided fineâ€­needle aspiration of suspicious cervical lymph nodes for staging workup of nonâ€­head and neck malignancies: A propensity score matching study. <i>Journal of Surgical Oncology</i> , 2017, 116, 870-876.	0.8	8
85	Comparison of Core-Needle Biopsy and Fine-Needle Aspiration for Evaluating Thyroid Incidentalomas Detected by ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography: A Propensity Score Analysis. <i>Thyroid</i> , 2017, 27, 1258-1266.	2.4	4
86	Ethanol and thermal ablation for malignant thyroid tumours. <i>International Journal of Hyperthermia</i> , 2017, 33, 1-8.	1.1	20
87	Ethanol Ablation of Ranulas: Short-Term Follow-Up Results and Clinicoradiologic Factors for Successful Outcome. <i>American Journal of Neuroradiology</i> , 2017, 38, 1794-1798.	1.2	7
88	Performance of CT in the Preoperative Diagnosis of Cervical Lymph Node Metastasis in Patients with Papillary Thyroid Cancer: A Systematic Review and Meta-Analysis. <i>American Journal of Neuroradiology</i> , 2017, 38, 154-161.	1.2	79
89	Detection of Local Tumor Recurrence After Definitive Treatment of Head and Neck Squamous Cell Carcinoma: Histogram Analysis of Dynamic Contrast-Enhanced T1-Weighted Perfusion MRI. <i>American Journal of Roentgenology</i> , 2017, 208, 42-47.	1.0	14
90	Coreâ€­needle biopsy versus repeat fineâ€­needle aspiration for thyroid nodules initially read as atypia/follicular lesion of undetermined significance. <i>Head and Neck</i> , 2017, 39, 361-369.	0.9	36

#	ARTICLE	IF	CITATIONS
91	Ultrasonography features of medullary thyroid cancer as predictors of its biological behavior. <i>Acta Radiologica</i> , 2017, 58, 414-422.	0.5	17
92	Innovative Techniques for Image-Guided Ablation of Benign Thyroid Nodules: Combined Ethanol and Radiofrequency Ablation. <i>Korean Journal of Radiology</i> , 2017, 18, 461.	1.5	58
93	Thyroid Radiofrequency Ablation: Updates on Innovative Devices and Techniques. <i>Korean Journal of Radiology</i> , 2017, 18, 615.	1.5	150
94	Core Needle Biopsy of the Thyroid: 2016 Consensus Statement and Recommendations from Korean Society of Thyroid Radiology. <i>Korean Journal of Radiology</i> , 2017, 18, 217.	1.5	122
95	High-resolution Imaging of Neural Anatomy and Pathology of the Neck. <i>Korean Journal of Radiology</i> , 2017, 18, 180.	1.5	31
96	Selection and Reporting of Statistical Methods to Assess Reliability of a Diagnostic Test: Conformity to Recommended Methods in a Peer-Reviewed Journal. <i>Korean Journal of Radiology</i> , 2017, 18, 888.	1.5	26
97	Shear wave elastography using ultrasound: effects of anisotropy and stretch stress on a tissue phantom and in vivo reactive lymph nodes in the neck. <i>Ultrasonography</i> , 2017, 36, 25-32.	1.0	22
98	Prediction model for cervical lymph node metastasis using CT characteristics in patients with head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2017, 35, e17547-e17547.	0.8	0
99	Does the Reporting Quality of Diagnostic Test Accuracy Studies, as Defined by STARD 2015, Affect Citation?. <i>Korean Journal of Radiology</i> , 2016, 17, 706.	1.5	16
100	Superior Cervical Sympathetic Ganglion: Normal Imaging Appearance on 3T-MRI. <i>Korean Journal of Radiology</i> , 2016, 17, 657.	1.5	12
101	Intravoxel Incoherent Motion MR Imaging in the Head and Neck: Correlation with Dynamic Contrast-Enhanced MR Imaging and Diffusion-Weighted Imaging. <i>Korean Journal of Radiology</i> , 2016, 17, 641.	1.5	31
102	Value of Dynamic Contrast-Enhanced MRI to Detect Local Tumor Recurrence in Primary Head and Neck Cancer Patients. <i>Medicine (United States)</i> , 2016, 95, e3698.	0.4	18
103	Initial clinical experience with BRAF ^{V600E} mutation analysis of core-needle biopsy specimens from thyroid nodules. <i>Clinical Endocrinology</i> , 2016, 84, 607-613.	1.2	7
104	Computer-aided diagnosis for classifying benign versus malignant thyroid nodules based on ultrasound images: A comparison with radiologist-based assessments. <i>Medical Physics</i> , 2016, 43, 554-567.	1.6	103
105	The Role of Core-Needle Biopsy for Thyroid Nodules with Initially Nondiagnostic Fine-Needle Aspiration Results: A Systematic Review and Meta-Analysis. <i>Endocrine Practice</i> , 2016, 22, 679-688.	1.1	16
106	Assessment of Measurement Repeatability and Reliability With Virtual Touch Tissue Quantification Imaging in Cervical Lymphadenopathy. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 927-932.	0.8	5
107	The role of core-needle biopsy in the diagnosis of thyroid malignancy in 4580 patients with 4746 thyroid nodules: a systematic review and meta-analysis. <i>Endocrine</i> , 2016, 54, 315-328.	1.1	49
108	Efficacy and Safety of Radiofrequency and Ethanol Ablation for Treating Locally Recurrent Thyroid Cancer: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , 2016, 26, 420-428.	2.4	72

#	ARTICLE	IF	CITATIONS
109	The Role of Core-Needle Biopsy as a First-Line Diagnostic Tool for Initially Detected Thyroid Nodules. <i>Thyroid</i> , 2016, 26, 395-403.	2.4	56
110	Thyroid Imaging Reporting and Data System Risk Stratification of Thyroid Nodules: Categorization Based on Solidity and Echogenicity. <i>Thyroid</i> , 2016, 26, 562-572.	2.4	149
111	Diagnosis of Metastasis to the Thyroid Gland. <i>Otolaryngology - Head and Neck Surgery</i> , 2016, 154, 618-625.	1.1	28
112	Effect of an arm traction device on image quality and radiation exposure during neck computed tomography. <i>European Journal of Radiology</i> , 2016, 85, 68-72.	1.2	2
113	Virtual Touch Tissue Imaging Quantification Shear Wave Elastography: Prospective Assessment of Cervical Lymph Nodes. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 378-386.	0.7	40
114	Histogram Analysis of Apparent Diffusion Coefficients for Occult Tonsil Cancer in Patients with Cervical Nodal Metastasis from an Unknown Primary Site at Presentation. <i>Radiology</i> , 2016, 278, 146-155.	3.6	28
115	Radiofrequency versus Ethanol Ablation for Treating Predominantly Cystic Thyroid Nodules: A Randomized Clinical Trial. <i>Korean Journal of Radiology</i> , 2015, 16, 1332.	1.5	99
116	Ultrasound elastography for evaluation of cervical lymph nodes. <i>Ultrasonography</i> , 2015, 34, 157-164.	1.0	75
117	Inter-Observer Variation in Ultrasound Measurement of the Volume and Diameter of Thyroid Nodules. <i>Korean Journal of Radiology</i> , 2015, 16, 560.	1.5	53
118	Partially Withdrawn Nasotracheal Tube: An Alternative to the Nasal Trumpet. <i>Anesthesia Progress</i> , 2015, 62, 166-167.	0.2	3
119	Vessel Wall Imaging of the Intracranial and Cervical Carotid Arteries. <i>Journal of Stroke</i> , 2015, 17, 238-255.	1.4	132
120	Evaluation of the Clinical Usefulness of <i>BRAF</i> ^{V600E} Mutation Analysis of Core-Needle Biopsy Specimens in Thyroid Nodules with Previous Atypia of Undetermined Significance or Follicular Lesions of Undetermined Significance Results. <i>Thyroid</i> , 2015, 25, 897-903.	2.4	16
121	The ultrasonography features of hyalinizing trabecular tumor of the thyroid gland and the role of fine needle aspiration cytology and core needle biopsy in its diagnosis. <i>Acta Radiologica</i> , 2015, 56, 1113-1118.	0.5	16
122	Preoperative Contrast-Enhanced CT Versus 18F-FDG PET/CT Evaluation and the Prognostic Value of Extranodal Extension for Surgical Patients with Head and Neck Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 1020-1027.	0.7	14
123	Web-Based Malignancy Risk Estimation for Thyroid Nodules Using Ultrasonography Characteristics: Development and Validation of a Predictive Model. <i>Thyroid</i> , 2015, 25, 1306-1312.	2.4	36
124	Radiofrequency Ablation Is a Thyroid Function-Preserving Treatment for Patients with Bilateral Benign Thyroid Nodules. <i>Journal of Vascular and Interventional Radiology</i> , 2015, 26, 55-61.	0.2	58
125	Thyroid nodules with initially non-diagnostic, fine-needle aspiration results: comparison of core-needle biopsy and repeated fine-needle aspiration. <i>European Radiology</i> , 2014, 24, 2819-2826.	2.3	70
126	Diagnosis of Thyroid Follicular Neoplasm: Fine-Needle Aspiration Versus Core-Needle Biopsy. <i>Thyroid</i> , 2014, 24, 1612-1617.	2.4	54

#	ARTICLE	IF	CITATIONS
127	Differences in Risk of Malignancy and Management Recommendations in Subcategories of Thyroid Nodules with Atypia of Undetermined Significance or Follicular Lesion of Undetermined Significance: The Role of Ultrasound-Guided Core-Needle Biopsy. <i>Thyroid</i> , 2014, 24, 494-501.	2.4	90
128	Pseudoprogession in patients with glioblastoma: added value of arterial spin labeling to dynamic susceptibility contrast perfusion MR imaging. <i>Acta Radiologica</i> , 2013, 54, 448-454.	0.5	101
129	Quantitative Shear Wave Elastography in the Evaluation of Metastatic Cervical Lymph Nodes. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 935-940.	0.7	57
130	Interobserver Variability of Transrectal Ultrasound for Prostate Volume Measurement According to Volume and Observer Experience. <i>American Journal of Roentgenology</i> , 2009, 192, 444-449.	1.0	43
131	Diffuse pancreatic ductal adenocarcinoma: Characteristic imaging features. <i>European Journal of Radiology</i> , 2008, 67, 321-328.	1.2	17
132	CT Colonography for Follow-Up After Surgery for Colorectal Cancer. <i>American Journal of Roentgenology</i> , 2007, 189, 283-289.	1.0	26
133	Functional MR Imaging of Prostate Cancer. <i>Radiographics</i> , 2007, 27, 63-75.	1.4	185