

Thomas Szyperki

List of Publications by Citations

Source: <https://exaly.com/author-pdf/10054109/thomas-szyperki-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93
papers

5,861
citations

35
h-index

76
g-index

132
ext. papers

6,340
ext. citations

8.5
avg, IF

5.36
L-index

#	Paper	IF	Citations
93	Consistent blind protein structure generation from NMR chemical shift data. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 4685-90	11.5	665
92	Stereospecific nuclear magnetic resonance assignments of the methyl groups of valine and leucine in the DNA-binding domain of the 434 repressor by biosynthetically directed fractional ¹³ C labeling. <i>Biochemistry</i> , 1989 , 28, 7510-6	3.2	564
91	Metabolic flux ratio analysis of genetic and environmental modulations of Escherichia coli central carbon metabolism. <i>Journal of Bacteriology</i> , 1999 , 181, 6679-88	3.5	323
90	GFT NMR, a new approach to rapidly obtain precise high-dimensional NMR spectral information. <i>Journal of the American Chemical Society</i> , 2003 , 125, 1385-93	16.4	322
89	Biosynthetically directed fractional ¹³ C-labeling of proteinogenic amino acids. An efficient analytical tool to investigate intermediary metabolism. <i>FEBS Journal</i> , 1995 , 232, 433-48		305
88	Accurate de novo design of hyperstable constrained peptides. <i>Nature</i> , 2016 , 538, 329-335	50.4	231
87	Metabolic flux responses to pyruvate kinase knockout in Escherichia coli. <i>Journal of Bacteriology</i> , 2002 , 184, 152-64	3.5	228
86	Metabolic fluxes in riboflavin-producing Bacillus subtilis. <i>Nature Biotechnology</i> , 1997 , 15, 448-52	44.5	221
85	NMR structure determination for larger proteins using backbone-only data. <i>Science</i> , 2010 , 327, 1014-8	33.3	220
84	¹³ C-NMR, MS and metabolic flux balancing in biotechnology research. <i>Quarterly Reviews of Biophysics</i> , 1998 , 31, 41-106	7	194
83	Reduced-dimensionality NMR spectroscopy for high-throughput protein resonance assignment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 8009-14	11.5	165
82	Metabolic flux response to phosphoglucose isomerase knock-out in Escherichia coli and impact of overexpression of the soluble transhydrogenase UdhA. <i>FEMS Microbiology Letters</i> , 2001 , 204, 247-52	2.9	147
81	Metabolic-flux profiling of the yeasts Saccharomyces cerevisiae and Pichia stipitis. <i>Eukaryotic Cell</i> , 2003 , 2, 170-80		133
80	Central carbon metabolism of Saccharomyces cerevisiae explored by biosynthetic fractional (¹³ C) labeling of common amino acids. <i>FEBS Journal</i> , 2001 , 268, 2464-79		133
79	G-matrix Fourier transform NMR spectroscopy for complete protein resonance assignment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 9642-7	11.5	118
78	NMR data collection and analysis protocol for high-throughput protein structure determination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 10487-92	11.5	101
77	Bioreaction network topology and metabolic flux ratio analysis by biosynthetic fractional ¹³ C labeling and two-dimensional NMR spectroscopy. <i>Metabolic Engineering</i> , 1999 , 1, 189-97	9.7	96

76	Support of ¹ H NMR assignments in proteins by biosynthetically directed fractional ¹³ C-labeling. <i>Journal of Biomolecular NMR</i> , 1992 , 2, 323-34	3	88
75	Rapid NMR data collection. <i>Methods in Enzymology</i> , 2005 , 394, 78-108	1.7	78
74	Metabolic flux profiling of <i>Pichia pastoris</i> grown on glycerol/methanol mixtures in chemostat cultures at low and high dilution rates. <i>Microbiology (United Kingdom)</i> , 2007 , 153, 281-90	2.9	74
73	Amino acid biosynthesis and metabolic flux profiling of <i>Pichia pastoris</i> . <i>FEBS Journal</i> , 2004 , 271, 2462-70		74
72	Aromatic ring-flipping in supercooled water: implications for NMR-based structural biology of proteins. <i>Journal of the American Chemical Society</i> , 2001 , 123, 388-97	16.4	65
71	Intracellular carbon fluxes in riboflavin-producing <i>Bacillus subtilis</i> during growth on two-carbon substrate mixtures. <i>Applied and Environmental Microbiology</i> , 2002 , 68, 1760-71	4.8	64
70	An integrated platform for automated analysis of protein NMR structures. <i>Methods in Enzymology</i> , 2005 , 394, 111-41	1.7	59
69	Diagnosis of early stage ovarian cancer by ¹ H NMR metabonomics of serum explored by use of a microflow NMR probe. <i>Journal of Proteome Research</i> , 2011 , 10, 1765-71	5.6	58
68	Detecting and dissecting metabolic fluxes using biosynthetic fractional ¹³ C labeling and two-dimensional NMR spectroscopy. <i>Trends in Biotechnology</i> , 1996 , 14, 453-459	15.1	58
67	G-matrix Fourier transform NOESY-based protocol for high-quality protein structure determination. <i>Journal of the American Chemical Society</i> , 2005 , 127, 9085-99	16.4	54
66	Principles and applications of GFT projection NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 2006 , 44 Spec No, S51-60	2.1	46
65	Increasing sequence diversity with flexible backbone protein design: the complete redesign of a protein hydrophobic core. <i>Structure</i> , 2012 , 20, 1086-96	5.2	45
64	The phosphoenolpyruvate carboxykinase also catalyzes C3 carboxylation at the interface of glycolysis and the TCA cycle of <i>Bacillus subtilis</i> . <i>Metabolic Engineering</i> , 2004 , 6, 277-84	9.7	45
63	Metabolomics of biomarker discovery in ovarian cancer: a systematic review of the current literature. <i>Metabolomics</i> , 2016 , 12, 1	4.7	42
62	Toward Structural Biology in Supercooled Water. <i>Journal of the American Chemical Society</i> , 2000 , 122, 3230-3231	16.4	41
61	GFT NMR experiments for polypeptide backbone and ¹³ Cβ chemical shift assignment. <i>Journal of Biomolecular NMR</i> , 2004 , 28, 117-30	3	37
60	A generalized approach to automated NMR peak list editing: application to reduced dimensionality triple resonance spectra. <i>Journal of Magnetic Resonance</i> , 2004 , 170, 263-77	3	36
59	Amino acid biosynthesis in the halophilic archaeon <i>Haloarcula hispanica</i> . <i>Journal of Bacteriology</i> , 1999 , 181, 3226-37	3.5	36

58	Combined NMR-observation of cold denaturation in supercooled water and heat denaturation enables accurate measurement of $\Delta C(p)$ of protein unfolding. <i>European Biophysics Journal</i> , 2006 , 35, 363-6	1.9	35
57	Resonance assignment of proteins with high shift degeneracy based on 5D spectral information encoded in G2FT NMR experiments. <i>Journal of the American Chemical Society</i> , 2005 , 127, 4554-5	16.4	34
56	Dissection of central carbon metabolism of hemoglobin-expressing <i>Escherichia coli</i> by ^{13}C nuclear magnetic resonance flux distribution analysis in microaerobic bioprocesses. <i>Applied and Environmental Microbiology</i> , 2001 , 67, 680-7	4.8	33
55	Highly precise measurement of kinetic isotope effects using ^1H -detected 2D [$^{13}\text{C}, ^1\text{H}$]-HSQC NMR spectroscopy. <i>Journal of the American Chemical Society</i> , 2012 , 134, 20589-92	16.4	32
54	Probing structure and functional dynamics of (large) proteins with aromatic rings: L-GFT-TROSY (4,3)D HCCH NMR spectroscopy. <i>Journal of the American Chemical Society</i> , 2005 , 127, 14578-9	16.4	31
53	Measurement of $^3\text{J}_{\text{C}2\text{P}}$ Scalar Couplings in a 17 kDa Protein Complex with $^{13}\text{C}, ^{15}\text{N}$ -Labeled DNA Distinguishes the BI and BII Phosphate Conformations of the DNA. <i>Journal of the American Chemical Society</i> , 1997 , 119, 9901-9902	16.4	30
52	Protein dynamics in supercooled water: the search for slow motional modes. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 63-7	3	30
51	Discrete stacking of aromatic oligoamide macrocycles. <i>Journal of the American Chemical Society</i> , 2015 , 137, 5879-82	16.4	27
50	Sequential resonance assignment of medium-sized $^{15}\text{N}/^{13}\text{C}$ -labeled proteins with projected 4D triple resonance NMR experiments. <i>Journal of Biomolecular NMR</i> , 1998 , 11, 387-405	3	25
49	J-GFT NMR for precise measurement of mutually correlated nuclear spin-spin couplings. <i>Journal of the American Chemical Society</i> , 2007 , 129, 680-92	16.4	24
48	Analysis of the varicella-zoster virus IE62 N-terminal acidic transactivating domain and its interaction with the human mediator complex. <i>Journal of Virology</i> , 2009 , 83, 6300-5	6.6	23
47	The operon protects from copper toxicity: CopL is an extracellular membrane-associated copper-binding protein. <i>Journal of Biological Chemistry</i> , 2019 , 294, 4027-4044	5.4	23
46	Perturbing the energy landscape for improved packing during computational protein design. <i>Proteins: Structure, Function and Bioinformatics</i> , 2021 , 89, 436-449	4.2	22
45	High-quality NMR structure of human anti-apoptotic protein domain Mcl-1(171-327) for cancer drug design. <i>PLoS ONE</i> , 2014 , 9, e96521	3.7	20
44	NMR solution structure of <i>Thermotoga maritima</i> protein TM1509 reveals a Zn-metalloprotease-like tertiary structure. <i>Journal of Structural and Functional Genomics</i> , 2005 , 6, 51-62		19
43	The 2D [^{31}P] spin-echo-difference constant-time [$^{13}\text{C}, ^1\text{H}$]-HMQC experiment for simultaneous determination of $^3\text{J}_{\text{H}3\text{P}}$ and $^3\text{J}_{\text{C}4\text{P}}$ in ^{13}C -labeled nucleic acids and their protein complexes. <i>Journal of Magnetic Resonance</i> , 1999 , 140, 491-4	3	18
42	Measurement of Deoxyribose $^3\text{J}_{\text{HH}}$ Scalar Couplings Reveals Protein Binding-Induced Changes in the Sugar Puckers of the DNA. <i>Journal of the American Chemical Society</i> , 1998 , 120, 821-822	16.4	16
41	Unique opportunities for NMR methods in structural genomics. <i>Journal of Structural and Functional Genomics</i> , 2009 , 10, 101-6		15

40	(1)H NMR based profiling of spent culture media cannot predict success of implantation for day 3 human embryos. <i>Journal of Assisted Reproduction and Genetics</i> , 2012 , 29, 1435-42	3.4	14
39	NMR-based structural biology of proteins in supercooled water. <i>Journal of Structural and Functional Genomics</i> , 2011 , 12, 1-7		13
38	Solution NMR structure of MED25(391-543) comprising the activator-interacting domain (ACID) of human mediator subunit 25. <i>Journal of Structural and Functional Genomics</i> , 2011 , 12, 159-66		13
37	Standard operating procedure for metabonomics studies of blood serum and plasma samples using a 1H-NMR micro-flow probe. <i>Magnetic Resonance in Chemistry</i> , 2009 , 47 Suppl 1, S81-5	2.1	13
36	Protein conformational space populated in solution probed with aromatic residual dipolar (13) C-(1) H couplings. <i>ChemBioChem</i> , 2013 , 14, 684-8	3.8	12
35	Cytosolic expression, solution structures, and molecular dynamics simulation of genetically encodable disulfide-rich de novo designed peptides. <i>Protein Science</i> , 2018 , 27, 1611-1623	6.3	11
34	Conformational changes of the BS2 operator DNA upon complex formation with the Antennapedia homeodomain studied by NMR with 13C/15N-labeled DNA. <i>Journal of Molecular Biology</i> , 1999 , 292, 609-17	6.5	11
33	Folding and Assembly of Short $\alpha\beta$ -Hybrid Peptides: Minor Variations in Sequence and Drastic Differences in Higher-Level Structures. <i>Journal of the American Chemical Society</i> , 2019 , 141, 14239-14248	16.4	10
32	Evolutionary coupling saturation mutagenesis: Coevolution-guided identification of distant sites influencing <i>Bacillus naganensis</i> pullulanase activity. <i>FEBS Letters</i> , 2020 , 594, 799-812	3.8	10
31	A community resource of experimental data for NMR / X-ray crystal structure pairs. <i>Protein Science</i> , 2016 , 25, 30-45	6.3	10
30	Structural Basis by Which the N-Terminal Polypeptide Segment of Lipase Regulates Its Substrate Binding Affinity. <i>Biochemistry</i> , 2019 , 58, 3943-3954	3.2	9
29	Aromatic oligureas as hosts for anions and cations. <i>Chemical Communications</i> , 2016 , 52, 9905-8	5.8	9
28	Development of a Fragment-Based Screening Assay for the Focal Adhesion Targeting Domain Using SPR and NMR. <i>Molecules</i> , 2019 , 24,	4.8	8
27	C metabolic flux profiling of <i>Pichia pastoris</i> grown in aerobic batch cultures on glucose revealed high relative anabolic use of TCA cycle and limited incorporation of provided precursors of branched-chain amino acids. <i>FEBS Journal</i> , 2017 , 284, 3100-3113	5.7	8
26	Structural and functional characterization of DUF1471 domains of <i>Salmonella</i> proteins SrfN, YdgH/SssB, and YahO. <i>PLoS ONE</i> , 2014 , 9, e101787	3.7	8
25	Simultaneously cycled NMR spectroscopy. <i>Journal of the American Chemical Society</i> , 2008 , 130, 4925-33	16.4	8
24	Metabolic flux response to phosphoglucose isomerase knock-out in <i>Escherichia coli</i> and impact of overexpression of the soluble transhydrogenase UdhA		8
23	Solution NMR Experiment for Measurement of (15)N-(1)H Residual Dipolar Couplings in Large Proteins and Supramolecular Complexes. <i>Journal of the American Chemical Society</i> , 2015 , 137, 11242-5	16.4	7

22	Solution NMR structures reveal a distinct architecture and provide first structures for protein domain family PF04536. <i>Journal of Structural and Functional Genomics</i> , 2012 , 13, 9-14		7
21	Advances in protein NMR provided by the NIGMS Protein Structure Initiative: impact on drug discovery. <i>Current Opinion in Drug Discovery & Development</i> , 2010 , 13, 335-49		7
20	Spatially selective heteronuclear multiple-quantum coherence spectroscopy for biomolecular NMR studies. <i>ChemPhysChem</i> , 2014 , 15, 1872-9	3.2	6
19	Structure of the protein BPTI derived with NOESY in supercooled water: validation and refinement of solution structures. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 324-6	16.4	5
18	GFT projection NMR for efficient (1)H/ (13)C sugar spin system identification in nucleic acids. <i>Journal of Biomolecular NMR</i> , 2012 , 54, 337-42	3	4
17	Clean absorption-mode NMR data acquisition. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 1479-84	18.4	4
16	Clean absorption mode NMR data acquisition based on time-proportional phase incrementation. <i>Journal of Structural and Functional Genomics</i> , 2009 , 10, 227-32		4
15	NMR structure of lipoprotein YxeF from <i>Bacillus subtilis</i> reveals a calycin fold and distant homology with the lipocalin Blc from <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2012 , 7, e37404	3.7	4
14	Identification of low-molecular-weight compounds inhibiting growth of corynebacteria: potential lead compounds for antibiotics. <i>ChemMedChem</i> , 2014 , 9, 282-5	3.7	3
13	Strukturelle Genomik. <i>Nachrichten Aus Der Chemie</i> , 2002 , 50, 1128-1131	0.1	3
12	Solution NMR structures reveal unique homodimer formation by a winged helix-turn-helix motif and provide first structures for protein domain family PF10771. <i>Journal of Structural and Functional Genomics</i> , 2012 , 13, 1-7		2
11	Theory of mirrored time domain sampling for NMR spectroscopy. <i>Journal of Magnetic Resonance</i> , 2011 , 213, 46-57	3	2
10	Clean Absorption-Mode NMR Data Acquisition. <i>Angewandte Chemie</i> , 2009 , 121, 1507-1511	3.6	2
9	Room Temperature X-Ray Crystallography Reveals Conformational Heterogeneity of Engineered Proteins. <i>Structure</i> , 2017 , 25, 691-692	5.2	1
8	Solution NMR structures of homeodomains from human proteins ALX4, ZHX1, and CASP8AP2 contribute to the structural coverage of the Human Cancer Protein Interaction Network. <i>Journal of Structural and Functional Genomics</i> , 2014 , 15, 201-7		1
7	Solution NMR structure of CD1104B from pathogenic <i>Clostridium difficile</i> reveals a distinct Ehelical architecture and provides first structural representative of protein domain family PF14203. <i>Journal of Structural and Functional Genomics</i> , 2013 , 14, 155-60		1
6	Polypeptide backbone, C(=O) and methyl group resonance assignments of the 24 kDa plectin repeat domain 6 from human protein plectin. <i>Biomolecular NMR Assignments</i> , 2015 , 9, 135-138	0.7	
5	Solution NMR structures of immunoglobulin-like domains 7 and 12 from obscurin-like protein 1 contribute to the structural coverage of the Human Cancer Protein Interaction Network. <i>Journal of Structural and Functional Genomics</i> , 2014 , 15, 209-14		

- 4 Solution NMR structure of the helicase associated domain BVU_0683(627-691) from *Bacteroides vulgatus* provides first structural coverage for protein domain family PF03457 and indicates domain binding to DNA. *Journal of Structural and Functional Genomics*, **2013**, 14, 19-24
- 3 Solution NMR structures provide first structural coverage of the large protein domain family PF08369 and complementary structural coverage of dark operative protochlorophyllide oxidoreductase complexes. *Journal of Structural and Functional Genomics*, **2013**, 14, 119-26
- 2 Solution NMR structures of proteins VPA0419 from *Vibrio parahaemolyticus* and yiiS from *Shigella flexneri* provide structural coverage for protein domain family PFAM 04175. *Proteins: Structure, Function and Bioinformatics*, **2010**, 78, 779-84 4.2
- 1 On NMR-based Structural Proteomics **2008**, 307-329