## Joyce T Bromberger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1005794/publications.pdf

Version: 2024-02-01

23567 30087 134 11,236 58 103 citations h-index g-index papers 135 135 135 9149 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Longitudinal Analysis of the Association Between Vasomotor Symptoms and Race/Ethnicity Across the Menopausal Transition: Study of Women's Health Across the Nation. American Journal of Public Health, 2006, 96, 1226-1235.	2.7	699
2	Duration of Menopausal Vasomotor Symptoms Over the Menopause Transition. JAMA Internal Medicine, 2015, 175, 531.	5.1	601
3	Is there a menopausal syndrome? Menopausal status and symptoms across racial/ethnic groups. Social Science and Medicine, 2001, 52, 345-356.	3.8	525
4	Depressive symptoms during the menopausal transition: The Study of Women's Health Across the Nation (SWAN). Journal of Affective Disorders, 2007, 103, 267-272.	4.1	361
5	Sleep difficulty in women at midlife: a community survey of sleep and the menopausal transition *. Menopause, 2003, 10, 19-28.	2.0	312
6	Discrimination and unfair treatment: Relationship to cardiovascular reactivity among African American and European American women Health Psychology, 2001, 20, 315-325.	1.6	292
7	Chronic stress burden, discrimination, and subclinical carotid artery disease in African American and Caucasian women Health Psychology, 2003, 22, 300-309.	1.6	264
8	Longitudinal Change in Reproductive Hormones and Depressive Symptoms Across the Menopausal Transition. Archives of General Psychiatry, 2010, 67, 598.	12.3	258
9	Sleep difficulty in women at midlife: a community survey of sleep and the menopausal transition *. Menopause, 2003, 10, 19-28.	2.0	239
10	Change in health-related quality of life over the menopausal transition in a multiethnic cohort of middle-aged women. Menopause, 2009, 16, 860-869.	2.0	233
11	Persistent Mood Symptoms in a Multiethnic Community Cohort of Pre- and Perimenopausal Women. American Journal of Epidemiology, 2003, 158, 347-356.	3.4	232
12	Psychologic Distress and Natural Menopause: A Multiethnic Community Study. American Journal of Public Health, 2001, 91, 1435-1442.	2.7	221
13	A longitudinal study of the effects of pessimism, trait anxiety, and life stress on depressive symptoms in middle-aged women Psychology and Aging, 1996, 11, 207-213.	1.6	217
14	Depressive Symptoms, Insulin Resistance, and Risk of Diabetes in Women at Midlife. Diabetes Care, 2004, 27, 2856-2862.	8.6	212
15	Sleep disturbance during the menopausal transition in a multi-ethnic community sample of women. Sleep, 2008, 31, 979-90.	1.1	212
16	Race and financial strain are independent correlates of sleep in midlife women: the SWAN sleep study. Sleep, 2009, 32, 73-82.	1.1	208
17	Racial/Ethnic Differences in the Prevalence of Depressive Symptoms Among Middle-Aged Women: The Study of Women's Health Across the Nation (SWAN). American Journal of Public Health, 2004, 94, 1378-1385.	2.7	178
18	The Relationship of Longitudinal Change in Reproductive Hormones and Vasomotor Symptoms during the Menopausal Transition. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 6106-6112.	3.6	173

#	Article	IF	Citations
19	Does risk for anxiety increase during the menopausal transition? Study of Women's Health Across the Nation. Menopause, 2013, 20, 488-495.	2.0	155
20	Health-Related Quality of Life in a Multiethnic Sample of Middle-Aged Women. Medical Care, 2003, 41, 1262-1276.	2.4	153
21	Mood and Menopause: Findings from the Study of Women's Health Across the Nation (SWAN) over 10 Years. Obstetrics and Gynecology Clinics of North America, 2011, 38, 609-625.	1.9	144
22	Beyond frequency. Menopause, 2008, 15, 841-847.	2.0	140
23	Lifetime History of Major Depression Predicts the Development of the Metabolic Syndrome in Middle-Aged Women. Psychosomatic Medicine, 2009, 71, 266-272.	2.0	134
24	Lifetime Depression History and Sexual Function in Women at Midlife. Archives of Sexual Behavior, 2004, 33, 539-548.	1.9	122
25	Gains in Body Fat and Vasomotor Symptom Reporting Over the Menopausal Transition: The Study of Women's Health Across the Nation. American Journal of Epidemiology, 2009, 170, 766-774.	3.4	122
26	Trajectory Clustering of Estradiol and Follicle-Stimulating Hormone during the Menopausal Transition among Women in the Study of Women's Health across the Nation (SWAN). Journal of Clinical Endocrinology and Metabolism, 2012, 97, 2872-2880.	3 <b>.</b> 6	122
27	Guidelines for the evaluation and treatment of perimenopausal depression: summary and recommendations. Menopause, 2018, 25, 1069-1085.	2.0	122
28	Chronic exposure to everyday discrimination and sleep in a multiethnic sample of middle-aged women Health Psychology, 2013, 32, 810-819.	1.6	116
29	Lifetime History of Depression and Carotid Atherosclerosis in Middle-aged Women. Archives of General Psychiatry, 2003, 60, 153.	12.3	112
30	Are there bi-directional associations between depressive symptoms and C-reactive protein in mid-life women?. Brain, Behavior, and Immunity, 2010, 24, 96-101.	4.1	109
31	Sleep Disturbance During the Menopausal Transition in a Multi-Ethnic Community Sample of Women. Sleep, 2008, , .	1.1	108
32	Progression rates of carotid intima-media thickness and adventitial diameter during the menopausal transition. Menopause, 2013, 20, 8-14.	2.0	108
33	Chronic PM2.5 exposure and inflammation: Determining sensitive subgroups in mid-life women. Environmental Research, 2014, 132, 168-175.	7.5	108
34	Coronary and Aortic Calcification in Women With a History of Major Depression. Archives of Internal Medicine, 2005, 165, 1229.	3.8	106
35	Chronic Stress is Prospectively Associated with Sleep in Midlife Women: The SWAN Sleep Study. Sleep, 2015, 38, 1645-1654.	1.1	99
36	Sleep Is Associated with the Metabolic Syndrome in a Multi-Ethnic Cohort of Midlife Women: The SWAN Sleep Study. Sleep, 2012, 35, 783-790.	1.1	98

#	Article	IF	CITATIONS
37	Guidelines for the Evaluation and Treatment of Perimenopausal Depression: Summary and Recommendations. Journal of Women's Health, 2019, 28, 117-134.	3.3	96
38	Everyday Discrimination Prospectively Predicts Inflammation across 7â€Years in Racially Diverse Midlife Women: Study of Women's Health across the Nation. Journal of Social Issues, 2014, 70, 298-314.	3.3	94
39	Relationship of Day-to-day Reproductive Hormone Levels to Sleep in Midlife Women. Archives of Internal Medicine, 2005, 165, 2370.	3.8	91
40	Characterizing the trajectories of vasomotor symptoms across the menopausal transition. Menopause, 2016, 23, 1067-1074.	2.0	89
41	Marital/Cohabitation Status and History in Relation to Sleep in Midlife Women. Sleep, 2010, 33, 973-981.	1.1	87
42	Child abuse is related to inflammation in mid-life women: Role of obesity. Brain, Behavior, and Immunity, 2014, 36, 29-34.	4.1	86
43	Does the menopausal transition affect health-related quality of life?. American Journal of Medicine, 2005, 118, 25-36.	1.5	85
44	Development of the Barkin Index of Maternal Functioning. Journal of Women's Health, 2010, 19, 2239-2246.	3.3	84
45	Sex steroid hormone profiles are related to sleep measures from polysomnography and the Pittsburgh Sleep Quality Index. Sleep, 2008, 31, 1339-49.	1.1	82
46	Mammographic density in a multiethnic cohort. Menopause, 2007, 14, 891-899.	2.0	81
47	Associations Between Depressive Symptoms and Inflammatory/Hemostatic Markers in Women During the Menopausal Transition. Psychosomatic Medicine, 2007, 69, 124-130.	2.0	76
48	Depression During and After the Perimenopause. Obstetrics and Gynecology Clinics of North America, 2018, 45, 663-678.	1.9	76
49	The Relation between Perceived Unfair Treatment and Blood Pressure in a Racially/Ethnically Diverse Sample of Women. American Journal of Epidemiology, 2006, 164, 257-262.	3.4	75
50	A "feminine" model of vulnerability to depressive symptoms: A longitudinal investigation of middle-aged women Journal of Personality and Social Psychology, 1996, 70, 591-598.	2.8	74
51	Symptoms of Depressed Mood, Disturbed Sleep, and Sexual Problems in Midlife Women: Cross-Sectional Data from the Study of Women's Health Across the Nation. Journal of Women's Health, 2015, 24, 119-126.	3.3	74
52	Prevalence and selected correlates of eating disorder symptoms among a multiethnic community sample of midlife women. Annals of Behavioral Medicine, 2007, 33, 269-277.	2.9	69
53	Childhood physical abuse is associated with incident metabolic syndrome in mid-life women Health Psychology, 2013, 32, 121-127.	1.6	64
54	Childhood Abuse Is Associated With Adiposity in Midlife Women: Possible Pathways Through Trait Anger and Reproductive Hormones. Psychosomatic Medicine, 2010, 72, 215-223.	2.0	63

#	Article	IF	CITATIONS
55	Consistently High Sports/Exercise Activity Is Associated with Better Sleep Quality, Continuity and Depth in Midlife Women: The SWAN Sleep Study. Sleep, 2013, 36, 1279-1288.	1.1	62
56	Childhood abuse or neglect is associated with increased vasomotor symptom reporting among midlife women. Menopause, 2008, 15, 16-22.	2.0	60
57	Depressive symptoms and production of proinflammatory cytokines by peripheral blood mononuclear cells stimulated in vitro. Brain, Behavior, and Immunity, 2007, 21, 229-237.	4.1	59
58	Endogenous sex hormones impact the progression of subclinical atherosclerosis in women during the menopausal transition. Atherosclerosis, 2012, 225, 180-186.	0.8	59
59	Evaluation of the Association of Menopausal Status with Delta and Beta EEG Activity during Sleep. Sleep, 2011, 34, 1561-1568.	1.1	57
60	Sex Steroid Hormone Gene Polymorphisms and Depressive Symptoms in Women at Midlife. American Journal of Medicine, 2006, 119, S87-S93.	1.5	56
61	Long-and Short-Term Exposure To Air Pollution and Inflammatory/Hemostatic Markers in Midlife Women. Epidemiology, 2015, 27, 1.	2.7	55
62	Relationships between Menopausal and Mood Symptoms and EEG Sleep Measures in a Multi-ethnic Sample of Middle-Aged Women: The SWAN Sleep Study. Sleep, 2011, 34, 1221-1232.	1.1	53
63	Abuse and Subclinical Cardiovascular Disease Among Midlife Women. Stroke, 2014, 45, 2246-2251.	2.0	53
64	Depressive symptoms are related to progression of coronary calcium in midlife women: The Study of Women's Health Across the Nation (SWAN) Heart Study. American Heart Journal, 2011, 161, 1186-1191.e1.	2.7	51
65	Assessment of Functioning in New Mothers. Journal of Women's Health, 2010, 19, 1493-1499.	3.3	50
66	Actigraphy-defined measures of sleep and movement across the menstrual cycle in midlife menstruating women. Menopause, 2015, 22, 66-74.	2.0	47
67	Mood Symptoms After Natural Menopause and Hysterectomy With and Without Bilateral Oophorectomy Among Women in Midlife. Obstetrics and Gynecology, 2012, 119, 935-941.	2.4	45
68	Patterns of depressive disorders across 13 years and their determinants among midlife women: SWAN mental health study. Journal of Affective Disorders, 2016, 206, 31-40.	4.1	45
69	Sex Steroid Hormone Profiles are Related to Sleep Measures from Polysomnography and the Pittsburgh Sleep Quality Index. Sleep, 2008, , .	1.1	43
70	Recurrent Major Depression Predicts Progression of Coronary Calcification in Healthy Women: Study of Women's Health Across the Nation. Psychosomatic Medicine, 2010, 72, 742-747.	2.0	42
71	PSYCHOSOCIAL FEATURES ASSOCIATED WITH LIFETIME COMORBIDITY OF MAJOR DEPRESSION AND ANXIETY DISORDERS AMONG A COMMUNITY SAMPLE OF MID-LIFE WOMEN: THE SWAN MENTAL HEALTH STUDY. Depression and Anxiety, 2012, 29, 1050-1057.	4.1	41
72	Association between Physical Activity and Depressive Symptoms: Midlife Women in SWAN. Medicine and Science in Sports and Exercise, 2015, 47, 335-342.	0.4	41

#	Article	IF	Citations
73	Interactive Effects of Race and Depressive Symptoms on Calcification in African American and White Women. Psychosomatic Medicine, 2009, 71, 163-170.	2.0	40
74	Sleep Trajectories Before and After the Final Menstrual Period in the Study of Women's Health Across the Nation (SWAN). Current Sleep Medicine Reports, 2017, 3, 235-250.	1.4	40
75	Rates of Bone Loss Among Women Initiating Antidepressant Medication Use in Midlife. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 4355-4363.	3.6	39
76	Lifetime History of Depression and Anxiety Disorders as a Predictor of Quality of Life in Midlife Women in the Absence of Current Illness Episodes. Archives of General Psychiatry, 2012, 69, 484.	12.3	37
77	History of depression and women's current health and functioning during midlife. General Hospital Psychiatry, 2005, 27, 200-208.	2.4	36
78	Factors Associated with Postpartum Maternal Functioning in Women with Positive Screens for Depression. Journal of Women's Health, 2016, 25, 707-713.	3.3	36
79	Negative affect and vasomotor symptoms in the Study of Women's Health Across the Nation Daily Hormone Study. Menopause, 2011, 18, 1270-1277.	2.0	34
80	Latent activity rhythm disturbance sub-groups and longitudinal change in depression symptoms among older men. Chronobiology International, 2015, 32, 1427-1437.	2.0	34
81	Everyday Discrimination and Metabolic Syndrome Incidence in a Racially/Ethnically Diverse Sample: Study of Women's Health Across the Nation. Psychosomatic Medicine, 2018, 80, 114-121.	2.0	34
82	Socioeconomic Status as a Correlate of Sleep in African-American and Caucasian Women. Annals of the New York Academy of Sciences, 1999, 896, 427-430.	3.8	33
83	The Effect of Age on Clinical Outcomes and Health Status. Journal of the American College of Cardiology, 2011, 58, 810-819.	2.8	33
84	A 24-hour Approach to the Study of Health Behaviors: Temporal Relationships Between Waking Health Behaviors and Sleep. Annals of Behavioral Medicine, 2014, 47, 189-197.	2.9	33
85	Life-Course Socioeconomic Status and Metabolic Syndrome Among Midlife Women. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2016, 71, 1097-1107.	3.9	33
86	Lifelong estradiol exposure and risk of depressive symptoms during the transition to menopause and postmenopause. Menopause, 2017, 24, 1351-1359.	2.0	33
87	Childhood abuse or neglect is associated with increased vasomotor symptom reporting among midlife women. Menopause, 2008, 15, 16-22.	2.0	32
88	Everyday Discrimination Prospectively Predicts Blood Pressure Across 10 Years in Racially/Ethnically Diverse Midlife Women: Study of Women's Health Across the Nation. Annals of Behavioral Medicine, 2019, 53, 608-620.	2.9	31
89	The impact of hormone therapy on health-related quality of life. Menopause, 2008, 15, 422-428.	2.0	30
90	It is not just menopause: symptom clustering in the Study of Women's Health Across the Nation. Women's Midlife Health, 2017, 3, .	1.5	30

#	Article	IF	CITATIONS
91	Midlife Predictors of Health-Related Quality of Life in Older Women. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1574-1580.	3.6	30
92	Severity of Interstitial Cystitis Symptoms and Quality of Life in Female Patients. Journal of Women's Health, 2009, 18, 1361-1368.	3.3	28
93	Associations Between Psychologic Symptoms and Life Satisfaction in Women with Polycystic Ovary Syndrome. Journal of Women's Health, 2012, 21, 179-187.	3.3	28
94	The role of sleep difficulties in the vasomotor menopausal symptoms and depressed mood relationships: an international pooled analysis of eight studies in the InterLACE consortium. Psychological Medicine, 2018, 48, 2550-2561.	4.5	27
95	Longitudinal associations between depression and functioning in midlife women. Maturitas, 2009, 64, 145-159.	2.4	26
96	Sleep and risk for high blood pressure and hypertension in midlife women: the SWAN (Study of) Tj ETQq0 0 0 rgl	BT <u>(O</u> verlo	ck 10 Tf 50 5
97	Relation of Persistent Depressive Symptoms to Coronary Artery Calcification in Women Aged 46 to 59ÂYears. American Journal of Cardiology, 2016, 117, 1884-1889.	1.6	25
98	The role of family history of depression and the menopausal transition in the development of major depression in midlife women: Study of women's health across the nation mental health study (SWAN) Tj ETQq0	O O4ngBT/0	Dv <b>ed</b> ock 10 1
99	The relationship between cumulative unfair treatment and intima media thickness and adventitial diameter: The moderating role of race in the study of women's health across the nation Health Psychology, 2016, 35, 313-321.	1.6	25
100	An actigraphy study of sleep and pain in midlife women. Menopause, 2015, 22, 710-718.	2.0	23
101	The effect of frailty on HAI response to influenza vaccine among community-dwelling adults ≥ 50Âyears of age. Human Vaccines and Immunotherapeutics, 2018, 14, 361-367.	3.3	23
102	Physical Activity and Mammographic Density in a Cohort of Midlife Women. Medicine and Science in Sports and Exercise, 2008, 40, 451-456.	0.4	22
103	Physical functioning among mid-life women: Associations with trajectory of depressive symptoms. Social Science and Medicine, 2010, 71, 1259-1267.	3.8	22
104	Psychosocial and health-related risk factors for depressive symptom trajectories among midlife women over 15 years: Study of Women's Health Across the Nation (SWAN). Psychological Medicine, 2019, 49, 250-259.	4.5	21
105	Association of past and recent major depression and menstrual characteristics in midlife. Menopause, 2012, 19, 959-966.	2.0	20
106	Healthâ€related quality of life among breast cancer survivors and noncancer controls over 10Âyears: Pink SWAN. Cancer, 2020, 126, 2296-2304.	4.1	20
107	Role Stress, Role Reward, and Mental Health in a Multiethnic Sample of Midlife Women: Results from the Study of Women's Health Across the Nation (SWAN). Journal of Women's Health, 2012, 21, 481-489.	3.3	18
108	Disruptions in ovarian function are related to depression and cardiometabolic risk during premenopause. Menopause, 2013, 20, 631-639.	2.0	18

#	Article	IF	CITATIONS
109	Childhood socioeconomic circumstances and depressive symptom burden across 15Âyears of follow-up during midlife: Study of Women's Health Across the Nation (SWAN). Archives of Women's Mental Health, 2017, 20, 495-504.	2.6	16
110	Does midlife aging impact women's sleep duration, continuity, and timing?: A longitudinal analysis from the Study of Women's Health Across the Nation. Sleep, 2020, 43, .	1.1	16
111	Does family history of depression predict major depression in midlife women? Study of Women's Health Across the Nation Mental Health Study (SWAN MHS). Archives of Women's Mental Health, 2014, 17, 269-278.	2.6	15
112	Childhood Socioeconomic Circumstances, Inflammation, and Hemostasis Among Midlife Women. Psychosomatic Medicine, 2016, 78, 311-318.	2.0	15
113	Child maltreatment as a social determinant of midlife health-related quality of life in women: do psychosocial factors explain this association?. Quality of Life Research, 2018, 27, 3243-3254.	3.1	14
114	Depressive symptoms and adipokines in women: Study of women's health across the nation. Psychoneuroendocrinology, 2018, 97, 20-27.	2.7	13
115	Longitudinal Association Between Depressive Symptoms and Multidimensional Sleep Health: The SWAN Sleep Study. Annals of Behavioral Medicine, 2021, 55, 641-652.	2.9	13
116	Persistence of depression in African American and Caucasian women at midlife: findings from the Study of Women Across the Nation (SWAN). Archives of Women's Mental Health, 2014, 17, 549-557.	2.6	11
117	How Do African American and Caucasian Women View Themselves at Midlife?1,2. Journal of Applied Social Psychology, 2005, 35, 2057-2075.	2.0	9
118	Negative attitudes and affect do not predict elective hysterectomy. Menopause, 2011, 18, 499-507.	2.0	9
119	The Relationship of Violence and Traumatic Stress to Changes in Weight and Waist Circumference. Journal of Interpersonal Violence, 2014, 29, 1459-1476.	2.0	9
120	Reproductive and Appetite Hormones and Bulimic Symptoms during Midlife. European Eating Disorders Review, 2017, 25, 188-194.	4.1	9
121	Life-course impact of child maltreatment on midlife health-related quality of life in women: longitudinal mediation analysis for potential pathways. Annals of Epidemiology, 2020, 43, 58-65.	1.9	7
122	Trajectory analysis of sleep maintenance problems in midlife women before and after surgical menopause: the Study of Women's Health Across the Nation (SWAN). Menopause, 2020, 27, 278-288.	2.0	7
123	Risk of high depressive symptoms after the final menstrual period: the Study of Women's Health Across the Nation (SWAN). Menopause, 2022, 29, 805-815.	2.0	7
124	Body mass index and health status in the Bypass Angioplasty Revascularization Investigation 2 Diabetes Trial (BARI 2D). American Heart Journal, 2011, 162, 184-192.e3.	2.7	6
125	Associations between aspects of pain and cognitive performance and the contribution of depressive symptoms in mid-life women: A cross-sectional analysis. Maturitas, 2015, 80, 106-112.	2.4	6
126	Shifting Paradigms About Hormonal Risk Factors for Postmenopausal Depression. JAMA Psychiatry, 2016, 73, 111.	11.0	6

#	Article	IF	CITATIONS
127	Midlife Factors Related to Psychological Well-Being at an Older Age: Study of Women's Health Across the Nation. Journal of Women's Health, 2021, 30, 332-340.	3.3	6
128	The menopausal transition increases the risk of depressive symptoms and depression diagnosis in women without a history of depression. Evidence-Based Mental Health, 2006, 9, 110-110.	4.5	5
129	Trajectory Clustering of Estradiol and Follicle-Stimulating Hormone During the Menopausal Transition Among Women in the Study of Women's Health Across the Nation (SWAN). Obstetrical and Gynecological Survey, 2013, 68, 361-363.	0.4	3
130	Does childhood maltreatment or current stress contribute to increased risk for major depression during the menopause transition?. Psychological Medicine, 2022, 52, 2570-2577.	4.5	3
131	Nonhormonal Factors Associated with Psychiatric Morbidity during the Menopausal Transition and Midlife. Key Issues in Mental Health, 2009, , 50-65.	0.6	1
132	Lowered progesterone metabolite excretion and a variable LH excretion pattern are associated with vasomotor symptoms but not negative mood in the early perimenopausal transition: Study of Women's Health Across the Nation. Maturitas, 2021, 147, 26-33.	2.4	1
133	Reply to Pizzi et al regarding "Depressive symptoms are related to progression of coronary calcium in midlife women: The Study of Women's Health Across the Nation (SWAN) Heart Study― American Heart Journal, 2011, 162, e27.	2.7	0
134	Mood Symptoms After Natural Menopause and Hysterectomy With and Without Bilateral Oophorectomy Among Women in Midlife. Obstetrical and Gynecological Survey, 2012, 67, 551-552.	0.4	0