Yushan Ni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10058108/publications.pdf Version: 2024-02-01



Υμεμανι Νι

#	Article	IF	CITATIONS
1	Temperature-Dependent Transformation Thermotics: From Switchable Thermal Cloaks to Macroscopic Thermal Diodes. Physical Review Letters, 2015, 115, 195503.	7.8	222
2	Temperature-dependent transformation thermotics for unsteady states: Switchable concentrator for transient heat flow. Physics Letters, Section A: General, Atomic and Solid State Physics, 2016, 380, 1641-1647.	2.1	47
3	Multiscale Simulation of Indentation, Retraction and Fracture Processes of Nanocontact. Nanoscale Research Letters, 2010, 5, 692-700.	5.7	25
4	Effects of Crystalline Anisotropy and Indenter Size on Nanoindentation by Multiscale Simulation. Nanoscale Research Letters, 2010, 5, 420-432.	5.7	22
5	FLOW EFFECT AROUND TWO SQUARE CYLINDERS ARRANGED SIDE BY SIDE USING LATTICE BOLTZMANN METHOD. International Journal of Modern Physics C, 2008, 19, 1683-1694.	1.7	21
6	Quasicontinuum study the influence of misfit dislocation interactions on nanoindentation. Computational Materials Science, 2011, 50, 3162-3170.	3.0	18
7	Anisotropic plastic deformation beneath surface step during nanoindentation of FCC Al by multiscale analysis. Computational Materials Science, 2012, 58, 192-200.	3.0	17
8	Two-dimensional quasicontinuum analysis of the strengthening and weakening effect of Cu/Ag interface on nanoindentation. Journal of Applied Physics, 2010, 108, .	2.5	11
9	Position effect of cylindrical indenter on nanoindentation into Cu thin film by multiscale analysis. Computational Materials Science, 2011, 50, 2987-2992.	3.0	10
10	Effect of surface step on nanoindentation of thin films by multiscale analysis. Thin Solid Films, 2012, 520, 4934-4940.	1.8	10
11	Multiscale analysis of delay effect of dislocation nucleation with surface pit defect in nanoindentation. Computational Materials Science, 2012, 62, 203-209.	3.0	8
12	Multiscale Analysis of Size Effect of Surface Pit Defect in Nanoindentation. Micromachines, 2018, 9, 298.	2.9	8
13	Molecular dynamics simulation of microstructure evolution during the fracture process of nano-twinned Ag. Engineering Fracture Mechanics, 2021, 248, 107743.	4.3	8
14	Bifunctions of invisible sensors and cloaks in thermal–electric fields. Journal of Applied Physics, 2022, 131, .	2.5	7
15	The study of anisotropic behavior of nano-adhesive contact by multiscale simulation. Thin Solid Films, 2014, 566, 45-53.	1.8	6
16	Multiscale Simulation of Surface Defects Influence Nanoindentation by a Quasi-Continuum Method. Crystals, 2018, 8, 291.	2.2	6
17	Design of an omnidirectional camouflage device with anisotropic confocal elliptic geometry in thermal-electric field. IScience, 2022, 25, 104183.	4.1	5
18	Design of switchable transient thermal concentrators with diamond shapes. Europhysics Letters, 2022, 138, 16001.	2.0	4

Yushan Ni

#	Article	IF	CITATIONS
19	Temperature-dependent switchable thermal bifunctions in different diamond-shaped devices. Applied Mathematics and Computation, 2022, 423, 127006.	2.2	4
20	A lattice Boltzmann model of statistical evolution of microvoids. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 423, 79-83.	5.6	2
21	ROUGHNESS EFFECT OF DIFFERENT GEOMETRIES ON MICRO GAS FLOWS BY LATTICE BOLTZMANN SIMULATION. International Journal of Modern Physics C, 2009, 20, 953-966.	1.7	2
22	The Effect of the Vertex Angles of Wedged Indenters on Deformation during Nanoindentation. Crystals, 2017, 7, 380.	2.2	2
23	Assessment of predicted aircraft engine non-volatile particulate matter emissions at Hangzhou Xiaoshan International Airport using an integrated method. Journal of the Air and Waste Management Association, 2022, 72, 370-382.	1.9	2
24	Path-dependent bifunctional device in thermal-electric field. Europhysics Letters, 2022, 138, 15002.	2.0	2
25	Multiscale Simulation of Wedge Nanoindentation Based on the Repulsive Force-field Approach. International Journal of Nonlinear Sciences and Numerical Simulation, 2014, 15, .	1.0	0
26	Multiscale Simulation of Surface Defect Influence in Nanoindentation by a Quasi-Continuum Method. , 0, , .		0
27	Shape Effect of Surface Defects on Nanohardness by Quasicontinuum Method. Micromachines, 2020, 11, 909.	2.9	0
28	Synergy Effect and Symmetry-Induced Enhancement Effect of Surface Multi-Defects on Nanohardness by Quasi-Continuum Method. Materials, 2022, 15, 2485.	2.9	0