

# Dong Zhou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1005811/publications.pdf>

Version: 2024-02-01

157  
papers

5,199  
citations

126901

33  
h-index

110368

64  
g-index

163  
all docs

163  
docs citations

163  
times ranked

6471  
citing authors

#	ARTICLE	IF	CITATIONS
1	Stroke in China: advances and challenges in epidemiology, prevention, and management. <i>Lancet Neurology</i> , The, 2019, 18, 394-405.	10.2	903
2	Validation of the Generalized Anxiety Disorder-7 (GAD-7) among Chinese people with epilepsy. <i>Epilepsy Research</i> , 2016, 120, 31-36.	1.6	304
3	New onset acute symptomatic seizure and risk factors in coronavirus disease 2019: A retrospective multicenter study. <i>Epilepsia</i> , 2020, 61, e49-e53.	5.1	251
4	Telemedicine During the COVID-19 Pandemic: Experiences From Western China. <i>Journal of Medical Internet Research</i> , 2020, 22, e19577.	4.3	248
5	Altered functional connectivity in default mode network in absence epilepsy: A resting-state fMRI study. <i>Human Brain Mapping</i> , 2011, 32, 438-449.	3.6	233
6	ILAE definition of the Idiopathic Generalized Epilepsy Syndromes: Position statement by the ILAE Task Force on Nosology and Definitions. <i>Epilepsia</i> , 2022, 63, 1475-1499.	5.1	148
7	New onset neurologic events in people with COVID-19 in 3 regions in China. <i>Neurology</i> , 2020, 95, e1479-e1487.	1.1	130
8	PNES around the world: Where we are now and how we can close the diagnosis and treatment gaps—ILAE PNES Task Force report. <i>Epilepsia Open</i> , 2017, 2, 307-316.	2.4	114
9	Severe psychological distress among patients with epilepsy during the COVID-19 outbreak in southwest China. <i>Epilepsia</i> , 2020, 61, 1166-1173.	5.1	114
10	Seizure outcomes in patients with anti-NMDAR encephalitis: A follow-up study. <i>Epilepsia</i> , 2017, 58, 2104-2111.	5.1	101
11	Anti-NMDA receptor encephalitis: clinical characteristics, predictors of outcome and the knowledge gap in southwest China. <i>European Journal of Neurology</i> , 2016, 23, 621-629.	3.3	94
12	Economic burden of epilepsy in a developing country: A retrospective cost analysis in China. <i>Epilepsia</i> , 2009, 50, 2192-2198.	5.1	90
13	The ILAE consensus classification of focal cortical dysplasia: An update proposed by an ad hoc task force of the ILAE diagnostic methods commission. <i>Epilepsia</i> , 2022, 63, 1899-1919.	5.1	88
14	The potential neurological effect of the COVID-19 vaccines: A review. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 3-12.	2.1	85
15	Epilepsy in China: major progress in the past two decades. <i>Lancet Neurology</i> , The, 2021, 20, 316-326.	10.2	80
16	Causes of death among people with convulsive epilepsy in rural West China. <i>Neurology</i> , 2011, 77, 132-137.	1.1	76
17	CSF findings in patients with anti-N-methyl-d-aspartate receptor-encephalitis. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 29, 137-142.	2.0	75
18	Real-time effects of centrotemporal spikes on cognition in rolandic epilepsy. <i>Neurology</i> , 2016, 86, 544-551.	1.1	74

#	ARTICLE	IF	CITATIONS
19	Risk factors for mortality in patients with anti-NMDA receptor encephalitis. <i>Acta Neurologica Scandinavica</i> , 2017, 136, 298-304.	2.1	74
20	Clinical characteristics, treatments, and outcomes of patients with anti-N-methyl-D-aspartate receptor encephalitis: A systematic review of reported cases. <i>Epilepsy and Behavior</i> , 2017, 68, 57-65.	1.7	61
21	Limbic Encephalitis Associated with Anti- $\gamma$ -aminobutyric Acid B Receptor Antibodies. <i>Chinese Medical Journal</i> , 2015, 128, 3023-3028.	2.3	57
22	Resting-state fMRI study of treatment-naïve temporal lobe epilepsy patients with depressive symptoms. <i>NeuroImage</i> , 2012, 60, 299-304.	4.2	56
23	Prevalence and treatment gap of active convulsive epilepsy: A large community-based survey in rural West China. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2014, 23, 333-337.	2.0	51
24	Assessment of Utilization and Cost-Effectiveness of Telemedicine Program in Western Regions of China: A 12-Year Study of 249 Hospitals Across 112 Cities. <i>Telemedicine Journal and E-Health</i> , 2016, 22, 909-920.	2.8	49
25	Epilepsy care during the COVID-19 pandemic. <i>Epilepsia</i> , 2021, 62, 2322-2332.	5.1	48
26	Multicenter double-blind, randomized, placebo-controlled trial of levetiracetam as add-on therapy in Chinese patients with refractory partial-onset seizures. <i>Epilepsia</i> , 2009, 50, 398-405.	5.1	47
27	Functional brain connectome and sensorimotor networks in rolandic epilepsy. <i>Epilepsy Research</i> , 2015, 113, 113-125.	1.6	47
28	Encephalitis With Antibodies Against the GABAB Receptor: High Mortality and Risk Factors. <i>Frontiers in Neurology</i> , 2019, 10, 1030.	2.4	46
29	Long-term Functional Outcomes and Relapse of Anti-NMDA Receptor Encephalitis. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2021, 8, .	6.0	44
30	Validation of the Chinese version of the Neurological Disorders Depression Inventory for Epilepsy (C-NDDI-E) in West China. <i>Epilepsy and Behavior</i> , 2015, 47, 6-10.	1.7	43
31	Inhibition of P2X7 Receptor Ameliorates Nuclear Factor-Kappa B Mediated Neuroinflammation Induced by Status Epilepticus in Rat Hippocampus. <i>Journal of Molecular Neuroscience</i> , 2017, 63, 173-184.	2.3	43
32	Prevalence and risk factors of depression and anxiety among patients with convulsive epilepsy in rural West China. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 541-547.	2.1	38
33	Real-time effects of interictal spikes on hippocampus and amygdala functional connectivity in unilateral temporal lobe epilepsy: An EEG-fMRI study. <i>Epilepsia</i> , 2019, 60, 246-254.	5.1	38
34	A resting-state functional connectivity study in patients at high risk for sudden unexpected death in epilepsy. <i>Epilepsy and Behavior</i> , 2014, 41, 33-38.	1.7	37
35	Prevalence of convulsive epilepsy and health-related quality of life of the population with convulsive epilepsy in rural areas of Tibet Autonomous Region in China: An initial survey. <i>Epilepsy and Behavior</i> , 2008, 12, 373-381.	1.7	36
36	Encephalitis with antibodies against the GABA <sub>B</sub> receptor: seizures as the most common presentation at admission. <i>Neurological Research</i> , 2017, 39, 973-980.	1.3	36

#	ARTICLE	IF	CITATIONS
37	COVID-19 vaccine take-up rate and safety in adults with epilepsy: Data from a multicenter study in China. <i>Epilepsia</i> , 2022, 63, 244-251.	5.1	36
38	Hyperactive putamen in patients with paroxysmal kinesigenic choreoathetosis: A resting-state functional magnetic resonance imaging study. <i>Movement Disorders</i> , 2010, 25, 1226-1231.	3.9	34
39	Brain magnetic resonance-imaging findings of anti-N-methyl-d-aspartate receptor encephalitis: a cohort follow-up study in Chinese patients. <i>Journal of Neurology</i> , 2018, 265, 362-369.	3.6	34
40	Effects of repetitive transcranial magnetic stimulation combined with sensory cueing on unilateral neglect in subacute patients with right hemispheric stroke: a randomized controlled study. <i>Clinical Rehabilitation</i> , 2017, 31, 1154-1163.	2.2	32
41	Application of Big Data and Artificial Intelligence in COVID-19 Prevention, Diagnosis, Treatment and Management Decisions in China. <i>Journal of Medical Systems</i> , 2021, 45, 84.	3.6	32
42	Aberrant glutamate receptor 5 expression in temporal lobe epilepsy lesions. <i>Brain Research</i> , 2010, 1311, 166-174.	2.2	31
43	Effects of carbamazepine and lamotrigine on functional magnetic resonance imaging cognitive networks. <i>Epilepsia</i> , 2018, 59, 1362-1371.	5.1	30
44	Different patterns of white matter changes after successful surgery of mesial temporal lobe epilepsy. <i>NeuroImage: Clinical</i> , 2019, 21, 101631.	2.7	27
45	Long-term cognitive and neuropsychiatric outcomes in patients with anti-NMDAR encephalitis. <i>Acta Neurologica Scandinavica</i> , 2019, 140, 414-421.	2.1	26
46	The thalamic ultrastructural abnormalities in paroxysmal kinesigenic choreoathetosis: a diffusion tensor imaging study. <i>Journal of Neurology</i> , 2010, 257, 405-409.	3.6	25
47	H63D polymorphism in the hemochromatosis gene is associated with sporadic amyotrophic lateral sclerosis in China. <i>European Journal of Neurology</i> , 2011, 18, 359-361.	3.3	25
48	Super-refractory status epilepticus in West China. <i>Acta Neurologica Scandinavica</i> , 2015, 132, 1-6.	2.1	25
49	Disruption of gray matter morphological networks in patients with paroxysmal kinesigenic dyskinesia. <i>Human Brain Mapping</i> , 2021, 42, 398-411.	3.6	23
50	Direct economic burden of patients with autoimmune encephalitis in western China. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020, 7, .	6.0	22
51	Expression of HIF-1 $\alpha$ and MDR1/P-glycoprotein in refractory mesial temporal lobe epilepsy patients and pharmacoresistant temporal lobe epilepsy rat model kindled by coriaria lactone. <i>Neurological Sciences</i> , 2014, 35, 1203-1208.	1.9	21
52	Increased interhemispheric resting-state functional connectivity in paroxysmal kinesigenic dyskinesia: A resting-state fMRI study. <i>Journal of the Neurological Sciences</i> , 2015, 351, 93-98.	0.6	21
53	Altered cerebral activity associated with topiramate and its withdrawal in patients with epilepsy with language impairment: An fMRI study using the verb generation task. <i>Epilepsy and Behavior</i> , 2016, 59, 98-104.	1.7	21
54	Response to treatment schedules after the first antiepileptic drug failed. <i>Epilepsia</i> , 2018, 59, 2118-2124.	5.1	20

#	ARTICLE	IF	CITATIONS
55	The operational model of a network for managing patients with convulsive epilepsy in rural West China. <i>Epilepsy and Behavior</i> , 2010, 17, 75-81.	1.7	19
56	Co-expression of NMDA-receptor subunits NR1, NR2A, and NR2B in dysplastic neurons of teratomas in patients with paraneoplastic NMDA-receptor-encephalitis: a retrospective clinico-pathology study of 159 patients. <i>Acta Neuropathologica Communications</i> , 2020, 8, 130.	5.2	19
57	Long-term seizure outcomes in patients with autoimmune encephalitis: A prospective observational registry study update. <i>Epilepsia</i> , 2022, 63, 1812-1821.	5.1	19
58	Depression in people with epilepsy: How much do Asian colleagues acknowledge it?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018, 57, 45-49.	2.0	17
59	Single-dose intravenous administration of antiepileptic drugs induces rapid and reversible remodeling in the brain: Evidence from a voxel-based morphometry evaluation of valproate and levetiracetam in rhesus monkeys. <i>Neuroscience</i> , 2015, 303, 595-603.	2.3	16
60	Social support for people with epilepsy in China. <i>Epilepsy and Behavior</i> , 2016, 64, 224-232.	1.7	16
61	Sporadic periventricular nodular heterotopia: Classification, phenotype and correlation with Filamin A mutations. <i>Epilepsy Research</i> , 2017, 133, 33-40.	1.6	16
62	Clinical features and treatment outcomes of Juvenile myoclonic epilepsy patients. <i>Epilepsia Open</i> , 2019, 4, 302-308.	2.4	15
63	Clinical characteristics, long-term functional outcomes and relapse of anti-LGI1/Caspr2 encephalitis: a prospective cohort study in Western China. <i>Therapeutic Advances in Neurological Disorders</i> , 2022, 15, 175628642110732.	3.5	15
64	Drug-induced hypersensitivity syndrome caused by valproic acid as a monotherapy for epilepsy: First case report in Asian population. <i>Epilepsy &amp; Behavior Case Reports</i> , 2017, 8, 108-110.	1.5	14
65	Novel findings of HLA association with anti-LGI1 encephalitis: HLA-DRB1*03:01 and HLA-DQB1*02:01. <i>Journal of Neuroimmunology</i> , 2020, 344, 577243.	2.3	14
66	Therapeutic intensive seizure analysis (TISA) in presurgical evaluation of Losigamone. <i>Acta Neurologica Scandinavica</i> , 2001, 104, 195-201.	2.1	13
67	Suicidality is a common and serious feature of anti-N-methyl-D-aspartate receptor encephalitis. <i>Journal of Neurology</i> , 2017, 264, 2378-2386.	3.6	13
68	Aberrant basal ganglia-thalamo-cortical network topology in juvenile absence epilepsy: A resting-state EEG-fMRI study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021, 84, 78-83.	2.0	13
69	Long-term cognitive and neuropsychiatric outcomes of anti-GABABR encephalitis patients: A prospective study. <i>Journal of Neuroimmunology</i> , 2021, 351, 577471.	2.3	13
70	A preliminary observation of the adverse effects of phenobarbital among patients with convulsive epilepsy in rural West China. <i>Epilepsy and Behavior</i> , 2016, 54, 65-70.	1.7	12
71	Impact of Drug Manipulation on Seizure Freedom in Adults with Uncontrolled Epilepsy: A Prospective Controlled Study in Rural China. <i>CNS Drugs</i> , 2017, 31, 237-243.	5.9	12
72	The experience of the multidisciplinary team in epilepsy management from a resource-limited country. <i>Epilepsia Open</i> , 2019, 4, 85-91.	2.4	12

#	ARTICLE	IF	CITATIONS
73	Altered topological organization of functional brain networks in drug-naive patients with paroxysmal kinesigenic dyskinesia. <i>Journal of the Neurological Sciences</i> , 2020, 411, 116702.	0.6	12
74	Epilepsy centers in China Current status and ways forward. <i>Epilepsia</i> , 2021, 62, 2640-2650.	5.1	12
75	HHV-7 in adults with drug-resistant epilepsy: A pathological role in hippocampal sclerosis?. <i>Journal of Clinical Virology</i> , 2014, 61, 387-392.	3.1	11
76	PharmacofMRI: A Tool to Predict the Response to Antiepileptic Drugs in Epilepsy. <i>Frontiers in Neurology</i> , 2019, 10, 1203.	2.4	11
77	Brain structural connectome in relation to PRRT2 mutations in paroxysmal kinesigenic dyskinesia. <i>Human Brain Mapping</i> , 2020, 41, 3855-3866.	3.6	11
78	Brain functional connectivity patterns in focal cortical dysplasia related epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021, 87, 1-6.	2.0	11
79	Efficacy of low to moderate doses of oxcarbazepine in adult patients with newly diagnosed partial epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 29, 81-85.	2.0	10
80	Altered intrinsic brain activity associated with outcome in frontal lobe epilepsy. <i>Scientific Reports</i> , 2019, 9, 8989.	3.3	10
81	Acute and late neurological complications of COVID19: the quest for evidence. <i>Brain</i> , 2020, 143, e99-e99.	7.6	10
82	Efficacy, safety, and tolerability of adjunctive perampanel in patients from China with focal seizures or generalized tonic-clonic seizures: Post hoc analysis of phase III double-blind and open-label extension studies. <i>CNS Neuroscience and Therapeutics</i> , 2021, 27, 330-340.	3.9	10
83	A comparison between the 1981 and 2017 International League Against Epilepsy classification of seizure types based on an outpatient setting. <i>Epileptic Disorders</i> , 2018, 20, 257-264.	1.3	9
84	Attenuation of retinal nerve fibre layer in people with epilepsy receiving valproate. <i>Epilepsy Research</i> , 2019, 154, 144-148.	1.6	9
85	Cortical thinning in epilepsy patients with postictal generalized electroencephalography suppression. <i>European Journal of Neurology</i> , 2019, 26, 191-197.	3.3	9
86	Dynamic gray matter and intrinsic activity changes after epilepsy surgery. <i>Acta Neurologica Scandinavica</i> , 2021, 143, 261-270.	2.1	9
87	Association of consciousness impairment and mortality in people with COVID-19. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 251-259.	2.1	9
88	Status epilepticus in pregnant women with epilepsy after valproate adjustment: A case series. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016, 43, 39-41.	2.0	8
89	Subacute intranasal administration of tissue plasminogen activator improves stroke recovery by inducing axonal remodeling in mice. <i>Experimental Neurology</i> , 2018, 304, 82-89.	4.1	8
90	Disrupted intrinsic and remote functional connectivity in heterotopia-related epilepsy. <i>Acta Neurologica Scandinavica</i> , 2018, 137, 109-116.	2.1	8

#	ARTICLE	IF	CITATIONS
91	Abnormal blood oxygen level-dependent fluctuations and remote connectivity in sleep-related hypermotor epilepsy. <i>Acta Neurologica Scandinavica</i> , 2021, 143, 514-520.	2.1	8
92	Neurological side effects of COVID-19 vaccines are rare. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 111-112.	2.1	8
93	How to effectively constraint the cost of presurgical evaluation for resective surgery in low-income population: Clinically oriented opinions. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2011, 20, 425-427.	2.0	7
94	A novel missense mutation in GTP cyclohydrolase I (GCH1) gene causes dopa-responsive dystonia in Chinese Han population. <i>European Journal of Neurology</i> , 2011, 18, 362-364.	3.3	7
95	Short-term cerebral activity alterations after surgery in patients with unilateral mesial temporal lobe epilepsy associated with hippocampal sclerosis: A longitudinal resting-state fMRI study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 46, 43-49.	2.0	7
96	In-hospital mortality of status epilepticus in China: Results from a nationwide survey. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 75, 96-100.	2.0	7
97	Neural functional connectivity in patients with periventricular nodular heterotopia-mediated epilepsy. <i>Epilepsy Research</i> , 2021, 170, 106548.	1.6	7
98	Use of suggestive seizure manipulation methods in the investigation of patients with possible psychogenic nonepileptic seizures—An international ILAE survey. <i>Epilepsia Open</i> , 2021, 6, 472-482.	2.4	7
99	Integrity of the corpus callosum in patients with periventricular nodular heterotopia related epilepsy by FLNA mutation. <i>NeuroImage: Clinical</i> , 2018, 17, 109-114.	2.7	6
100	Structural and functional reorganization of contralateral hippocampus after temporal lobe epilepsy surgery. <i>NeuroImage: Clinical</i> , 2021, 31, 102714.	2.7	6
101	Metabolic alterations of the dorsolateral prefrontal cortex in sleep-related hypermotor epilepsy: A proton magnetic resonance spectroscopy study. <i>Journal of Neuroscience Research</i> , 2021, 99, 2657-2668.	2.9	6
102	Regional and remote connectivity patterns in focal extratemporal lobe epilepsy. <i>Annals of Translational Medicine</i> , 2021, 9, 1128-1128.	1.7	6
103	Effect of Anti-seizure Medications on Functional Anatomy of Language: A Perspective From Language Functional Magnetic Resonance Imaging. <i>Frontiers in Neuroscience</i> , 2021, 15, 787272.	2.8	6
104	Perilesional and contralateral white matter evolution and integrity in patients with periventricular nodular heterotopia and epilepsy: a longitudinal diffusion tensor imaging study. <i>European Journal of Neurology</i> , 2017, 24, 1471-1478.	3.3	5
105	Comparison of Standard and Intensified Regimens for HIV-Negative Adults With Tuberculous Meningitis in West China: A Retrospective Observational Study. <i>Frontiers in Neurology</i> , 2019, 10, 626.	2.4	5
106	Resting-state functional connectivity alterations in periventricular nodular heterotopia related epilepsy. <i>Scientific Reports</i> , 2019, 9, 18473.	3.3	5
107	Seizure description accuracy and seizure classification results from patient histories. <i>Epilepsy Research</i> , 2020, 167, 106413.	1.6	5
108	Familial cortical myoclonic tremor with epilepsy: TTTCA/TTTTA repeat expansions and expanding phenotype in two Chinese families. <i>Brain Research</i> , 2020, 1737, 146796.	2.2	5

#	ARTICLE	IF	CITATIONS
109	Divergent Anatomical Correlates and Functional Network Connectivity Patterns in Temporal Lobe Epilepsy with and Without Depression. <i>Brain Topography</i> , 2021, 34, 525-536.	1.8	5
110	The National Comprehensive Governance for epilepsy prevention and control in China. <i>Epilepsia Open</i> , 2022, 7, 27-35.	2.4	5
111	Efficacy and tolerability of intravenous immunoglobulin versus intravenous methylprednisolone treatment in anti-N-methyl-D-aspartate receptor encephalitis. <i>European Journal of Neurology</i> , 2021, , .	3.3	5
112	Barriers to generic antiseizure medication use: Results of a global survey by the International League Against Epilepsy Generic Substitution Task Force. <i>Epilepsia Open</i> , 2022, 7, 260-270.	2.4	5
113	Cortical remodeling before and after successful temporal lobe epilepsy surgery. <i>Acta Neurologica Scandinavica</i> , 2022, 146, 144-151.	2.1	5
114	Teamwork aids management and raises new issues in epilepsy. <i>Nature Reviews Neurology</i> , 2019, 15, 66-67.	10.1	4
115	Epilepsy control during an epidemic: emerging approaches and a new management framework. <i>Acta Epileptologica</i> , 2020, 2, .	0.9	4
116	Direct economic burden of patients with tuberculous meningitis in western China. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 535-545.	2.1	4
117	Challenges of patients with epilepsy and measures for improving epilepsy care in western China: A qualitative study. <i>Epilepsy Research</i> , 2021, 178, 106788.	1.6	4
118	Disturbance of Gut Bacteria and Metabolites Are Associated with Disease Severity and Predict Outcome of NMDAR Encephalitis: A Prospective Case-Control Study. <i>Frontiers in Immunology</i> , 2021, 12, 791780.	4.8	4
119	The efficacy and safety of adjunctive peramppanel for the treatment of refractory focal-onset seizures in patients with epilepsy: A meta-analysis. <i>Epilepsia Open</i> , 2022, 7, 271-279.	2.4	4
120	Relapsing and Immune-Responsive Paroxysmal Jaw Clonus With Blepharospasm and Sialorrhea Associated With D2R Autoantibodies. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2022, 9, .	6.0	4
121	Risk factors for mortality in patients with anti-NMDA receptor encephalitis: Reply to comment on data sparsity. <i>Acta Neurologica Scandinavica</i> , 2017, 136, 738-738.	2.1	3
122	Smoking prevalence and seizure control in Chinese males with epilepsy. <i>Epilepsy and Behavior</i> , 2017, 73, 268-272.	1.7	3
123	Adjunctive levetiracetam in the treatment of Chinese and Japanese adults with generalized tonic-clonic seizures: A double-blind, randomized, placebo-controlled trial. <i>Epilepsia Open</i> , 2018, 3, 474-484.	2.4	3
124	Structural basis for efonidipine block of a voltage-gated Ca <sup>2+</sup> channel. <i>Biochemical and Biophysical Research Communications</i> , 2019, 513, 631-634.	2.1	3
125	The clinical characteristics and related factors of tremor in patients with epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019, 66, 70-75.	2.0	3
126	The association between AED-induced cutaneous adverse drug reactions and the HLA-A, -B, and -DRB1 alleles among Caucasian patients: a pilot multicenter study. <i>Zeitschrift Fur Epileptologie</i> , 2012, 25, 289-292.	0.7	2



#	ARTICLE	IF	CITATIONS
127	Reading deficits correlate with cortical and subcortical volume changes in a genetic migration disorder. <i>Medicine (United States)</i> , 2019, 98, e17070.	1.0	2
128	Long-term seizure, comorbidity and socioeconomic outcomes of patients with convulsive epilepsy in rural West China. <i>Epilepsy Research</i> , 2020, 168, 106480.	1.6	2
129	The initial impact of the SARS-CoV-2 pandemic on epilepsy research. <i>Epilepsia Open</i> , 2021, 6, 255-265.	2.4	2
130	Telestroke for the Treatment of Ischemic Stroke in Western China During the COVID-19 Pandemic: A Multicenter Observational Study. <i>Frontiers in Neurology</i> , 2021, 12, 822342.	2.4	2
131	Disease awareness and dietary habits of patients with epilepsy in western China: a cross-sectional study. <i>Acta Epileptologica</i> , 2021, 3, .	0.9	2
132	HLA-DRB1*03:01 is associated with female sex and younger age of anti-LGI1 encephalitis. <i>European Journal of Neurology</i> , 2022, 29, 2367-2375.	3.3	2
133	Independent component analysis for human epileptic spikes extraction. , 0, , .		1
134	Gap Activity Toward Rags 1 variants in Chinese people with sporadic drug-resistant focal epilepsy. <i>Acta Neurologica Scandinavica</i> , 2019, 139, 247-253.	2.1	1
135	Effects of Message Framing and Time Discounting on Health Communication for Optimum Cardiovascular Disease and Stroke Prevention (EMT-OCSP): a protocol for a pragmatic, multicentre, observer-blinded, 12-month randomised controlled study. <i>BMJ Open</i> , 2021, 11, e043450.	1.9	1
136	Reduction of Retinal Thickness Ipsilateral to Hippocampal Sclerosis in Epilepsy. <i>Frontiers in Neurology</i> , 2021, 12, 663559.	2.4	1
137	Typical Radiological Features of a Rare Lateral Ventricular Liponeurocytoma. <i>Annals of Neurology</i> , 2021, 90, 851-852.	5.3	1
138	Thank you to our Reviewers of 2021. <i>Epilepsia Open</i> , 2022, , .	2.4	1
139	Long-Term Prognosis of Patients With Anti-N-Methyl-D-Aspartate Receptor Encephalitis Who Underwent Teratoma Removal: An Observational Study. <i>Frontiers in Neurology</i> , 2022, 13, 874867.	2.4	1
140	Crohn's disease with positive Ziehl-Neelsen stain: Three case reports. <i>Nigerian Journal of Clinical Practice</i> , 2018, 21, 1387.	0.6	1
141	Thixotropic properties of whole blood in the patients with ischemic stroke and high risk factors. <i>Clinical Hemorheology and Microcirculation</i> , 1991, 11, 635-640.	1.7	0
142	Thank you to our Reviewers of 2018. <i>Epilepsia Open</i> , 2019, 4, 8-9.	2.4	0
143	An interview with Jesu�servando Medel�matus, 2019 <i>Epilepsia Open</i> Prize Winner for Basic Science Research. <i>Epilepsia Open</i> , 2019, 4, 228-229.	2.4	0
144	An interview with Sharon Chiang, 2019 <i>Epilepsia Open</i> Prize Winner for Clinical Research. <i>Epilepsia Open</i> , 2019, 4, 232-234.	2.4	0

#	ARTICLE	IF	CITATIONS
145	An interview with Jesse Pfammatter, 2020 Epilepsia Open Prize Winner for Basic Science Research. Epilepsia Open, 2020, 5, 336-337.	2.4	0
146	An interview with Ana Coito, 2020 Epilepsia Open prize winner for clinical research. Epilepsia Open, 2020, 5, 340-341.	2.4	0
147	Reply: Gut microbiome alterations in anti-NMDA receptor encephalitis: caveats for result interpretation. Annals of Clinical and Translational Neurology, 2020, 7, 155-156.	3.7	0
148	Thank you to our Reviewers of 2020. Epilepsia Open, 2021, 6, 9-10.	2.4	0
149	Multicenter research studies: A new publishing format in Epilepsia Open. Epilepsia Open, 2021, 6, 11-12.	2.4	0
150	An interview with Ying Yu, 2021 Epilepsia Open Prize Winner for Basic Science Research. Epilepsia Open, 2021, 6, 464-465.	2.4	0
151	An interview with Laura Parvainen, 2021 Epilepsia Open prize winner for clinical research. Epilepsia Open, 2021, 6, 468-469.	2.4	0
152	Special issue on the battle against complex virus world in the human brain: seizure as a result of viral infection. Acta Epileptologica, 2021, 3, .	0.9	0
153	Paroxysmal Kinesigenic Dyskinesia Secondary to Brain Calcification with a Homozygous <i>MYORG</i> Mutation. Movement Disorders, 2022, 37, 233-235.	3.9	0
154	An interview with Morgan Sturgeon, 2022 <i>Epilepsia Open</i> prize winner for basic science research. Epilepsia Open, 2022, , .	2.4	0
155	An interview with Hanna Hulshof and Barbora Benova, 2022 <i>Epilepsia Open</i> Prize Winner for Clinical Research. Epilepsia Open, 2022, , .	2.4	0
156	Secondary Paroxysmal Kinesigenic Dyskinesia with a <i>CASR</i> Mutation. Movement Disorders, 2022, 37, 643-644.	3.9	0
157	Calculation and management of ketogenic diet parenteral nutrition in super-refractory status epilepticus. Acta Epileptologica, 2022, 4, .	0.9	0