

Dong Zhou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1005811/dong-zhou-publications-by-citations.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135 papers	3,122 citations	29 h-index	53 g-index
163 ext. papers	4,265 ext. citations	4.7 avg, IF	5.83 L-index

#	Paper	IF	Citations
135	Stroke in China: advances and challenges in epidemiology, prevention, and management. <i>Lancet Neurology</i> , 2019 , 18, 394-405	24.1	403
134	New onset acute symptomatic seizure and risk factors in coronavirus disease 2019: A retrospective multicenter study. <i>Epilepsia</i> , 2020 , 61, e49-e53	6.4	199
133	Altered functional connectivity in default mode network in absence epilepsy: a resting-state fMRI study. <i>Human Brain Mapping</i> , 2011 , 32, 438-49	5.9	190
132	Validation of the Generalized Anxiety Disorder-7 (GAD-7) among Chinese people with epilepsy. <i>Epilepsy Research</i> , 2016 , 120, 31-6	3	169
131	Telemedicine During the COVID-19 Pandemic: Experiences From Western China. <i>Journal of Medical Internet Research</i> , 2020 , 22, e19577	7.6	137
130	New onset neurologic events in people with COVID-19 in 3 regions in China. <i>Neurology</i> , 2020 , 95, e1479-61487	6.4	92
129	Severe psychological distress among patients with epilepsy during the COVID-19 outbreak in southwest China. <i>Epilepsia</i> , 2020 , 61, 1166-1173	6.4	88
128	Economic burden of epilepsy in a developing country: a retrospective cost analysis in China. <i>Epilepsia</i> , 2009 , 50, 2192-8	6.4	79
127	Thank you to our Reviewers of 2018. <i>Epilepsia Open</i> , 2019 , 4, 8-9	4	78
126	PNES around the world: Where we are now and how we can close the diagnosis and treatment gaps-an ILAE PNES Task Force report. <i>Epilepsia Open</i> , 2017 , 2, 307-316	4	77
125	Anti-NMDA receptor encephalitis: clinical characteristics, predictors of outcome and the knowledge gap in southwest China. <i>European Journal of Neurology</i> , 2016 , 23, 621-9	6	70
124	Seizure outcomes in patients with anti-NMDAR encephalitis: A follow-up study. <i>Epilepsia</i> , 2017 , 58, 2104-2111	6.4	65
123	Causes of death among people with convulsive epilepsy in rural West China: a prospective study. <i>Neurology</i> , 2011 , 77, 132-7	6.5	64
122	CSF findings in patients with anti-N-methyl-D-aspartate receptor-encephalitis. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015 , 29, 137-42	3.2	56
121	Resting-state fMRI study of treatment-naïve temporal lobe epilepsy patients with depressive symptoms. <i>NeuroImage</i> , 2012 , 60, 299-304	7.9	50
120	Real-time effects of centrottemporal spikes on cognition in rolandic epilepsy: An EEG-fMRI study. <i>Neurology</i> , 2016 , 86, 544-51	6.5	49
119	Clinical characteristics, treatments, and outcomes of patients with anti-N-methyl-d-aspartate receptor encephalitis: A systematic review of reported cases. <i>Epilepsy and Behavior</i> , 2017 , 68, 57-65	3.2	48

118	Risk factors for mortality in patients with anti-NMDA receptor encephalitis. <i>Acta Neurologica Scandinavica</i> , 2017 , 136, 298-304	3.8	48
117	Limbic Encephalitis Associated with Anti- β -aminobutyric Acid B Receptor Antibodies: A Case Series from China. <i>Chinese Medical Journal</i> , 2015 , 128, 3023-8	2.9	45
116	Prevalence and treatment gap of active convulsive epilepsy: a large community-based survey in rural West China. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2014 , 23, 333-7	3.2	45
115	Multicenter double-blind, randomized, placebo-controlled trial of levetiracetam as add-on therapy in Chinese patients with refractory partial-onset seizures. <i>Epilepsia</i> , 2009 , 50, 398-405	6.4	41
114	Validation of the Chinese version of the Neurological Disorders Depression Inventory for Epilepsy (C-NDDI-E) in West China. <i>Epilepsy and Behavior</i> , 2015 , 47, 6-10	3.2	34
113	Functional brain connectome and sensorimotor networks in rolandic epilepsy. <i>Epilepsy Research</i> , 2015 , 113, 113-25	3	34
112	Assessment of Utilization and Cost-Effectiveness of Telemedicine Program in Western Regions of China: A 12-Year Study of 249 Hospitals Across 112 Cities. <i>Telemedicine Journal and E-Health</i> , 2016 , 22, 909-920	5.9	32
111	The potential neurological effect of the COVID-19 vaccines: A review. <i>Acta Neurologica Scandinavica</i> , 2021 , 144, 3-12	3.8	32
110	Prevalence of convulsive epilepsy and health-related quality of life of the population with convulsive epilepsy in rural areas of Tibet Autonomous Region in China: an initial survey. <i>Epilepsy and Behavior</i> , 2008 , 12, 373-81	3.2	30
109	Encephalitis With Antibodies Against the GABA Receptor: High Mortality and Risk Factors. <i>Frontiers in Neurology</i> , 2019 , 10, 1030	4.1	29
108	Hyperactive putamen in patients with paroxysmal kinesigenic choreoathetosis: a resting-state functional magnetic resonance imaging study. <i>Movement Disorders</i> , 2010 , 25, 1226-31	7	29
107	A resting-state functional connectivity study in patients at high risk for sudden unexpected death in epilepsy. <i>Epilepsy and Behavior</i> , 2014 , 41, 33-8	3.2	26
106	Encephalitis with antibodies against the GABA receptor: seizures as the most common presentation at admission. <i>Neurological Research</i> , 2017 , 39, 973-980	2.7	24
105	Aberrant glutamate receptor 5 expression in temporal lobe epilepsy lesions. <i>Brain Research</i> , 2010 , 1311, 166-74	3.7	24
104	Effects of repetitive transcranial magnetic stimulation combined with sensory cueing on unilateral neglect in subacute patients with right hemispheric stroke: a randomized controlled study. <i>Clinical Rehabilitation</i> , 2017 , 31, 1154-1163	3.3	23
103	Real-time effects of interictal spikes on hippocampus and amygdala functional connectivity in unilateral temporal lobe epilepsy: An EEG-fMRI study. <i>Epilepsia</i> , 2019 , 60, 246-254	6.4	23
102	Prevalence and risk factors of depression and anxiety among patients with convulsive epilepsy in rural West China. <i>Acta Neurologica Scandinavica</i> , 2018 , 138, 541-547	3.8	22
101	Inhibition of P2X7 Receptor Ameliorates Nuclear Factor-Kappa B Mediated Neuroinflammation Induced by Status Epilepticus in Rat Hippocampus. <i>Journal of Molecular Neuroscience</i> , 2017 , 63, 173-184	3.3	21

100	Brain magnetic resonance-imaging findings of anti-N-methyl-D-aspartate receptor encephalitis: a cohort follow-up study in Chinese patients. <i>Journal of Neurology</i> , 2018 , 265, 362-369	5.5	21
99	The thalamic ultrastructural abnormalities in paroxysmal kinesigenic choreoathetosis: a diffusion tensor imaging study. <i>Journal of Neurology</i> , 2010 , 257, 405-9	5.5	21
98	Super-refractory status epilepticus in West China. <i>Acta Neurologica Scandinavica</i> , 2015 , 132, 1-6	3.8	20
97	H63D polymorphism in the hemochromatosis gene is associated with sporadic amyotrophic lateral sclerosis in China. <i>European Journal of Neurology</i> , 2011 , 18, 359-361	6	20
96	The operational model of a network for managing patients with convulsive epilepsy in rural West China. <i>Epilepsy and Behavior</i> , 2010 , 17, 75-81	3.2	19
95	Different patterns of white matter changes after successful surgery of mesial temporal lobe epilepsy. <i>NeuroImage: Clinical</i> , 2019 , 21, 101631	5.3	18
94	Increased interhemispheric resting-state functional connectivity in paroxysmal kinesigenic dyskinesia: a resting-state fMRI study. <i>Journal of the Neurological Sciences</i> , 2015 , 351, 93-98	3.2	17
93	Effects of carbamazepine and lamotrigine on functional magnetic resonance imaging cognitive networks. <i>Epilepsia</i> , 2018 , 59, 1362-1371	6.4	16
92	Altered cerebral activity associated with topiramate and its withdrawal in patients with epilepsy with language impairment: An fMRI study using the verb generation task. <i>Epilepsy and Behavior</i> , 2016 , 59, 98-104	3.2	14
91	Therapeutic intensive seizure analysis (TISA) in presurgical evaluation of Losigamone. <i>Acta Neurologica Scandinavica</i> , 2001 , 104, 195-201	3.8	13
90	Epilepsy in China: major progress in the past two decades. <i>Lancet Neurology</i> , <i>The</i> , 2021 , 20, 316-326	24.1	13
89	Epilepsy care during the COVID-19 pandemic. <i>Epilepsia</i> , 2021 , 62, 2322-2332	6.4	13
88	Sporadic periventricular nodular heterotopia: Classification, phenotype and correlation with Filamin A mutations. <i>Epilepsy Research</i> , 2017 , 133, 33-40	3	12
87	Single-dose intravenous administration of antiepileptic drugs induces rapid and reversible remodeling in the brain: Evidence from a voxel-based morphometry evaluation of valproate and levetiracetam in rhesus monkeys. <i>Neuroscience</i> , 2015 , 303, 595-603	3.9	12
86	Expression of HIF-1 α and MDR1/P-glycoprotein in refractory mesial temporal lobe epilepsy patients and pharmacoresistant temporal lobe epilepsy rat model kindled by coriaria lactone. <i>Neurological Sciences</i> , 2014 , 35, 1203-8	3.5	12
85	Response to treatment schedules after the first antiepileptic drug failed. <i>Epilepsia</i> , 2018 , 59, 2118-2124	6.4	12
84	Long-term cognitive and neuropsychiatric outcomes in patients with anti-NMDAR encephalitis. <i>Acta Neurologica Scandinavica</i> , 2019 , 140, 414-421	3.8	11
83	Depression in people with epilepsy: How much do Asian colleagues acknowledge it?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2018 , 57, 45-49	3.2	10

82	Social support for people with epilepsy in China. <i>Epilepsy and Behavior</i> , 2016 , 64, 224-232	3.2	10
81	A preliminary observation of the adverse effects of phenobarbital among patients with convulsive epilepsy in rural West China. <i>Epilepsy and Behavior</i> , 2016 , 54, 65-70	3.2	10
80	Drug-induced hypersensitivity syndrome caused by valproic acid as a monotherapy for epilepsy: First case report in Asian population. <i>Epilepsy & Behavior Case Reports</i> , 2017 , 8, 108-110	1.2	10
79	Impact of Drug Manipulation on Seizure Freedom in Adults with Uncontrolled Epilepsy: A Prospective Controlled Study in Rural China. <i>CNS Drugs</i> , 2017 , 31, 237-243	6.7	9
78	Efficacy of low to moderate doses of oxcarbazepine in adult patients with newly diagnosed partial epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015 , 29, 81-5	3.2	9
77	Co-expression of NMDA-receptor subunits NR1, NR2A, and NR2B in dysplastic neurons of teratomas in patients with paraneoplastic NMDA-receptor-encephalitis: a retrospective clinico-pathology study of 159 patients. <i>Acta Neuropathologica Communications</i> , 2020 , 8, 130	7.3	9
76	Disruption of gray matter morphological networks in patients with paroxysmal kinesigenic dyskinesia. <i>Human Brain Mapping</i> , 2021 , 42, 398-411	5.9	9
75	Subacute intranasal administration of tissue plasminogen activator improves stroke recovery by inducing axonal remodeling in mice. <i>Experimental Neurology</i> , 2018 , 304, 82-89	5.7	8
74	Short-term cerebral activity alterations after surgery in patients with unilateral mesial temporal lobe epilepsy associated with hippocampal sclerosis: A longitudinal resting-state fMRI study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017 , 46, 43-49	3.2	7
73	Suicidality is a common and serious feature of anti-N-methyl-D-aspartate receptor encephalitis. <i>Journal of Neurology</i> , 2017 , 264, 2378-2386	5.5	7
72	HHV-7 in adults with drug-resistant epilepsy: a pathological role in hippocampal sclerosis?. <i>Journal of Clinical Virology</i> , 2014 , 61, 387-92	14.5	7
71	Direct economic burden of patients with autoimmune encephalitis in western China. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020 , 7,	9.1	7
70	Cortical thinning in epilepsy patients with postictal generalized electroencephalography suppression. <i>European Journal of Neurology</i> , 2019 , 26, 191-197	6	7
69	Long-term Functional Outcomes and Relapse of Anti-NMDA Receptor Encephalitis: A Cohort Study in Western China. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2021 , 8,	9.1	7
68	Altered intrinsic brain activity associated with outcome in frontal lobe epilepsy. <i>Scientific Reports</i> , 2019 , 9, 8989	4.9	6
67	Clinical features and treatment outcomes of Juvenile myoclonic epilepsy patients. <i>Epilepsia Open</i> , 2019 , 4, 302-308	4	6
66	Brain structural connectome in relation to PRRT2 mutations in paroxysmal kinesigenic dyskinesia. <i>Human Brain Mapping</i> , 2020 , 41, 3855-3866	5.9	6
65	Disrupted intrinsic and remote functional connectivity in heterotopia-related epilepsy. <i>Acta Neurologica Scandinavica</i> , 2018 , 137, 109-116	3.8	6

64	How to effectively constrain the cost of presurgical evaluation for resective surgery in low-income population: clinically oriented opinions. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2011 , 20, 425-7	3.2	6
63	COVID-19 vaccine take-up rate and safety in adults with epilepsy: Data from a multicenter study in China. <i>Epilepsia</i> , 2021 ,	6.4	6
62	Acute and late neurological complications of COVID19: the quest for evidence. <i>Brain</i> , 2020 , 143, e99	11.2	6
61	Neurological side effects of COVID-19 vaccines are rare. <i>Acta Neurologica Scandinavica</i> , 2021 , 144, 111-113	1.2	6
60	Long-term cognitive and neuropsychiatric outcomes of anti-GABAR encephalitis patients: A prospective study. <i>Journal of Neuroimmunology</i> , 2021 , 351, 577471	3.5	6
59	The experience of the multidisciplinary team in epilepsy management from a resource-limited country. <i>Epilepsia Open</i> , 2019 , 4, 85-91	4	5
58	Novel findings of HLA association with anti-LGI1 encephalitis: HLA-DRB1*03:01 and HLA-DQB1*02:01. <i>Journal of Neuroimmunology</i> , 2020 , 344, 577243	3.5	5
57	Integrity of the corpus callosum in patients with periventricular nodular heterotopia related epilepsy by FLNA mutation. <i>NeuroImage: Clinical</i> , 2018 , 17, 109-114	5.3	5
56	Altered topological organization of functional brain networks in drug-naïve patients with paroxysmal kinesigenic dyskinesia. <i>Journal of the Neurological Sciences</i> , 2020 , 411, 116702	3.2	5
55	Application of Big Data and Artificial Intelligence in COVID-19 Prevention, Diagnosis, Treatment and Management Decisions in China. <i>Journal of Medical Systems</i> , 2021 , 45, 84	5.1	5
54	Status epilepticus in pregnant women with epilepsy after valproate adjustment: A case series. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016 , 43, 39-41	3.2	5
53	Pharmaco-fMRI: A Tool to Predict the Response to Antiepileptic Drugs in Epilepsy. <i>Frontiers in Neurology</i> , 2019 , 10, 1203	4.1	5
52	Aberrant basal ganglia-thalamo-cortical network topology in juvenile absence epilepsy: A resting-state EEG-fMRI study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 84, 78-83	3.2	5
51	Neural functional connectivity in patients with periventricular nodular heterotopia-mediated epilepsy. <i>Epilepsy Research</i> , 2021 , 170, 106548	3	5
50	A comparison between the 1981 and 2017 International League Against Epilepsy classification of seizure types based on an outpatient setting. <i>Epileptic Disorders</i> , 2018 , 20, 257-264	1.9	5
49	Comparison of Standard and Intensified Regimens for HIV-Negative Adults With Tuberculous Meningitis in West China: A Retrospective Observational Study. <i>Frontiers in Neurology</i> , 2019 , 10, 626	4.1	4
48	A novel missense mutation in GTP cyclohydrolase I (GCH1) gene causes Dopa-responsive dystonia in Chinese Han population. <i>European Journal of Neurology</i> , 2011 , 18, 362-364	6	4
47	Efficacy, safety, and tolerability of adjunctive perampanel in patients from China with focal seizures or generalized tonic-clonic seizures: Post hoc analysis of phase III double-blind and open-label extension studies. <i>CNS Neuroscience and Therapeutics</i> , 2021 , 27, 330-340	6.8	4

46	Abnormal blood oxygen level-dependent fluctuations and remote connectivity in sleep-related hypermotor epilepsy. <i>Acta Neurologica Scandinavica</i> , 2021 , 143, 514-520	3.8	4
45	Epilepsy control during an epidemic: emerging approaches and a new management framework. <i>Acta Epileptologica</i> , 2020 , 2,	1.7	3
44	Perilesional and contralateral white matter evolution and integrity in patients with periventricular nodular heterotopia and epilepsy: a longitudinal diffusion tensor imaging study. <i>European Journal of Neurology</i> , 2017 , 24, 1471-1478	6	3
43	Smoking prevalence and seizure control in Chinese males with epilepsy. <i>Epilepsy and Behavior</i> , 2017 , 73, 268-272	3.2	3
42	Telemedicine During the COVID-19 Pandemic: Experiences From Western China (Preprint)		3
41	In-hospital mortality of status epilepticus in China: Results from a nationwide survey. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 75, 96-100	3.2	3
40	Brain functional connectivity patterns in focal cortical dysplasia related epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 87, 1-6	3.2	3
39	The clinical characteristics and related factors of tremor in patients with epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019 , 66, 70-75	3.2	3
38	Dynamic gray matter and intrinsic activity changes after epilepsy surgery. <i>Acta Neurologica Scandinavica</i> , 2021 , 143, 261-270	3.8	3
37	Risk factors for mortality in patients with anti-NMDA receptor encephalitis: Reply to comment on data sparsity. <i>Acta Neurologica Scandinavica</i> , 2017 , 136, 738	3.8	2
36	Resting-state functional connectivity alterations in periventricular nodular heterotopia related epilepsy. <i>Scientific Reports</i> , 2019 , 9, 18473	4.9	2
35	The initial impact of the SARS-CoV-2 pandemic on epilepsy research. <i>Epilepsia Open</i> , 2021 , 6, 255-265	4	2
34	Epilepsy centers in China: Current status and ways forward. <i>Epilepsia</i> , 2021 , 62, 2640-2650	6.4	2
33	Attenuation of retinal nerve fibre layer in people with epilepsy receiving valproate. <i>Epilepsy Research</i> , 2019 , 154, 144-148	3	1
32	Structural basis for efonidipine block of a voltage-gated Ca channel. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 513, 631-634	3.4	1
31	Familial cortical myoclonic tremor with epilepsy: TTTCA/TTTAA repeat expansions and expanding phenotype in two Chinese families. <i>Brain Research</i> , 2020 , 1737, 146796	3.7	1
30	The National Comprehensive Governance for epilepsy prevention and control in China. <i>Epilepsia Open</i> , 2021 ,	4	1
29	Long-term seizure, comorbidity and socioeconomic outcomes of patients with convulsive epilepsy in rural West China. <i>Epilepsy Research</i> , 2020 , 168, 106480	3	1

28	Seizure description accuracy and seizure classification results from patient histories. <i>Epilepsy Research</i> , 2020 , 167, 106413	3	1
27	Direct economic burden of patients with tuberculous meningitis in western China. <i>Acta Neurologica Scandinavica</i> , 2021 , 144, 535-545	3.8	1
26	Regional and remote connectivity patterns in focal extratemporal lobe epilepsy. <i>Annals of Translational Medicine</i> , 2021 , 9, 1128	3.2	1
25	Reading deficits correlate with cortical and subcortical volume changes in a genetic migration disorder. <i>Medicine (United States)</i> , 2019 , 98, e17070	1.8	1
24	Teamwork aids management and raises new issues in epilepsy. <i>Nature Reviews Neurology</i> , 2019 , 15, 66-67	5	1
23	Structural and functional reorganization of contralateral hippocampus after temporal lobe epilepsy surgery. <i>NeuroImage: Clinical</i> , 2021 , 31, 102714	5.3	1
22	Gap Activity TOward Rags 1 variants in Chinese people with sporadic drug-resistant focal epilepsy. <i>Acta Neurologica Scandinavica</i> , 2019 , 139, 247-253	3.8	1
21	Adjunctive levetiracetam in the treatment of Chinese and Japanese adults with generalized tonic-clonic seizures: A double-blind, randomized, placebo-controlled trial. <i>Epilepsia Open</i> , 2018 , 3, 474-484	4.4	1
20	Standardisierter Computer-basiert-organisierter Report des EEG (SCORE) Eine strukturierende Form der EEG-Befundung. <i>Klinische Neurophysiologie</i> , 2018 , 49, e1-e18	0.2	1
19	Use of suggestive seizure manipulation methods in the investigation of patients with possible psychogenic nonepileptic seizures-An international ILAE survey. <i>Epilepsia Open</i> , 2021 , 6, 472-482	4	1
18	Typical Radiological Features of a Rare Lateral Ventricular Liponeurocytoma. <i>Annals of Neurology</i> , 2021 , 90, 851-852	9.4	1
17	Telestroke for the Treatment of Ischemic Stroke in Western China During the COVID-19 Pandemic: A Multicenter Observational Study.. <i>Frontiers in Neurology</i> , 2021 , 12, 822342	4.1	0
16	Clinical characteristics, long-term functional outcomes and relapse of anti-LGI1/Caspr2 encephalitis: a prospective cohort study in Western China.. <i>Therapeutic Advances in Neurological Disorders</i> , 2022 , 15, 17562864211073203	6.6	0
15	Challenges of patients with epilepsy and measures for improving epilepsy care in western China: A qualitative study. <i>Epilepsy Research</i> , 2021 , 178, 106788	3	0
14	Effects of Message Framing and Time Discounting on Health Communication for Optimum Cardiovascular Disease and Stroke Prevention (EMT-OCSP): a protocol for a pragmatic, multicentre, observer-blinded, 12-month randomised controlled study. <i>BMJ Open</i> , 2021 , 11, e043450	3	0
13	Association of consciousness impairment and mortality in people with COVID-19. <i>Acta Neurologica Scandinavica</i> , 2021 , 144, 251-259	3.8	0
12	Divergent Anatomical Correlates and Functional Network Connectivity Patterns in Temporal Lobe Epilepsy with and Without Depression. <i>Brain Topography</i> , 2021 , 34, 525-536	4.3	0
11	Metabolic alterations of the dorsolateral prefrontal cortex in sleep-related hypermotor epilepsy: A proton magnetic resonance spectroscopy study. <i>Journal of Neuroscience Research</i> , 2021 , 99, 2657-2668	4.4	0

10	Effect of Anti-seizure Medications on Functional Anatomy of Language: A Perspective From Language Functional Magnetic Resonance Imaging.. <i>Frontiers in Neuroscience</i> , 2021 , 15, 787272	5.1	0
9	Reply: Gut microbiome alterations in anti-NMDA receptor encephalitis: caveats for result interpretation. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 155-156	5.3	
8	The association between AED-induced cutaneous adverse drug reactions and the HLA-A, -B, and -DRB1 alleles among Caucasian patients: a pilot multicenter study. <i>Zeitschrift Fur Epileptologie</i> , 2012 , 25, 289-292	0.1	
7	Thixotropic properties of whole blood in the patients with ischemic stroke and high risk factors. <i>Clinical Hemorheology and Microcirculation</i> , 1991 , 11, 635-640	2.5	
6	Disturbance of Gut Bacteria and Metabolites Are Associated with Disease Severity and Predict Outcome of NMDAR Encephalitis: A Prospective Case-Control Study.. <i>Frontiers in Immunology</i> , 2021 , 12, 791780	8.4	
5	Reply to: "Paroxysmal Kinesigenic Dyskinesia Secondary to Brain Calcification with a Homozygous MYORG Mutation". <i>Movement Disorders</i> , 2021 ,	7	
4	Reduction of Retinal Thickness Ipsilateral to Hippocampal Sclerosis in Epilepsy. <i>Frontiers in Neurology</i> , 2021 , 12, 663559	4.1	
3	Secondary Paroxysmal Kinesigenic Dyskinesia with a CASR Mutation.. <i>Movement Disorders</i> , 2021 ,	7	
2	Long-Term Prognosis of Patients With Anti-N-Methyl-D-Aspartate Receptor Encephalitis Who Underwent Teratoma Removal: An Observational Study.. <i>Frontiers in Neurology</i> , 2022 , 13, 874867	4.1	
1	Crohn's disease with positive Ziehl-Neelsen stain: Three case reports. <i>Nigerian Journal of Clinical Practice</i> , 2018 , 21, 1387-1390	1	