

# Dong Zhou

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1005811/dong-zhou-publications-by-year.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135 papers	3,122 citations	29 h-index	53 g-index
163 ext. papers	4,265 ext. citations	4.7 avg, IF	5.83 L-index

#	Paper	IF	Citations
135	Clinical characteristics, long-term functional outcomes and relapse of anti-LGI1/Caspr2 encephalitis: a prospective cohort study in Western China.. <i>Therapeutic Advances in Neurological Disorders</i> , <b>2022</b> , 15, 17562864211073203	6.6	0
134	Long-Term Prognosis of Patients With Anti-N-Methyl-D-Aspartate Receptor Encephalitis Who Underwent Teratoma Removal: An Observational Study.. <i>Frontiers in Neurology</i> , <b>2022</b> , 13, 874867	4.1	
133	Disturbance of Gut Bacteria and Metabolites Are Associated with Disease Severity and Predict Outcome of NMDAR Encephalitis: A Prospective Case-Control Study.. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 791780	8.4	
132	Telestroke for the Treatment of Ischemic Stroke in Western China During the COVID-19 Pandemic: A Multicenter Observational Study.. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 822342	4.1	0
131	Efficacy, safety, and tolerability of adjunctive perampanel in patients from China with focal seizures or generalized tonic-clonic seizures: Post hoc analysis of phase III double-blind and open-label extension studies. <i>CNS Neuroscience and Therapeutics</i> , <b>2021</b> , 27, 330-340	6.8	4
130	Reply to: "Paroxysmal Kinesigenic Dyskinesia Secondary to Brain Calcification with a Homozygous MYORG Mutation". <i>Movement Disorders</i> , <b>2021</b> ,	7	
129	COVID-19 vaccine take-up rate and safety in adults with epilepsy: Data from a multicenter study in China. <i>Epilepsia</i> , <b>2021</b> ,	6.4	6
128	Challenges of patients with epilepsy and measures for improving epilepsy care in western China: A qualitative study. <i>Epilepsy Research</i> , <b>2021</b> , 178, 106788	3	0
127	The National Comprehensive Governance for epilepsy prevention and control in China. <i>Epilepsia Open</i> , <b>2021</b> ,	4	1
126	The potential neurological effect of the COVID-19 vaccines: A review. <i>Acta Neurologica Scandinavica</i> , <b>2021</b> , 144, 3-12	3.8	32
125	Effects of Message Framing and Time Discounting on Health Communication for Optimum Cardiovascular Disease and Stroke Prevention (EMT-OCSP): a protocol for a pragmatic, multicentre, observer-blinded, 12-month randomised controlled study. <i>BMJ Open</i> , <b>2021</b> , 11, e043450	3	0
124	Brain functional connectivity patterns in focal cortical dysplasia related epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2021</b> , 87, 1-6	3.2	3
123	Epilepsy in China: major progress in the past two decades. <i>Lancet Neurology</i> , <b>2021</b> , 20, 316-326	24.1	13
122	Association of consciousness impairment and mortality in people with COVID-19. <i>Acta Neurologica Scandinavica</i> , <b>2021</b> , 144, 251-259	3.8	0
121	Divergent Anatomical Correlates and Functional Network Connectivity Patterns in Temporal Lobe Epilepsy with and Without Depression. <i>Brain Topography</i> , <b>2021</b> , 34, 525-536	4.3	0
120	Neurological side effects of COVID-19 vaccines are rare. <i>Acta Neurologica Scandinavica</i> , <b>2021</b> , 144, 111-113	3.8	6
119	Reduction of Retinal Thickness Ipsilateral to Hippocampal Sclerosis in Epilepsy. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 663559	4.1	

118	Direct economic burden of patients with tuberculous meningitis in western China. <i>Acta Neurologica Scandinavica</i> , <b>2021</b> , 144, 535-545	3.8	1
117	Metabolic alterations of the dorsolateral prefrontal cortex in sleep-related hypermotor epilepsy: A proton magnetic resonance spectroscopy study. <i>Journal of Neuroscience Research</i> , <b>2021</b> , 99, 2657-2668	4.4	0
116	Application of Big Data and Artificial Intelligence in COVID-19 Prevention, Diagnosis, Treatment and Management Decisions in China. <i>Journal of Medical Systems</i> , <b>2021</b> , 45, 84	5.1	5
115	Regional and remote connectivity patterns in focal extratemporal lobe epilepsy. <i>Annals of Translational Medicine</i> , <b>2021</b> , 9, 1128	3.2	1
114	Dynamic gray matter and intrinsic activity changes after epilepsy surgery. <i>Acta Neurologica Scandinavica</i> , <b>2021</b> , 143, 261-270	3.8	3
113	Abnormal blood oxygen level-dependent fluctuations and remote connectivity in sleep-related hypermotor epilepsy. <i>Acta Neurologica Scandinavica</i> , <b>2021</b> , 143, 514-520	3.8	4
112	Aberrant basal ganglia-thalamo-cortical network topology in juvenile absence epilepsy: A resting-state EEG-fMRI study. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2021</b> , 84, 78-83	3.2	5
111	Disruption of gray matter morphological networks in patients with paroxysmal kinesigenic dyskinesia. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 398-411	5.9	9
110	Structural and functional reorganization of contralateral hippocampus after temporal lobe epilepsy surgery. <i>NeuroImage: Clinical</i> , <b>2021</b> , 31, 102714	5.3	1
109	Long-term Functional Outcomes and Relapse of Anti-NMDA Receptor Encephalitis: A Cohort Study in Western China. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , <b>2021</b> , 8,	9.1	7
108	Neural functional connectivity in patients with periventricular nodular heterotopia-mediated epilepsy. <i>Epilepsy Research</i> , <b>2021</b> , 170, 106548	3	5
107	The initial impact of the SARS-CoV-2 pandemic on epilepsy research. <i>Epilepsia Open</i> , <b>2021</b> , 6, 255-265	4	2
106	Long-term cognitive and neuropsychiatric outcomes of anti-GABAR encephalitis patients: A prospective study. <i>Journal of Neuroimmunology</i> , <b>2021</b> , 351, 577471	3.5	6
105	Use of suggestive seizure manipulation methods in the investigation of patients with possible psychogenic nonepileptic seizures-An international ILAE survey. <i>Epilepsia Open</i> , <b>2021</b> , 6, 472-482	4	1
104	Epilepsy care during the COVID-19 pandemic. <i>Epilepsia</i> , <b>2021</b> , 62, 2322-2332	6.4	13
103	Epilepsy centers in China: Current status and ways forward. <i>Epilepsia</i> , <b>2021</b> , 62, 2640-2650	6.4	2
102	Typical Radiological Features of a Rare Lateral Ventricular Liponeurocytoma. <i>Annals of Neurology</i> , <b>2021</b> , 90, 851-852	9.4	1
101	Effect of Anti-seizure Medications on Functional Anatomy of Language: A Perspective From Language Functional Magnetic Resonance Imaging.. <i>Frontiers in Neuroscience</i> , <b>2021</b> , 15, 787272	5.1	0

100	Secondary Paroxysmal Kinesigenic Dyskinesia with a CASR Mutation.. <i>Movement Disorders</i> , <b>2021</b> ,	7	
99	Epilepsy control during an epidemic: emerging approaches and a new management framework. <i>Acta Epileptologica</i> , <b>2020</b> , 2,	1.7	3
98	New onset neurologic events in people with COVID-19 in 3 regions in China. <i>Neurology</i> , <b>2020</b> , 95, e1479-61487	6.1	92
97	Familial cortical myoclonic tremor with epilepsy: TTTCA/TTTAA repeat expansions and expanding phenotype in two Chinese families. <i>Brain Research</i> , <b>2020</b> , 1737, 146796	3.7	1
96	Brain structural connectome in relation to PRRT2 mutations in paroxysmal kinesigenic dyskinesia. <i>Human Brain Mapping</i> , <b>2020</b> , 41, 3855-3866	5.9	6
95	Reply: Gut microbiome alterations in anti-NMDA receptor encephalitis: caveats for result interpretation. <i>Annals of Clinical and Translational Neurology</i> , <b>2020</b> , 7, 155-156	5.3	
94	Severe psychological distress among patients with epilepsy during the COVID-19 outbreak in southwest China. <i>Epilepsia</i> , <b>2020</b> , 61, 1166-1173	6.4	88
93	Novel findings of HLA association with anti-LGI1 encephalitis: HLA-DRB1*03:01 and HLA-DQB1*02:01. <i>Journal of Neuroimmunology</i> , <b>2020</b> , 344, 577243	3.5	5
92	Telemedicine During the COVID-19 Pandemic: Experiences From Western China. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e19577	7.6	137
91	In-hospital mortality of status epilepticus in China: Results from a nationwide survey. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2020</b> , 75, 96-100	3.2	3
90	Direct economic burden of patients with autoimmune encephalitis in western China. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , <b>2020</b> , 7,	9.1	7
89	Long-term seizure, comorbidity and socioeconomic outcomes of patients with convulsive epilepsy in rural West China. <i>Epilepsy Research</i> , <b>2020</b> , 168, 106480	3	1
88	Acute and late neurological complications of COVID19: the quest for evidence. <i>Brain</i> , <b>2020</b> , 143, e99	11.2	6
87	Altered topological organization of functional brain networks in drug-naïve patients with paroxysmal kinesigenic dyskinesia. <i>Journal of the Neurological Sciences</i> , <b>2020</b> , 411, 116702	3.2	5
86	Co-expression of NMDA-receptor subunits NR1, NR2A, and NR2B in dysplastic neurons of teratomas in patients with paraneoplastic NMDA-receptor-encephalitis: a retrospective clinico-pathology study of 159 patients. <i>Acta Neuropathologica Communications</i> , <b>2020</b> , 8, 130	7.3	9
85	Seizure description accuracy and seizure classification results from patient histories. <i>Epilepsy Research</i> , <b>2020</b> , 167, 106413	3	1
84	New onset acute symptomatic seizure and risk factors in coronavirus disease 2019: A retrospective multicenter study. <i>Epilepsia</i> , <b>2020</b> , 61, e49-e53	6.4	199
83	Real-time effects of interictal spikes on hippocampus and amygdala functional connectivity in unilateral temporal lobe epilepsy: An EEG-fMRI study. <i>Epilepsia</i> , <b>2019</b> , 60, 246-254	6.4	23

82	Altered intrinsic brain activity associated with outcome in frontal lobe epilepsy. <i>Scientific Reports</i> , <b>2019</b> , 9, 8989	4.9	6
81	Attenuation of retinal nerve fibre layer in people with epilepsy receiving valproate. <i>Epilepsy Research</i> , <b>2019</b> , 154, 144-148	3	1
80	Clinical features and treatment outcomes of Juvenile myoclonic epilepsy patients. <i>Epilepsia Open</i> , <b>2019</b> , 4, 302-308	4	6
79	The experience of the multidisciplinary team in epilepsy management from a resource-limited country. <i>Epilepsia Open</i> , <b>2019</b> , 4, 85-91	4	5
78	Stroke in China: advances and challenges in epidemiology, prevention, and management. <i>Lancet Neurology</i> , <b>2019</b> , 18, 394-405	24.1	403
77	Structural basis for efonidipine block of a voltage-gated Ca channel. <i>Biochemical and Biophysical Research Communications</i> , <b>2019</b> , 513, 631-634	3.4	1
76	Comparison of Standard and Intensified Regimens for HIV-Negative Adults With Tuberculous Meningitis in West China: A Retrospective Observational Study. <i>Frontiers in Neurology</i> , <b>2019</b> , 10, 626	4.1	4
75	Encephalitis With Antibodies Against the GABA Receptor: High Mortality and Risk Factors. <i>Frontiers in Neurology</i> , <b>2019</b> , 10, 1030	4.1	29
74	Thank you to our Reviewers of 2018. <i>Epilepsia Open</i> , <b>2019</b> , 4, 8-9	4	78
73	Long-term cognitive and neuropsychiatric outcomes in patients with anti-NMDAR encephalitis. <i>Acta Neurologica Scandinavica</i> , <b>2019</b> , 140, 414-421	3.8	11
72	The clinical characteristics and related factors of tremor in patients with epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2019</b> , 66, 70-75	3.2	3
71	Resting-state functional connectivity alterations in periventricular nodular heterotopia related epilepsy. <i>Scientific Reports</i> , <b>2019</b> , 9, 18473	4.9	2
70	Reading deficits correlate with cortical and subcortical volume changes in a genetic migration disorder. <i>Medicine (United States)</i> , <b>2019</b> , 98, e17070	1.8	1
69	Pharmaco-fMRI: A Tool to Predict the Response to Antiepileptic Drugs in Epilepsy. <i>Frontiers in Neurology</i> , <b>2019</b> , 10, 1203	4.1	5
68	Cortical thinning in epilepsy patients with postictal generalized electroencephalography suppression. <i>European Journal of Neurology</i> , <b>2019</b> , 26, 191-197	6	7
67	Different patterns of white matter changes after successful surgery of mesial temporal lobe epilepsy. <i>NeuroImage: Clinical</i> , <b>2019</b> , 21, 101631	5.3	18
66	Teamwork aids management and raises new issues in epilepsy. <i>Nature Reviews Neurology</i> , <b>2019</b> , 15, 66-67	5	1
65	Gap Activity TOward Rags 1 variants in Chinese people with sporadic drug-resistant focal epilepsy. <i>Acta Neurologica Scandinavica</i> , <b>2019</b> , 139, 247-253	3.8	1

64	Brain magnetic resonance-imaging findings of anti-N-methyl-D-aspartate receptor encephalitis: a cohort follow-up study in Chinese patients. <i>Journal of Neurology</i> , <b>2018</b> , 265, 362-369	5.5	21
63	Depression in people with epilepsy: How much do Asian colleagues acknowledge it?. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2018</b> , 57, 45-49	3.2	10
62	Subacute intranasal administration of tissue plasminogen activator improves stroke recovery by inducing axonal remodeling in mice. <i>Experimental Neurology</i> , <b>2018</b> , 304, 82-89	5.7	8
61	Integrity of the corpus callosum in patients with periventricular nodular heterotopia related epilepsy by FLNA mutation. <i>NeuroImage: Clinical</i> , <b>2018</b> , 17, 109-114	5.3	5
60	Disrupted intrinsic and remote functional connectivity in heterotopia-related epilepsy. <i>Acta Neurologica Scandinavica</i> , <b>2018</b> , 137, 109-116	3.8	6
59	Prevalence and risk factors of depression and anxiety among patients with convulsive epilepsy in rural West China. <i>Acta Neurologica Scandinavica</i> , <b>2018</b> , 138, 541-547	3.8	22
58	Effects of carbamazepine and lamotrigine on functional magnetic resonance imaging cognitive networks. <i>Epilepsia</i> , <b>2018</b> , 59, 1362-1371	6.4	16
57	A comparison between the 1981 and 2017 International League Against Epilepsy classification of seizure types based on an outpatient setting. <i>Epileptic Disorders</i> , <b>2018</b> , 20, 257-264	1.9	5
56	Response to treatment schedules after the first antiepileptic drug failed. <i>Epilepsia</i> , <b>2018</b> , 59, 2118-2124	6.4	12
55	Adjunctive levetiracetam in the treatment of Chinese and Japanese adults with generalized tonic-clonic seizures: A double-blind, randomized, placebo-controlled trial. <i>Epilepsia Open</i> , <b>2018</b> , 3, 474-484	4.4	1
54	Standardisierter Computer-basiert-organisierter Report des EEG (SCORE) – Eine strukturierende Form der EEG-Befundung. <i>Klinische Neurophysiologie</i> , <b>2018</b> , 49, e1-e18	0.2	1
53	Crohn's disease with positive Ziehl-Neelsen stain: Three case reports. <i>Nigerian Journal of Clinical Practice</i> , <b>2018</b> , 21, 1387-1390	1	
52	Clinical characteristics, treatments, and outcomes of patients with anti-N-methyl-d-aspartate receptor encephalitis: A systematic review of reported cases. <i>Epilepsy and Behavior</i> , <b>2017</b> , 68, 57-65	3.2	48
51	Effects of repetitive transcranial magnetic stimulation combined with sensory cueing on unilateral neglect in subacute patients with right hemispheric stroke: a randomized controlled study. <i>Clinical Rehabilitation</i> , <b>2017</b> , 31, 1154-1163	3.3	23
50	Sporadic periventricular nodular heterotopia: Classification, phenotype and correlation with Filamin A mutations. <i>Epilepsy Research</i> , <b>2017</b> , 133, 33-40	3	12
49	PNES around the world: Where we are now and how we can close the diagnosis and treatment gaps-an ILAE PNES Task Force report. <i>Epilepsia Open</i> , <b>2017</b> , 2, 307-316	4	77
48	Impact of Drug Manipulation on Seizure Freedom in Adults with Uncontrolled Epilepsy: A Prospective Controlled Study in Rural China. <i>CNS Drugs</i> , <b>2017</b> , 31, 237-243	6.7	9
47	Risk factors for mortality in patients with anti-NMDA receptor encephalitis. <i>Acta Neurologica Scandinavica</i> , <b>2017</b> , 136, 298-304	3.8	48

46	Short-term cerebral activity alterations after surgery in patients with unilateral mesial temporal lobe epilepsy associated with hippocampal sclerosis: A longitudinal resting-state fMRI study. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2017</b> , 46, 43-49	3.2	7
45	Encephalitis with antibodies against the GABA receptor: seizures as the most common presentation at admission. <i>Neurological Research</i> , <b>2017</b> , 39, 973-980	2.7	24
44	Inhibition of P2X7 Receptor Ameliorates Nuclear Factor-Kappa B Mediated Neuroinflammation Induced by Status Epilepticus in Rat Hippocampus. <i>Journal of Molecular Neuroscience</i> , <b>2017</b> , 63, 173-184	3.3	21
43	Suicidality is a common and serious feature of anti-N-methyl-D-aspartate receptor encephalitis. <i>Journal of Neurology</i> , <b>2017</b> , 264, 2378-2386	5.5	7
42	Perilesional and contralateral white matter evolution and integrity in patients with periventricular nodular heterotopia and epilepsy: a longitudinal diffusion tensor imaging study. <i>European Journal of Neurology</i> , <b>2017</b> , 24, 1471-1478	6	3
41	Drug-induced hypersensitivity syndrome caused by valproic acid as a monotherapy for epilepsy: First case report in Asian population. <i>Epilepsy &amp; Behavior Case Reports</i> , <b>2017</b> , 8, 108-110	1.2	10
40	Risk factors for mortality in patients with anti-NMDA receptor encephalitis: Reply to comment on data sparsity. <i>Acta Neurologica Scandinavica</i> , <b>2017</b> , 136, 738	3.8	2
39	Seizure outcomes in patients with anti-NMDAR encephalitis: A follow-up study. <i>Epilepsia</i> , <b>2017</b> , 58, 2104-2111	4.11	65
38	Smoking prevalence and seizure control in Chinese males with epilepsy. <i>Epilepsy and Behavior</i> , <b>2017</b> , 73, 268-272	3.2	3
37	Social support for people with epilepsy in China. <i>Epilepsy and Behavior</i> , <b>2016</b> , 64, 224-232	3.2	10
36	Assessment of Utilization and Cost-Effectiveness of Telemedicine Program in Western Regions of China: A 12-Year Study of 249 Hospitals Across 112 Cities. <i>Telemedicine Journal and E-Health</i> , <b>2016</b> , 22, 909-920	5.9	32
35	Validation of the Generalized Anxiety Disorder-7 (GAD-7) among Chinese people with epilepsy. <i>Epilepsy Research</i> , <b>2016</b> , 120, 31-6	3	169
34	A preliminary observation of the adverse effects of phenobarbital among patients with convulsive epilepsy in rural West China. <i>Epilepsy and Behavior</i> , <b>2016</b> , 54, 65-70	3.2	10
33	Real-time effects of centrotemporal spikes on cognition in rolandic epilepsy: An EEG-fMRI study. <i>Neurology</i> , <b>2016</b> , 86, 544-51	6.5	49
32	Status epilepticus in pregnant women with epilepsy after valproate adjustment: A case series. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2016</b> , 43, 39-41	3.2	5
31	Altered cerebral activity associated with topiramate and its withdrawal in patients with epilepsy with language impairment: An fMRI study using the verb generation task. <i>Epilepsy and Behavior</i> , <b>2016</b> , 59, 98-104	3.2	14
30	Anti-NMDA receptor encephalitis: clinical characteristics, predictors of outcome and the knowledge gap in southwest China. <i>European Journal of Neurology</i> , <b>2016</b> , 23, 621-9	6	70
29	Validation of the Chinese version of the Neurological Disorders Depression Inventory for Epilepsy (C-NDDI-E) in West China. <i>Epilepsy and Behavior</i> , <b>2015</b> , 47, 6-10	3.2	34



28	CSF findings in patients with anti-N-methyl-D-aspartate receptor-encephalitis. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2015</b> , 29, 137-42	3.2	56
27	Single-dose intravenous administration of antiepileptic drugs induces rapid and reversible remodeling in the brain: Evidence from a voxel-based morphometry evaluation of valproate and levetiracetam in rhesus monkeys. <i>Neuroscience</i> , <b>2015</b> , 303, 595-603	3.9	12
26	Efficacy of low to moderate doses of oxcarbazepine in adult patients with newly diagnosed partial epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2015</b> , 29, 81-5	3.2	9
25	Functional brain connectome and sensorimotor networks in rolandic epilepsy. <i>Epilepsy Research</i> , <b>2015</b> , 113, 113-25	3	34
24	Increased interhemispheric resting-state functional connectivity in paroxysmal kinesigenic dyskinesia: a resting-state fMRI study. <i>Journal of the Neurological Sciences</i> , <b>2015</b> , 351, 93-98	3.2	17
23	Super-refractory status epilepticus in West China. <i>Acta Neurologica Scandinavica</i> , <b>2015</b> , 132, 1-6	3.8	20
22	Limbic Encephalitis Associated with Anti- $\gamma$ -Aminobutyric Acid B Receptor Antibodies: A Case Series from China. <i>Chinese Medical Journal</i> , <b>2015</b> , 128, 3023-8	2.9	45
21	HHV-7 in adults with drug-resistant epilepsy: a pathological role in hippocampal sclerosis?. <i>Journal of Clinical Virology</i> , <b>2014</b> , 61, 387-92	14.5	7
20	A resting-state functional connectivity study in patients at high risk for sudden unexpected death in epilepsy. <i>Epilepsy and Behavior</i> , <b>2014</b> , 41, 33-8	3.2	26
19	Expression of HIF-1 $\alpha$ and MDR1/P-glycoprotein in refractory mesial temporal lobe epilepsy patients and pharmacoresistant temporal lobe epilepsy rat model kindled by coriaria lactone. <i>Neurological Sciences</i> , <b>2014</b> , 35, 1203-8	3.5	12
18	Prevalence and treatment gap of active convulsive epilepsy: a large community-based survey in rural West China. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2014</b> , 23, 333-7	3.2	45
17	The association between AED-induced cutaneous adverse drug reactions and the HLA-A, -B, and -DRB1 alleles among Caucasian patients: a pilot multicenter study. <i>Zeitschrift Fur Epileptologie</i> , <b>2012</b> , 25, 289-292	0.1	
16	Resting-state fMRI study of treatment-naïve temporal lobe epilepsy patients with depressive symptoms. <i>NeuroImage</i> , <b>2012</b> , 60, 299-304	7.9	50
15	How to effectively constrain the cost of presurgical evaluation for resective surgery in low-income population: clinically oriented opinions. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2011</b> , 20, 425-7	3.2	6
14	A novel missense mutation in GTP cyclohydrolase I (GCH1) gene causes Dopa-responsive dystonia in Chinese Han population. <i>European Journal of Neurology</i> , <b>2011</b> , 18, 362-364	6	4
13	H63D polymorphism in the hemochromatosis gene is associated with sporadic amyotrophic lateral sclerosis in China. <i>European Journal of Neurology</i> , <b>2011</b> , 18, 359-361	6	20
12	Altered functional connectivity in default mode network in absence epilepsy: a resting-state fMRI study. <i>Human Brain Mapping</i> , <b>2011</b> , 32, 438-49	5.9	190
11	Causes of death among people with convulsive epilepsy in rural West China: a prospective study. <i>Neurology</i> , <b>2011</b> , 77, 132-7	6.5	64



10	The operational model of a network for managing patients with convulsive epilepsy in rural West China. <i>Epilepsy and Behavior</i> , <b>2010</b> , 17, 75-81	3.2	19
9	The thalamic ultrastructural abnormalities in paroxysmal kinesigenic choreoathetosis: a diffusion tensor imaging study. <i>Journal of Neurology</i> , <b>2010</b> , 257, 405-9	5.5	21
8	Aberrant glutamate receptor 5 expression in temporal lobe epilepsy lesions. <i>Brain Research</i> , <b>2010</b> , 1311, 166-74	3.7	24
7	Hyperactive putamen in patients with paroxysmal kinesigenic choreoathetosis: a resting-state functional magnetic resonance imaging study. <i>Movement Disorders</i> , <b>2010</b> , 25, 1226-31	7	29
6	Multicenter double-blind, randomized, placebo-controlled trial of levetiracetam as add-on therapy in Chinese patients with refractory partial-onset seizures. <i>Epilepsia</i> , <b>2009</b> , 50, 398-405	6.4	41
5	Economic burden of epilepsy in a developing country: a retrospective cost analysis in China. <i>Epilepsia</i> , <b>2009</b> , 50, 2192-8	6.4	79
4	Prevalence of convulsive epilepsy and health-related quality of life of the population with convulsive epilepsy in rural areas of Tibet Autonomous Region in China: an initial survey. <i>Epilepsy and Behavior</i> , <b>2008</b> , 12, 373-81	3.2	30
3	Therapeutic intensive seizure analysis (TISA) in presurgical evaluation of Losigamone. <i>Acta Neurologica Scandinavica</i> , <b>2001</b> , 104, 195-201	3.8	13
2	Thixotropic properties of whole blood in the patients with ischemic stroke and high risk factors. <i>Clinical Hemorheology and Microcirculation</i> , <b>1991</b> , 11, 635-640	2.5	
1	Telemedicine During the COVID-19 Pandemic: Experiences From Western China (Preprint)		3