## Joseph A Antos

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10068401/publications.pdf

Version: 2024-02-01

218677 233421 2,144 63 26 45 citations g-index h-index papers 64 64 64 2751 docs citations times ranked citing authors all docs

| #  | Article                                                                                                                                                                                         | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | Community development by forest understory plants after prolonged burial by tephra. Plant Ecology, 2022, 223, 381.                                                                              | 1.6 | 1         |
| 2  | Long-term responses of forest-floor bryophytes buried by tephra in the 1980 eruption of Mount St. Helens. Botany, 2021, 99, 151-165.                                                            | 1.0 | 2         |
| 3  | Secondary disturbance following a deposit of volcanic tephra: a 30-year record from old-growth forest understory. Canadian Journal of Forest Research, 2021, 51, 1541-1549.                     | 1.7 | 4         |
| 4  | Rates, patterns, and drivers of tree reinvasion 15 years after largeâ€scale meadowâ€restoration treatments. Restoration Ecology, 2021, 29, e13377.                                              | 2.9 | 4         |
| 5  | Sizeâ€, speciesâ€, and siteâ€specific tree growth responses to climate variability in oldâ€growth subalpine forests. Ecosphere, 2021, 12, e03529.                                               | 2.2 | 14        |
| 6  | Belowground morphology and population dynamics of two forest understory herbs of contrasting growth forms. Botany, 2021, 99, 569-580.                                                           | 1.0 | 3         |
| 7  | Growth rates and crown morphology of Abies amabilis in the seedling bank of an ancient subalpine conifer forest. Canadian Journal of Forest Research, 2020, 50, 1124-1130.                      | 1.7 | O         |
| 8  | Understorey succession after burial by tephra from Mount St. Helens. Journal of Ecology, 2019, 107, 531-544.                                                                                    | 4.0 | 15        |
| 9  | Past tree influence and prescribed fire exert strong controls on reassembly of mountain grasslands after tree removal. Ecological Applications, 2019, 29, e01860.                               | 3.8 | 4         |
| 10 | Tree rings provide no evidence of a CO <sub>2</sub> fertilization effect in oldâ€growth subalpine forests of western Canada. Global Change Biology, 2019, 25, 1222-1234.                        | 9.5 | 25        |
| 11 | Testing conceptual models of early plant succession across a disturbance gradient. Journal of Ecology, 2019, 107, 517-530.                                                                      | 4.0 | 54        |
| 12 | Leaf-level physiology in four subalpine plants in tephra-impacted forests during drought. Canadian Journal of Forest Research, 2018, 48, 431-441.                                               | 1.7 | 6         |
| 13 | Community reorganization in forest understories buried by volcanic tephra. Ecosphere, 2017, 8, e02045.                                                                                          | 2.2 | 13        |
| 14 | A synthesis of radial growth patterns preceding tree mortality. Global Change Biology, 2017, 23, 1675-1690.                                                                                     | 9.5 | 394       |
| 15 | A little disturbance goes a long way: 33-year understory successional responses to a thin tephra deposit. Forest Ecology and Management, 2016, 382, 236-243.                                    | 3.2 | 11        |
| 16 | Flowering Patterns of Understory Herbs 30 Years after Disturbance of Subalpine Old-Growth Forests by Tephra from Mount St. Helens. International Journal of Plant Sciences, 2016, 177, 145-156. | 1.3 | 36        |
| 17 | Ecology of western redcedar (Thuja plicata): Implications for management of a high-value multiple-use resource. Forest Ecology and Management, 2016, 375, 211-222.                              | 3.2 | 29        |
| 18 | Past tree influence and prescribed fire mediate bioticÂinteractions and community reassembly in aÂgrasslandâ€restoration experiment. Journal of Applied Ecology, 2016, 53, 264-273.             | 4.0 | 9         |

| #  | Article                                                                                                                                                                                                                  | IF  | Citations |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Advance regeneration and trajectories of stand development following the mountain pine beetle outbreak in boreal forests of British Columbia. Canadian Journal of Forest Research, 2015, 45, 1327-1337.                  | 1.7 | 11        |
| 20 | Vegetation Recovery in Slashâ€Pile Scars Following Conifer Removal in a Grasslandâ€Restoration Experiment. Restoration Ecology, 2014, 22, 731-740.                                                                       | 2.9 | 17        |
| 21 | Conifer reinvasion of montane meadows following experimental tree removal and prescribed burning. Forest Ecology and Management, 2014, 319, 128-137.                                                                     | 3.2 | 9         |
| 22 | Spatio-temporal patterns of tree establishment are indicative of biotic interactions during early invasion of a montane meadow. Plant Ecology, 2012, 213, 555-568.                                                       | 1.6 | 22        |
| 23 | Demography of a dormancy-prone geophyte: influence of spatial scale on interpretation of dynamics. Plant Ecology, 2012, 213, 569-579.                                                                                    | 1.6 | 6         |
| 24 | Tree invasion of a montane meadow complex: temporal trends, spatial patterns, and biotic interactions. Journal of Vegetation Science, 2010, 21, 717.                                                                     | 2.2 | 40        |
| 25 | Effects of neighbours on crown length of Abies lasiocarpa and Picea engelmannii in two old-growth stands in British Columbia. Canadian Journal of Forest Research, 2010, 40, 638-647.                                    | 1.7 | 23        |
| 26 | Species properties and recovery from disturbance: Forest herbs buried by volcanic tephra. Journal of Vegetation Science, 2009, 20, 650-662.                                                                              | 2.2 | 40        |
| 27 | Growth patterns prior to mortality of mature Abies lasiocarpa in old-growth subalpine forests of southern British Columbia. Forest Ecology and Management, 2008, 255, 1568-1574.                                         | 3.2 | 11        |
| 28 | Sex ratio, flowering and fruit set in dioecious <i>Rubus chamaemorus</i> (Rosaceae) in Labrador. Botany, 2008, 86, 204-212.                                                                                              | 1.0 | 10        |
| 29 | Allometry and size structure of trees in two ancient snow forests in coastal British Columbia.<br>Canadian Journal of Forest Research, 2008, 38, 278-288.                                                                | 1.7 | 11        |
| 30 | Density and distribution of advance regeneration in mountain pine beetle killed lodgepole pine stands of the Montane Spruce zone of southern British Columbia. Canadian Journal of Forest Research, 2008, 38, 2826-2836. | 1.7 | 33        |
| 31 | Flowering and seedling production of understory herbs in old-growth forests affected by 1980 tephra from Mount St. Helens. Canadian Journal of Botany, 2007, 85, 607-620.                                                | 1.1 | 14        |
| 32 | Demographic differences between two sympatric lilies (Calochortus) with contrasting distributions, as revealed by matrix analysis. Plant Ecology, 2007, 191, 265-278.                                                    | 1.6 | 14        |
| 33 | Slow growth, long-lived trees, and minimal disturbance characterize the dynamics of an ancient, montane forest in coastal British Columbia. Canadian Journal of Forest Research, 2006, 36, 2826-2838.                    | 1.7 | 27        |
| 34 | The tree seedling bank in an ancient montane forest: stress tolerators in a productive habitat. Journal of Ecology, 2005, 93, 536-543.                                                                                   | 4.0 | 65        |
| 35 | Advanced regeneration and seedling establishment in small cutblocks in high-elevation spruce–fir forest at Sicamous Creek, southern British Columbia. Canadian Journal of Forest Research, 2005, 35, 1877-1888.          | 1.7 | 17        |
| 36 | Plant Responses in Forests of the Tephra-Fall Zone. , 2005, , 47-58.                                                                                                                                                     |     | 34        |

| #  | Article                                                                                                                                                                                             | IF  | Citations |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Structure and dynamics of an ancient montane forest in coastal British Columbia. Oecologia, 2004, 141, 562-576.                                                                                     | 2.0 | 53        |
| 38 | Succession in subâ€boreal forests of Westâ€Central British Columbia. Journal of Vegetation Science, 2003, 14, 721-732.                                                                              | 2.2 | 51        |
| 39 | Succession in sub-boreal forests of West-Central British Columbia. Journal of Vegetation Science, 2003, 14, 721.                                                                                    | 2.2 | 7         |
| 40 | Dynamics of an old-growth, fire-initiated, subalpine forest in southern interior British Columbia: tree size, age, and spatial structure. Canadian Journal of Forest Research, 2002, 32, 1935-1946. | 1.7 | 62        |
| 41 | Structure and dynamics of a nearly steady-state subalpine forest in south-central British Columbia, Canada. Oecologia, 2002, 130, 126-135.                                                          | 2.0 | 74        |
| 42 | Age Structure and Growth of the Tree-seedling Bank in Subalpine Spruce-fir Forests of South-central British Columbia. American Midland Naturalist, 2000, 143, 342-354.                              | 0.4 | 44        |
| 43 | Patterns of reproductive effort in male and female shrubs of Oemleria cerasiformis: a 6â€year study.<br>Journal of Ecology, 1999, 87, 77-84.                                                        | 4.0 | 42        |
| 44 | Seedling establishment in a patchy environment. Ecoscience, 1998, 5, 86-94.                                                                                                                         | 1.4 | 0         |
| 45 | A DECADE OF RECOVERY OF UNDERSTORY VEGETATION BURIED BY VOLCANIC TEPHRA FROM MOUNT ST. HELENS. Ecological Monographs, 1997, 67, 317-344.                                                            | 5.4 | 92        |
| 46 | SPECIES REPLACEMENT DURING EARLY SECONDARY SUCCESSION: THE ABRUPT DECLINE OF A WINTER ANNUAL. Ecology, 1997, 78, 621-631.                                                                           | 3.2 | 33        |
| 47 | A Decade of Recovery of Understory Vegetation Buried by Volcanic Tephra From Mount St. Helens.<br>Ecological Monographs, 1997, 67, 317.                                                             | 5.4 | 2         |
| 48 | Survival of Plants Buried for Eight Growing Seasons by Volcanic Tephra. Ecology, 1992, 73, 698-701.                                                                                                 | 3.2 | 35        |
| 49 | Tree invasion into a mountain-top meadow in the Oregon Coast Range, USA. Journal of Vegetation Science, 1992, 3, 485-494.                                                                           | 2.2 | 58        |
| 50 | Growth and Development of Natural Seedlings of Abies and Tsuga in Old-Growth Forest. Journal of Ecology, 1991, 79, 985.                                                                             | 4.0 | 53        |
| 51 | Relative reproductive effort in males and females of the dioecious shrub Oemleria cerasiformis.<br>Oecologia, 1988, 76, 111-118.                                                                    | 2.0 | 102       |
| 52 | UNDERGROUND MORPHOLOGY AND HABITAT RELATIONSHIPS OF THREE PAIRS OF FOREST HERBS. American Journal of Botany, 1988, 75, 106-113.                                                                     | 1.7 | 18        |
| 53 | Underground Morphology and Habitat Relationships of Three Pairs of Forest Herbs. American Journal of Botany, 1988, 75, 106.                                                                         | 1.7 | 11        |
| 54 | SEEDLING ESTABLISHMENT IN FORESTS AFFECTED BY TEPHRA FROM MOUNT ST. HELENS. American Journal of Botany, 1986, 73, 495-499.                                                                          | 1.7 | 22        |

| #  | ARTICLE                                                                                                                                       | IF  | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Recovery of forest understories buried by tephra from Mount St. Helens. Plant Ecology, 1986, 64, 103-111.                                     | 1.2 | 46        |
| 56 | Survival of Prolonged Burial by Subalpine Forest Understory Plants. American Midland Naturalist, 1986, 115, 282.                              | 0.4 | 19        |
| 57 | Seedling Establishment in Forests Affected by Tephra from Mount St. Helens. American Journal of Botany, 1986, 73, 495.                        | 1.7 | 15        |
| 58 | Plant form, developmental plasticity, and survival following burial by volcanic tephra. Canadian Journal of Botany, 1985, 63, 2083-2090.      | 1,1 | 56        |
| 59 | Upward movement of underground plant parts into deposits of tephra from Mount St. Helens.<br>Canadian Journal of Botany, 1985, 63, 2091-2096. | 1.1 | 26        |
| 60 | Ecological Implications of Belowground Morphology of Nine Coniferous Forest Herbs. Botanical Gazette, 1984, 145, 508-517.                     | 0.6 | 63        |
| 61 | Adventitious rooting of eight conifers into a volcanic tephra deposit. Canadian Journal of Forest Research, 1982, 12, 717-719.                | 1.7 | 12        |
| 62 | Snowpack Modification of Volcanic Tephra Effects on Forest Understory Plants Near Mount St. Helens. Ecology, 1982, 63, 1969.                  | 3.2 | 28        |
| 63 | Correlations Between Forest Layers in the Swan Valley, Montana. Ecology, 1981, 62, 1196-1204.                                                 | 3.2 | 72        |