

# Wenxia Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10069975/publications.pdf>

Version: 2024-02-01

13  
papers

776  
citations

933447

10  
h-index

1125743

13  
g-index

13  
all docs

13  
docs citations

13  
times ranked

1454  
citing authors

#	ARTICLE	IF	CITATIONS
1	Tenascin-C drives persistence of organ fibrosis. <i>Nature Communications</i> , 2016, 7, 11703.	12.8	204
2	Fibronectin <sup>EDA</sup> Promotes Chronic Cutaneous Fibrosis Through Toll-Like Receptor Signaling. <i>Science Translational Medicine</i> , 2014, 6, 232ra50.	12.4	195
3	TLR4-dependent fibroblast activation drives persistent organ fibrosis in skin and lung. <i>JCI Insight</i> , 2018, 3, .	5.0	77
4	The JAK/STAT pathway is activated in systemic sclerosis and is effectively targeted by tofacitinib. <i>Journal of Scleroderma and Related Disorders</i> , 2020, 5, 40-50.	1.7	51
5	Toll-Like Receptor 9 Signaling Is Augmented in Systemic Sclerosis and Elicits Transforming Growth Factor $\beta$ -Dependent Fibroblast Activation. <i>Arthritis and Rheumatology</i> , 2016, 68, 1989-2002.	5.6	50
6	Early Growth Response 3 (Egr-3) Is Induced by Transforming Growth Factor- $\beta$ and Regulates Fibrogenic Responses. <i>American Journal of Pathology</i> , 2013, 183, 1197-1208.	3.8	48
7	Pharmacological Inhibition of Toll-Like Receptor-4 Signaling by TAK242 Prevents and Induces Regression of Experimental Organ Fibrosis. <i>Frontiers in Immunology</i> , 2018, 9, 2434.	4.8	45
8	Targeting CD38-dependent NAD <sup>+</sup> metabolism to mitigate multiple organ fibrosis. <i>IScience</i> , 2021, 24, 101902.	4.1	36
9	A20 suppresses canonical Smad-dependent fibroblast activation: novel function for an endogenous inflammatory modulator. <i>Arthritis Research and Therapy</i> , 2016, 18, 216.	3.5	27
10	Fibronectin EDA forms the chronic fibrotic scar after contusive spinal cord injury. <i>Neurobiology of Disease</i> , 2018, 116, 60-68.	4.4	23
11	The non-neuronal cyclin-dependent kinase 5 is a fibrotic mediator potentially implicated in systemic sclerosis and a novel therapeutic target. <i>Oncotarget</i> , 2018, 9, 10294-10306.	1.8	10
12	PLG nanoparticles target fibroblasts and MARCO <sup>+</sup> monocytes to reverse multiorgan fibrosis. <i>JCI Insight</i> , 2022, 7, .	5.0	8
13	The efficacy of an unrestricted cycling ketogenic diet in preclinical models of IDH wild-type and IDH mutant glioma. <i>PLoS ONE</i> , 2022, 17, e0257725.	2.5	2