

# Sonia Maria Togeiro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1006999/publications.pdf>

Version: 2024-02-01

29  
papers

1,420  
citations

516561

16  
h-index

454834

30  
g-index

30  
all docs

30  
docs citations

30  
times ranked

1982  
citing authors

#	ARTICLE	IF	CITATIONS
1	One-month of a low-energy diet, with no additional effect of high-protein, reduces Obstructive Sleep Apnea severity and improve metabolic parameters in obese males. <i>Clinical Nutrition ESPEN</i> , 2021, 42, 82-89.	0.5	9
2	Long term oral appliance therapy decreases stress symptoms in patients with upper airway resistance syndrome. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 1857-1862.	1.4	5
3	Cutoff points in STOP-Bang questionnaire for obstructive sleep apnea. <i>Arquivos De Neuro-Psiquiatria</i> , 2020, 78, 561-569.	0.3	5
4	Sleep disorders in polycystic ovary syndrome: influence of obesity and hyperandrogenism. <i>Revista Da Associação Médica Brasileira</i> , 2019, 65, 375-383.	0.3	16
5	Relationship of evening meal with sleep quality in obese individuals with obstructive sleep apnea. <i>Clinical Nutrition ESPEN</i> , 2019, 29, 231-236.	0.5	18
6	Metabolic Profile in Patients with Mild Obstructive Sleep Apnea. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 6-12.	0.5	21
7	Obstructive sleep apnoea as a risk factor for incident metabolic syndrome: a joined Episono and HypnoLaus prospective cohorts study. <i>European Respiratory Journal</i> , 2018, 52, 1801150.	3.1	38
8	Long-Term Oral Appliance Therapy Improves Daytime Function and Mood in Upper Airway Resistance Syndrome Patients. <i>Sleep</i> , 2017, 40, .	0.6	5
9	IGF-1 Levels are Inversely Associated With Metabolic Syndrome in Obstructive Sleep Apnea. <i>Journal of Clinical Sleep Medicine</i> , 2016, 12, 487-493.	1.4	16
10	Gender and asthma-severity differences in sleep disordered breathing in children with asthma. <i>Pediatric Pulmonology</i> , 2016, 51, 89-90.	1.0	1
11	Upper Airway Resistance Syndrome Patients Have Worse Sleep Quality Compared to Mild Obstructive Sleep Apnea. <i>PLoS ONE</i> , 2016, 11, e0156244.	1.1	16
12	Sleepiness, inflammation and oxidative stress markers in middle-aged males with obstructive sleep apnea without metabolic syndrome: a cross-sectional study. <i>Respiratory Research</i> , 2015, 16, 3.	1.4	34
13	New Insights on the Pathophysiology of Inspiratory Flow Limitation During Sleep. <i>Lung</i> , 2015, 193, 387-392.	1.4	8
14	Diagnostic Accuracy of Home-Based Monitoring System in Morbidly Obese Patients with High Risk for Sleep Apnea. <i>Obesity Surgery</i> , 2015, 25, 845-851.	1.1	14
15	Treatment of upper airway resistance syndrome in adults: Where do we stand?. <i>Sleep Science</i> , 2015, 8, 42-48.	0.4	30
16	Influence of Inspiratory Muscle Training on Changes in Fasting Hyperglycemia in the Older Adult. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 1352-1353.	1.3	7
17	Update on the use of portable monitoring system for the diagnosis of sleep apnea in specific population. <i>World Journal of Respirology</i> , 2015, 5, 17.	0.5	3
18	Sleep disordered breathing in Parkinson's disease: A critical appraisal. <i>Sleep Medicine Reviews</i> , 2014, 18, 173-178.	3.8	62

#	ARTICLE	IF	CITATIONS
19	Obstructive Sleep Apnea Predisposes to Nonalcoholic Fatty Liver Disease in Patients with Polycystic Ovary Syndrome. <i>Endocrine Practice</i> , 2014, 20, 244-251.	1.1	31
20	Obstructive Sleep Apnea. <i>Journal of the American College of Cardiology</i> , 2013, 62, 569-576.	1.2	586
21	Consequences of obstructive sleep apnea on metabolic profile: A Population-Based Survey. <i>Obesity</i> , 2013, 21, 847-851.	1.5	64
22	Is portable monitoring accurate in the diagnosis of obstructive sleep apnea syndrome in chronic pulmonary obstructive disease?. <i>Sleep Medicine</i> , 2012, 13, 1033-1038.	0.8	38
23	Is mandatory screening for obstructive sleep apnea with polysomnography in all severely obese patients indicated?. <i>Sleep and Breathing</i> , 2012, 16, 163-168.	0.9	33
24	Immediate Effect of Acupuncture on the Sleep Pattern of Patients with Obstructive Sleep Apnoea. <i>Acupuncture in Medicine</i> , 2010, 28, 115-119.	0.4	23
25	Continuous Positive Airway Pressure Therapy Improves Hypoadiponectinemia in Severe Obese Men With Obstructive Sleep Apnea Without Changes in Insulin Resistance. <i>Metabolic Syndrome and Related Disorders</i> , 2009, 7, 537-542.	0.5	54
26	Clinical, Anthropometric and Upper Airway Anatomic Characteristics of Obese Patients with Obstructive Sleep Apnea Syndrome. <i>Respiration</i> , 2007, 74, 517-524.	1.2	64
27	Treatment of moderate obstructive sleep apnea syndrome with acupuncture: A randomised, placebo-controlled pilot trial. <i>Sleep Medicine</i> , 2007, 8, 43-50.	0.8	47
28	Acute Effect of Nasal Continuous Positive Air Pressure on the Ventilatory Control of Patients with Obstructive Sleep Apnea. <i>Respiration</i> , 2001, 68, 243-249.	1.2	27
29	The variability of the apnoea-hypopnoea index. <i>Journal of Sleep Research</i> , 2001, 10, 245-251.	1.7	138