

Yoshiki Matsuoka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10072740/publications.pdf>

Version: 2024-02-01

30
papers

2,592
citations

331670

21
h-index

454955

30
g-index

30
all docs

30
docs citations

30
times ranked

2809
citing authors

#	ARTICLE	IF	CITATIONS
1	Subaru High-z Exploration of Low-luminosity Quasars (SHELLQs). XVI. 69 New Quasars at $5.8 < z < 7.0$. <i>Astrophysical Journal, Supplement Series</i> , 2022, 259, 18.	7.7	25
2	GOLDRUSH. IV. Luminosity Functions and Clustering Revealed with $\sim 4,000,000$ Galaxies at $z \sim 7$: Galaxy AGN Transition, Star Formation Efficiency, and Implication for Evolution at $z > 10$. <i>Astrophysical Journal, Supplement Series</i> , 2022, 259, 20.	7.7	73
3	Multiline Assessment of Narrow-line Regions in $z \sim 3$ Radio Galaxies. <i>Astrophysical Journal</i> , 2022, 929, 51.	4.5	4
4	Detection of Extended Millimeter Emission in the Host Galaxy of 3C 273 and Its Implications for QSO Feedback via High Dynamic Range ALMA Imaging. <i>Astrophysical Journal</i> , 2022, 930, 3.	4.5	1
5	Subaru High-z Exploration of Low-luminosity Quasars (SHELLQs). XII. Extended [C ii] Structure (Merger) Tj ETQq1 1,078,431.4. <i>Astrophysical Journal</i> , 2022, 930, 12.	4.5	12
6	SILVERRUSH X: Machine Learning-aided Selection of 9318 LAEs at $z = 2.2, 3.3, 4.9, 5.7, 6.6,$ and 7.0 from the HSC SSP and CHORUS Survey Data. <i>Astrophysical Journal</i> , 2021, 911, 78.	4.5	18
7	Subaru High-z Exploration of Low-luminosity Quasars (SHELLQs). XIII. Large-scale Feedback and Star Formation in a Low-luminosity Quasar at $z = 7.07$ on the Local Black Hole to Host Mass Relation. <i>Astrophysical Journal</i> , 2021, 914, 36.	4.5	37
8	SILVERRUSH. IX. Ly α Intensity Mapping with Star-forming Galaxies at $z = 5.7$ and 6.6 : A Possible Detection of Extended Ly α Emission at ~ 100 Comoving Kiloparsecs around and beyond the Virial-radius Scale of Galaxy Dark Matter Halos. <i>Astrophysical Journal</i> , 2021, 916, 22.	4.5	13
9	Subaru High-z Exploration of Low-luminosity Quasars (SHELLQs). XIV. A Candidate Type II Quasar at $z = 6.1292$. <i>Astrophysical Journal</i> , 2021, 919, 61.	4.5	14
10	Subaru High-z Exploration of Low-Luminosity Quasars (SHELLQs). IX. Identification of two red quasars at $z \sim 5.6$. <i>Publication of the Astronomical Society of Japan</i> , 2020, 72, .	2.5	10
11	Large Population of ALMA Galaxies at $z \sim 6$ with Very High [O iii] $\lambda 844.6$ to [C ii] $\lambda 158$ Flux Ratios: Evidence of Extremely High Ionization Parameter or PDR Deficit?. <i>Astrophysical Journal</i> , 2020, 896, 93.	4.5	109
12	The Mean Absorption-line Spectra of a Selection of Luminous $z \sim 6$ Lyman Break Galaxies. <i>Astrophysical Journal</i> , 2020, 902, 117.	4.5	12
13	Subaru High-z Exploration of Low-luminosity Quasars (SHELLQs). XI. Proximity Zone Analysis for Faint Quasar Spectra at $z \sim 6$. <i>Astrophysical Journal</i> , 2020, 903, 60.	4.5	15
14	The Faint End of the Quasar Luminosity Function at $z \sim 5$ from the Subaru Hyper Suprime-Cam Survey. <i>Astrophysical Journal</i> , 2020, 904, 89.	4.5	31
15	Subaru High-z Exploration of Low-luminosity Quasars (SHELLQs). X. Discovery of 35 Quasars and Luminous Galaxies at $5.7 < z < 7.0$. <i>Astrophysical Journal</i> , 2019, 883, 183.	4.5	74
16	Subaru High-z Exploration of Low-luminosity Quasars (SHELLQs). VI. Black Hole Mass Measurements of Six Quasars at $6.1 < z < 6.7$. <i>Astrophysical Journal</i> , 2019, 880, 77.	4.5	90
17	Second data release of the Hyper Suprime-Cam Subaru Strategic Program. <i>Publication of the Astronomical Society of Japan</i> , 2019, 71, .	2.5	320
18	SILVERRUSH. VIII. Spectroscopic Identifications of Early Large-scale Structures with Protoclusters over 200 Mpc at $z \sim 7$: Strong Associations of Dusty Star-forming Galaxies. <i>Astrophysical Journal</i> , 2019, 883, 142.	4.5	71

#	ARTICLE	IF	CITATIONS
19	Discovery of the First Low-luminosity Quasar at $z \approx 7$. <i>Astrophysical Journal Letters</i> , 2019, 872, L2.	8.3	114
20	Subaru High- z Exploration of Low-Luminosity Quasars (SHELLQs). VIII. A less biased view of the early co-evolution of black holes and host galaxies. <i>Publication of the Astronomical Society of Japan</i> , 2019, 71, .	2.5	51
21	The Hyper Suprime-Cam SSP Survey: Overview and survey design. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	2.5	566
22	Subaru High- z Exploration of Low-luminosity Quasars (SHELLQs). V. Quasar Luminosity Function and Contribution to Cosmic Reionization at $z \approx 6$. <i>Astrophysical Journal</i> , 2018, 869, 150.	4.5	153
23	SILVERRUSH. V. Census of Ly α , [O iii] λ 5007, H α , and [C ii] λ 158 μ m Line Emission with ~ 1000 LAEs at $z \approx 4.9 - 7.0$ Revealed with Subaru/HSC. <i>Astrophysical Journal</i> , 2018, 859, 84.	4.5	102
24	Subaru High- z Exploration of Low-Luminosity Quasars (SHELLQs). III. Star formation properties of the host galaxies at $z \approx 6$ studied with ALMA. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	2.5	42
25	The quasar luminosity function at redshift 4 with the Hyper Suprime-Cam Wide Survey. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	2.5	74
26	Subaru High- z Exploration of Low-luminosity Quasars (SHELLQs). IV. Discovery of 41 Quasars and Luminous Galaxies at $5.7 < z < 6.9$. <i>Astrophysical Journal, Supplement Series</i> , 2018, 237, 5.	7.7	81
27	Subaru High- z Exploration of Low-Luminosity Quasars (SHELLQs). II. Discovery of 32 quasars and luminous galaxies at $5.7 < z < 6.8$. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	2.5	95
28	Great Optically Luminous Dropout Research Using Subaru HSC (GOLDRUSH). I. UV luminosity functions at $z \approx 4 - 7$ derived with the half-million dropouts on the 100 deg^2 sky. <i>Publication of the Astronomical Society of Japan</i> , 2018, 70, .	2.5	164
29	Minor Contribution of Quasars to Ionizing Photon Budget at $z \approx 6$: Update on Quasar Luminosity Function at the Faint End with Subaru/Suprime-Cam. <i>Astrophysical Journal Letters</i> , 2017, 847, L15.	8.3	57
30	SUBARU HIGH- z EXPLORATION OF LOW-LUMINOSITY QUASARS (SHELLQs). I. DISCOVERY OF 15 QUASARS AND BRIGHT GALAXIES AT $5.7 < z < 6.9$. <i>Astrophysical Journal</i> , 2016, 828, 26.	4.5	164