

Rajiv Dhir

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10080873/publications.pdf>

Version: 2024-02-01

17
papers

272
citations

1163117

8
h-index

940533

16
g-index

17
all docs

17
docs citations

17
times ranked

467
citing authors

#	ARTICLE	IF	CITATIONS
1	Benign prostatic hyperplasia/obstruction ameliorated using a soluble guanylate cyclase activator. <i>Journal of Pathology</i> , 2022, 256, 442-454.	4.5	14
2	E-cadherin deficiency promotes prostate macrophage inflammation and bladder overactivity in aged male mice. <i>Aging</i> , 2022, 14, .	3.1	1
3	Abnormal expression of Rab27B in prostatic epithelial cells of benign prostatic hyperplasia alters intercellular communication. <i>International Journal of Biochemistry and Cell Biology</i> , 2021, 131, 105898.	2.8	1
4	Prostate-Specific Deletion of Cdh1 Induces Murine Prostatic Inflammation and Bladder Overactivity. <i>Endocrinology</i> , 2021, 162, .	2.8	9
5	SIRPB1 promotes prostate cancer cell proliferation via Akt activation. <i>Prostate</i> , 2020, 80, 352-364.	2.3	12
6	Tight junction protein claudin-1 is downregulated by TGF β 1 via MEK signaling in benign prostatic epithelial cells. <i>Prostate</i> , 2020, 80, 1203-1215.	2.3	11
7	Differential impact of paired patient-derived BPH and normal adjacent stromal cells on benign prostatic epithelial cell growth in 3D culture. <i>Prostate</i> , 2020, 80, 1177-1187.	2.3	8
8	E-cadherin is downregulated in benign prostatic hyperplasia and required for tight junction formation and permeability barrier in the prostatic epithelial cell monolayer. <i>Prostate</i> , 2019, 79, 1226-1237.	2.3	22
9	Conditional Deletion of Eaf1 Induces Murine Prostatic Intraepithelial Neoplasia in Mice. <i>Neoplasia</i> , 2019, 21, 752-764.	5.3	6
10	Discrimination of low- and high-grade appendiceal mucinous neoplasms by targeted sequencing of cancer-related variants. <i>Modern Pathology</i> , 2019, 32, 1197-1209.	5.5	13
11	BCL-2 and BCL-XL expression are down-regulated in benign prostate hyperplasia nodules and not affected by finasteride and/or celecoxib. <i>American Journal of Clinical and Experimental Urology</i> , 2018, 6, 1-10.	0.4	2
12	Methods to Improve Sustainability of a Large Academic Biorepository. <i>Biopreservation and Biobanking</i> , 2017, 15, 31-36.	1.0	8
13	THADA fusion is a mechanism of IGF2BP3 activation and IGF1R signaling in thyroid cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 2307-2312.	7.1	58
14	Argument for prostate cancer screening in populations of African-Caribbean origin. <i>BJU International</i> , 2015, 116, 507-508.	2.5	9
15	Splicing Factor Prp8 Interacts With NESAR and Regulates Androgen Receptor in Prostate Cancer Cells. <i>Molecular Endocrinology</i> , 2015, 29, 1731-1742.	3.7	15
16	A multidisciplinary approach to honest broker services for tissue banks and clinical data. <i>Cancer</i> , 2008, 113, 1705-1715.	4.1	76
17	E-cadherin expression and PSA secretion in human prostate epithelial cells. <i>Urological Research</i> , 2001, 29, 287-292.	1.5	7