

# Yiting Jin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1009235/publications.pdf>

Version: 2024-02-01

19  
papers

355  
citations

933447

10  
h-index

839539

18  
g-index

19  
all docs

19  
docs citations

19  
times ranked

634  
citing authors

#	ARTICLE	IF	CITATIONS
1	TWIST1 and BMI1 in Cancer Metastasis and Chemoresistance. <i>Journal of Cancer</i> , 2016, 7, 1074-1080.	2.5	67
2	Extracellular 5'-nucleotidase (CD73) promotes human breast cancer cells growth through AKT/GSK3 $\beta$ /p12 <sup>cas</sup> /catenin/cyclinD1 signaling pathway. <i>International Journal of Cancer</i> , 2018, 142, 959-967.	5.1	55
3	Solute carrier family 35 member F2 is indispensable for papillary thyroid carcinoma progression through activation of transforming growth factor $\beta$ type I receptor/apoptosis signal-regulating kinase 1/mitogen-activated protein kinase signaling axis. <i>Cancer Science</i> , 2018, 109, 642-655.	3.9	31
4	Rab14 Suppression Mediated by MiR-320a Inhibits Cell Proliferation, Migration and Invasion in Breast Cancer. <i>Journal of Cancer</i> , 2016, 7, 2317-2326.	2.5	26
5	SLC34A2 simultaneously promotes papillary thyroid carcinoma growth and invasion through distinct mechanisms. <i>Oncogene</i> , 2020, 39, 2658-2675.	5.9	26
6	OGT regulated O-GlcNAcylation promotes papillary thyroid cancer malignancy via activating YAP. <i>Oncogene</i> , 2021, 40, 4859-4871.	5.9	23
7	Long non-coding RNA RACGAP1P promotes breast cancer invasion and metastasis via miR-345/pRACGAP1-mediated mitochondrial fission. <i>Molecular Oncology</i> , 2021, 15, 543-559.	4.6	21
8	EGFR/HER2 inhibitors effectively reduce the malignant potential of MDR breast cancer evoked by P-gp substrates in vitro and in vivo. <i>Oncology Reports</i> , 2016, 35, 771-778.	2.6	20
9	UCH-L1 involved in regulating the degradation of EGFR and promoting malignant properties in drug-resistant breast cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 12500-8.	0.5	17
10	RNA-binding protein QKI suppresses breast cancer via RASA1/MAPK signaling pathway. <i>Annals of Translational Medicine</i> , 2021, 9, 104-104.	1.7	14
11	Association between molecular subtypes and lymph node status in invasive breast cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6800-6.	0.5	11
12	Values of 5mC, 5hmC, and TET2 for identifying the presence and progression of breast precancerous lesion. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23162.	2.1	8
13	Evaluating the response of neoadjuvant chemotherapy for treatment of breast cancer: are tumor biomarkers and dynamic contrast enhanced MR images useful predictive tools?. <i>Journal of Thoracic Disease</i> , 2014, 6, 785-94.	1.4	8
14	Identification and Validation of Core Genes Involved in the Development of Papillary Thyroid Carcinoma via Bioinformatics Analysis. <i>International Journal of Genomics</i> , 2019, 2019, 1-15.	1.6	7
15	Relationship between parathyroid oxyphil cell proportion and clinical characteristics of patients with chronic kidney disease. <i>International Urology and Nephrology</i> , 2020, 52, 155-159.	1.4	7
16	Factors associated with calcium requirements after parathyroidectomy in chronic kidney disease patients. <i>International Urology and Nephrology</i> , 2018, 50, 535-540.	1.4	6
17	Mining the Prognostic Value of HNRNPAB and Its Function in Breast Carcinoma. <i>International Journal of Genomics</i> , 2020, 2020, 1-17.	1.6	4
18	Prognostic value of epithelial-mesenchymal transition related genes: SLUG and QKI in breast cancer patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2019, 12, 2009-2021.	0.5	3

#	ARTICLE	IF	CITATIONS
19	Boronic derivatization-based strategy for monoacylglycerol identification, isomer annotation and quantification. <i>Analytica Chimica Acta</i> , 2022, 1190, 339233.	5.4	1