## Florin Mihail Iordache

## List of Publications by Citations

Source: https://exaly.com/author-pdf/1009269/florin-mihail-iordache-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16<br/>papers504<br/>citations9<br/>h-index18<br/>g-index18<br/>ext. papers631<br/>ext. citations3.9<br/>avg, IF4.37<br/>L-index

#	Paper	IF	Citations
16	Diagnosis and management of acute appendicitis. EAES consensus development conference 2015. Surgical Endoscopy and Other Interventional Techniques, <b>2016</b> , 30, 4668-4690	5.2	160
15	Mortality of emergency abdominal surgery in high-, middle- and low-income countries. <i>British Journal of Surgery</i> , <b>2016</b> , 103, 971-988	5.3	153
14	Biocompatible Fe3O4 increases the efficacy of amoxicillin delivery against Gram-positive and Gram-negative bacteria. <i>Molecules</i> , <b>2014</b> , 19, 5013-27	4.8	49
13	Laparoscopy in management of appendicitis in high-, middle-, and low-income countries: a multicenter, prospective, cohort study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2018</b> , 32, 3450-3466	5.2	29
12	MAPLE fabrication of thin films based on kanamycin functionalized magnetite nanoparticles with anti-pathogenic properties. <i>Applied Surface Science</i> , <b>2015</b> , 336, 188-195	6.7	21
11	Synthesis, characterization and bioevaluation of drug-collagen hybrid materials for biomedical applications. <i>International Journal of Pharmaceutics</i> , <b>2016</b> , 510, 474-84	6.5	18
10	Antimicrobial Nanostructured Bioactive Coating Based on Fe3O4 and Patchouli Oil for Wound Dressing. <i>Metals</i> , <b>2016</b> , 6, 103	2.3	17
9	Histone deacetylase (HDAC) inhibitors down-regulate endothelial lineage commitment of umbilical cord blood derived endothelial progenitor cells. <i>International Journal of Molecular Sciences</i> , <b>2012</b> , 13, 15074-85	6.3	16
8	Gamma-cyclodextrin/usnic acid thin film fabricated by MAPLE for improving the resistance of medical surfaces to Staphylococcus aureus colonization. <i>Applied Surface Science</i> , <b>2015</b> , 336, 407-412	6.7	15
7	Fabrication and characterization of functionalized surfaces with 3-amino propyltrimethoxysilane films for anti-infective therapy applications. <i>Applied Surface Science</i> , <b>2015</b> , 336, 401-406	6.7	6
6	Simulated training in colonoscopic stenting of colonic strictures: validation of a cadaver model. <i>Colorectal Disease</i> , <b>2015</b> , 17, 627-34	2.1	4
5	Biocompatible 3D Matrix with Antimicrobial Properties. <i>Molecules</i> , <b>2016</b> , 21, E115	4.8	4
4	Mucormycosis-induced colon perforation after renal transplantation. Surgical Infections, 2014, 15, 665-	6 2	3
3	A Rare Case of Upper Digestive Hemorrhage due to Bleeding Duodenal Tumor. <i>Chirurgia (Romania)</i> , <b>2016</b> , 111, 505-508	1.8	3
2	Thrombocytosis Is a Risk Factor for Surgical Site Infections after Colon Resection: A Prospective Observational Study. <i>Surgical Infections</i> , <b>2019</b> , 20, 39-44	2	2
1	Pilot study on bacterial contamination of the pelvis in proctectomy for cancer. <i>Colorectal Disease</i> , <b>2018</b> , 20, 823-825	2.1	