
Florin Mihail Iordache

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1009269/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Thrombocytosis Is a Risk Factor for Surgical Site Infections after Colon Resection: A Prospective Observational Study. Surgical Infections, 2019, 20, 39-44.	0.7	3
2	The 10th Congress of the Romanian Association for Endoscopic Surgery and Other Interventional Techniques. Chirurgia (Romania), 2019, 114, 826.	0.2	0
3	Laparoscopy in management of appendicitis in high-, middle-, and low-income countries: a multicenter, prospective, cohort study. Surgical Endoscopy and Other Interventional Techniques, 2018, 32, 3450-3466.	1.3	42
4	Pilot study on bacterial contamination of the pelvis in proctectomy for cancer. Colorectal Disease, 2018, 20, 823-825.	0.7	0
5	Antimicrobial Nanostructured Bioactive Coating Based on Fe3O4 and Patchouli Oil for Wound Dressing. Metals, 2016, 6, 103.	1.0	26
6	Biocompatible 3D Matrix with Antimicrobial Properties. Molecules, 2016, 21, 115.	1.7	5
7	Diagnosis and management of acute appendicitis. EAES consensus development conference 2015. Surgical Endoscopy and Other Interventional Techniques, 2016, 30, 4668-4690.	1.3	265
8	Mortality of emergency abdominal surgery in high-, middle- and low-income countries. British Journal of Surgery, 2016, 103, 971-988.	0.1	213
9	Synthesis, characterization and bioevaluation of drug-collagen hybrid materials for biomedical applications. International Journal of Pharmaceutics, 2016, 510, 474-484.	2.6	21
10	A Rare Case of Upper Digestive Hemorrhage due to Bleeding Duodenal Tumor. Chirurgia (Romania), 2016, 111, 505.	0.2	3
11	Simulated training in colonoscopic stenting of colonic strictures: validation of a cadaver model. Colorectal Disease, 2015, 17, 627-634.	0.7	4
12	Fabrication and characterization of functionalized surfaces with 3-amino propyltrimethoxysilane films for anti-infective therapy applications. Applied Surface Science, 2015, 336, 401-406.	3.1	10
13	Gamma-cyclodextrin/usnic acid thin film fabricated by MAPLE for improving the resistance of medical surfaces to Staphylococcus aureus colonization. Applied Surface Science, 2015, 336, 407-412.	3.1	19
14	MAPLE fabrication of thin films based on kanamycin functionalized magnetite nanoparticles with anti-pathogenic properties. Applied Surface Science, 2015, 336, 188-195.	3.1	24
15	Mucormycosis-Induced Colon Perforation after Renal Transplantation. Surgical Infections, 2014, 15, 665-666.	0.7	5
16	Biocompatible Fe3O4 Increases the Efficacy of Amoxicillin Delivery against Gram-Positive and Gram-Negative Bacteria. Molecules, 2014, 19, 5013-5027.	1.7	59
17	Randomized trials in colorectal surgery: a willâ€o'â€theâ€wisp. Colorectal Disease, 2013, 15, 923-925.	0.7	5
18	Histone Deacetylase (HDAC) Inhibitors Down-Regulate Endothelial Lineage Commitment of Umbilical Cord Blood Derived Endothelial Progenitor Cells. International Journal of Molecular Sciences, 2012, 13, 15074-15085.	1.8	16