

Kevin C Jones

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1009387/kevin-c-jones-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

9,225
citations

50
h-index

95
g-index

112
ext. papers

10,068
ext. citations

9.7
avg, IF

6.18
L-index

#	Paper	IF	Citations
109	Development and Applications of Novel DGT Passive Samplers for Measuring 12 Per- and Polyfluoroalkyl Substances in Natural Waters and Wastewaters. <i>Environmental Science & Technology</i> , 2021 , 55, 9548-9556	10.3	6
108	Use of the Dynamic Technique DGT to Determine the Labile Pool Size and Kinetic Resupply of Pesticides in Soils and Sediments. <i>Environmental Science & Technology</i> , 2021 , 55, 9591-9600	10.3	3
107	DNA Methylation Biomarkers of IQ Reduction are Associated with Long-term Lead Exposure in School Aged Children in Southern China. <i>Environmental Science & Technology</i> , 2021 , 55, 412-422	10.3	0
106	Persistent Organic Pollutants (POPs) and Related Chemicals in the Global Environment: Some Personal Reflections. <i>Environmental Science & Technology</i> , 2021 , 55, 9400-9412	10.3	22
105	Modeling of Flame Retardants in Typical Urban Indoor Environments in China during 2010-2030: Influence of Policy and Decoration and Implications for Human Exposure. <i>Environmental Science & Technology</i> , 2021 , 55, 11745-11755	10.3	8
104	Binding of waterborne pharmaceutical and personal care products to natural dissolved organic matter. <i>Science of the Total Environment</i> , 2021 , 784, 147208	10.2	6
103	Evaluating the simulated toxicities of metal mixtures and hydrocarbons using the alkane degrading bioreporter <i>Acinetobacter baylyi</i> ADPWH_recA. <i>Journal of Hazardous Materials</i> , 2021 , 419, 126471	12.8	1
102	Critical assessment of an equilibrium-based method to study the binding of waterborne organic contaminants to natural dissolved organic matter (DOM). <i>Chemosphere</i> , 2021 , 285, 131524	8.4	2
101	Applying Raman Microspectroscopy to Evaluate the Effects of Nutrient Cations on Alkane Bioavailability to ADP1. <i>Environmental Science & Technology</i> , 2020 , 54, 15800-15810	10.3	7
100	Monitoring Organic Pollutants in Waters Using the Diffusive Gradients in the Thin Films Technique: Investigations on the Effects of Biofouling and Degradation. <i>Environmental Science & Technology</i> , 2020 , 54, 7961-7969	10.3	5
99	Decadal shifts in soil pH and organic matter differ between land uses in contrasting regions in China. <i>Science of the Total Environment</i> , 2020 , 740, 139904	10.2	5
98	A year-long passive sampling of phenolic endocrine disrupting chemicals in the East River, South China. <i>Environment International</i> , 2020 , 143, 105936	12.9	15
97	Soil pollution at a major West African E-waste recycling site: Contamination pathways and implications for potential mitigation strategies. <i>Environment International</i> , 2020 , 137, 105563	12.9	28
96	Evidence for Major Contributions of Unintentionally Produced PCBs in the Air of China: Implications for the National Source Inventory. <i>Environmental Science & Technology</i> , 2020 , 54, 2163-2171	10.3	32
95	How efficiently can HEPA purifiers remove priority fine and ultrafine particles from indoor air?. <i>Environment International</i> , 2020 , 144, 106001	12.9	11
94	In Situ Catchment Scale Sampling of Emerging Contaminants Using Diffusive Gradients in Thin Films (DGT) and Traditional Grab Sampling: A Case Study of the River Thames, UK. <i>Environmental Science & Technology</i> , 2020 , 54, 11155-11164	10.3	7
93	A comprehensive comparison and analysis of soil screening values derived and used in China and the UK. <i>Environmental Pollution</i> , 2020 , 256, 113404	9.3	10

92	Water Browning Controls Adaptation and Associated Trade-Offs in Phytoplankton Stressed by Chemical Pollution. <i>Environmental Science & Technology</i> , 2020 , 54, 5569-5579	10.3	3
91	Development and Application of the Diffusive Gradients in Thin-Films Technique for Measuring Psychiatric Pharmaceuticals in Natural Waters. <i>Environmental Science & Technology</i> , 2019 , 53, 11223-11231 ¹²	10.3	12
90	Particulate Matter Measurement Indoors: A Review of Metrics, Sensors, Needs, and Applications. <i>Environmental Science & Technology</i> , 2019 , 53, 11644-11656	10.3	23
89	Investigating Potential Limitations of Current Diffusive Gradients in Thin Films (DGT) Samplers for Measuring Organic Chemicals. <i>Analytical Chemistry</i> , 2019 , 91, 12835-12843	7.8	18
88	Soil contamination in China: Current priorities, defining background levels and standards for heavy metals. <i>Journal of Environmental Management</i> , 2019 , 251, 109512	7.9	44
87	Development of a Passive Sampling Technique for Measuring Pesticides in Waters and Soils. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 6397-6406	5.7	18
86	Bioavailability and metabolism in a soil-crop system compared using DGT and conventional extraction techniques. <i>Environment International</i> , 2019 , 130, 104924	12.9	10
85	Interrogating the Transient Selectivity of Bacterial Chemotaxis-Driven Affinity and Accumulation of Carbonaceous Substances Raman Microspectroscopy. <i>Frontiers in Microbiology</i> , 2019 , 10, 2215	5.7	4
84	Spatially Explicit Large-Scale Environmental Risk Assessment of Pharmaceuticals in Surface Water in China. <i>Environmental Science & Technology</i> , 2019 , 53, 2559-2569	10.3	17
83	Drivers of contaminant levels in surface water of China during 2000-2030: Relative importance for illustrative home and personal care product chemicals. <i>Environment International</i> , 2018 , 115, 161-169	12.9	19
82	Diffusive gradients in thin-films (DGT) for in situ sampling of selected endocrine disrupting chemicals (EDCs) in waters. <i>Water Research</i> , 2018 , 137, 211-219	12.5	60
81	Novel Method for in Situ Monitoring of Organophosphorus Flame Retardants in Waters. <i>Analytical Chemistry</i> , 2018 , 90, 10016-10023	7.8	25
80	Modeling the Time-Variant Dietary Exposure of PCBs in China over the Period 1930 to 2100. <i>Environmental Science & Technology</i> , 2018 , 52, 7371-7379	10.3	9
79	Long-Term Temporal Trends of Polychlorinated Biphenyls and Their Controlling Sources in China. <i>Environmental Science & Technology</i> , 2017 , 51, 2838-2845	10.3	33
78	DGT Passive Sampling for Quantitative in Situ Measurements of Compounds from Household and Personal Care Products in Waters. <i>Environmental Science & Technology</i> , 2017 , 51, 13274-13281	10.3	56
77	The long shadow of our chemical past - High DDT concentrations in fish near a former agrochemicals factory in England. <i>Chemosphere</i> , 2016 , 162, 333-44	8.4	23
76	Simultaneous determination of 20 trace organic chemicals in waters by solid-phase extraction (SPE) with triple-quadrupole mass spectrometer (QqQ-MS) and hybrid quadrupole Orbitrap high resolution MS (Q-Orbitrap-HRMS). <i>Chemosphere</i> , 2016 , 163, 99-107	8.4	31
75	A Multimedia Fate Model to Support Chemical Management in China: A Case Study for Selected Trace Organics. <i>Environmental Science & Technology</i> , 2016 , 50, 7001-9	10.3	23

74	Tracking the Global Distribution of Persistent Organic Pollutants Accounting for E-Waste Exports to Developing Regions. <i>Environmental Science & Technology</i> , 2016 , 50, 798-805	10.3	96
73	The TOMPs ambient air monitoring network - Continuous data on UK air quality for over 20 years. <i>Environmental Pollution</i> , 2016 , 217, 42-51	9.3	17
72	Environmental Distributions of Benzo[a]pyrene in China: Current and Future Emission Reduction Scenarios Explored Using a Spatially Explicit Multimedia Fate Model. <i>Environmental Science & Technology</i> , 2015 , 49, 13868-77	10.3	27
71	Passive sampling: A cost-effective method for understanding antibiotic fate, behaviour and impact. <i>Environment International</i> , 2015 , 85, 284-91	12.9	40
70	In situ measurement of solution concentrations and fluxes of sulfonamides and trimethoprim antibiotics in soils using o-DGT. <i>Talanta</i> , 2015 , 132, 902-8	6.2	29
69	Towards more ecologically realistic scenarios of plant uptake modelling for chemicals: PAHs in a small forest. <i>Science of the Total Environment</i> , 2015 , 505, 329-37	10.2	39
68	Interactions of multiwalled carbon nanotubes with algal cells: quantification of association, visualization of uptake, and measurement of alterations in the composition of cells. <i>Environmental Pollution</i> , 2015 , 196, 431-9	9.3	49
67	Desorption kinetics of sulfonamide and trimethoprim antibiotics in soils assessed with diffusive gradients in thin-films. <i>Environmental Science & Technology</i> , 2014 , 48, 5530-6	10.3	41
66	Tracking the global generation and exports of e-waste. Do existing estimates add up?. <i>Environmental Science & Technology</i> , 2014 , 48, 8735-43	10.3	174
65	A new multimedia contaminant fate model for China: how important are environmental parameters in influencing chemical persistence and long-range transport potential?. <i>Environment International</i> , 2014 , 69, 18-27	12.9	26
64	Forest Filter Effect: Role of leaves in capturing/releasing air particulate matter and its associated PAHs. <i>Atmospheric Environment</i> , 2013 , 74, 378-384	5.3	139
63	The presence of EU priority substances mercury, hexachlorobenzene, hexachlorobutadiene and PBDEs in wild fish from four English rivers. <i>Science of the Total Environment</i> , 2013 , 461-462, 441-52	10.2	62
62	Assessment of flame retardants in river water using a ceramic dosimeter passive sampler. <i>Environmental Pollution</i> , 2013 , 172, 163-9	9.3	40
61	Evidence and recommendations to support the use of a novel passive water sampler to quantify antibiotics in wastewaters. <i>Environmental Science & Technology</i> , 2013 , 47, 13587-93	10.3	117
60	China begins to position for leadership on responsible risk-based global chemicals management. <i>Environmental Pollution</i> , 2012 , 165, 170-3	9.3	7
59	Chemicals management and environmental assessment of chemicals in China. <i>Environmental Pollution</i> , 2012 , 165, 169	9.3	
58	Biological pump control of the fate and distribution of hydrophobic organic pollutants in water and plankton. <i>Environmental Science & Technology</i> , 2012 , 46, 3204-11	10.3	95
57	A novel passive water sampler for in situ sampling of antibiotics. <i>Journal of Environmental Monitoring</i> , 2012 , 14, 1523-30		114

56	Has the burden and distribution of PCBs and PBDEs changed in European background soils between 1998 and 2008? Implications for sources and processes. <i>Environmental Science & Technology</i> , 2011 , 45, 7291-7	10.3	74
55	Understanding and harnessing the health effects of rapid urbanization in China. <i>Environmental Science & Technology</i> , 2011 , 45, 5099-104	10.3	112
54	Are reductions in industrial organic contaminants emissions in rich countries achieved partly by export of toxic wastes?. <i>Environmental Science & Technology</i> , 2011 , 45, 9154-60	10.3	82
53	Evidence for major emissions of PCBs in the west African region. <i>Environmental Science & Technology</i> , 2011 , 45, 1349-55	10.3	86
52	Factors influencing the soil-air partitioning and the strength of soils as a secondary source of polychlorinated biphenyls to the atmosphere. <i>Environmental Science & Technology</i> , 2011 , 45, 4785-92	10.3	71
51	Intrinsic human elimination half-lives of polychlorinated biphenyls derived from the temporal evolution of cross-sectional biomonitoring data from the United Kingdom. <i>Environmental Health Perspectives</i> , 2011 , 119, 225-31	8.4	169
50	Temporal trends and controlling factors for polychlorinated biphenyls in the UK atmosphere (1991-2008). <i>Environmental Science & Technology</i> , 2010 , 44, 8068-74	10.3	58
49	Remoteness from emission sources explains the fractionation pattern of polychlorinated biphenyls in the northern hemisphere. <i>Environmental Science & Technology</i> , 2010 , 44, 6183-8	10.3	32
48	Atlantic ocean surface waters buffer declining atmospheric concentrations of persistent organic pollutants. <i>Environmental Science & Technology</i> , 2010 , 44, 6978-84	10.3	56
47	Trends in European background air reflect reductions in primary emissions of PCBs and PBDEs. <i>Environmental Science & Technology</i> , 2010 , 44, 6760-6	10.3	66
46	Past, present, and future controls on levels of persistent organic pollutants in the global environment. <i>Environmental Science & Technology</i> , 2010 , 44, 6526-31	10.3	181
45	Further development of a new flow-through directional passive air sampler for monitoring ambient nitrogen dioxide. <i>Journal of Environmental Monitoring</i> , 2010 , 12, 635-41		3
44	Air-boreal forest transfer and processing of polychlorinated biphenyls. <i>Environmental Science & Technology</i> , 2009 , 43, 5282-9	10.3	38
43	A first global production, emission, and environmental inventory for perfluorooctane sulfonate. <i>Environmental Science & Technology</i> , 2009 , 43, 386-92	10.3	696
42	Measuring and modeling short-term variability of PCBs in air and characterization of urban source strength in Zurich, Switzerland. <i>Environmental Science & Technology</i> , 2009 , 43, 769-76	10.3	57
41	Field calibration of polyurethane foam (PUF) disk passive air samplers for PCBs and OC pesticides. <i>Environmental Pollution</i> , 2008 , 156, 1290-7	9.3	93
40	Uptake and storage of PCBs by plant cuticles. <i>Environmental Science & Technology</i> , 2008 , 42, 100-5	10.3	60
39	Accumulation parameters and seasonal trends for PCBs in temperate and boreal forest plant species. <i>Environmental Science & Technology</i> , 2008 , 42, 5911-6	10.3	50

38	Polychlorinated biphenyls (PCBs) in air and seawater of the Atlantic Ocean: sources, trends and processes. <i>Environmental Science & Technology</i> , 2008 , 42, 1416-22	10.3	103
37	The origin and significance of short-term variability of semivolatile contaminants in air. <i>Environmental Science & Technology</i> , 2007 , 41, 3249-53	10.3	67
36	Towards a global historical emission inventory for selected PCB congeners--a mass balance approach 3. An update. <i>Science of the Total Environment</i> , 2007 , 377, 296-307	10.2	367
35	Exposure of electronics dismantling workers to polybrominated diphenyl ethers, polychlorinated biphenyls, and organochlorine pesticides in South China. <i>Environmental Science & Technology</i> , 2007 , 41, 5647-53	10.3	304
34	Toward a global network for persistent organic pollutants in air: results from the GAPS study. <i>Environmental Science & Technology</i> , 2006 , 40, 4867-73	10.3	337
33	Measurement of DDT fluxes from a historically treated agricultural soil in Canada. <i>Environmental Science & Technology</i> , 2006 , 40, 4578-85	10.3	103
32	Passive air sampling for persistent organic pollutants: introductory remarks to the special issue. <i>Environmental Pollution</i> , 2006 , 144, 361-4	9.3	84
31	Passive air sampling of polychlorinated biphenyls, organochlorine compounds, and polybrominated diphenyl ethers across Asia. <i>Environmental Science & Technology</i> , 2005 , 39, 8638-45	10.3	283
30	Chiral organochlorine pesticide signatures in global background soils. <i>Environmental Science & Technology</i> , 2005 , 39, 8671-7	10.3	110
29	The role of soil organic carbon in the global cycling of persistent organic pollutants (POPs): interpreting and modelling field data. <i>Chemosphere</i> , 2005 , 60, 959-72	8.4	142
28	Formation of non-extractable pesticide residues: observations on compound differences, measurement and regulatory issues. <i>Environmental Pollution</i> , 2005 , 133, 25-34	9.3	83
27	Emission factors and importance of PCDD/Fs, PCBs, PCNs, PAHs and PM10 from the domestic burning of coal and wood in the U.K. <i>Environmental Science & Technology</i> , 2005 , 39, 1436-47	10.3	212
26	Hexachlorobenzene in the global environment: emissions, levels, distribution, trends and processes. <i>Science of the Total Environment</i> , 2005 , 349, 1-44	10.2	318
25	Passive air sampling of polycyclic aromatic hydrocarbons and polychlorinated naphthalenes across Europe. <i>Environmental Toxicology and Chemistry</i> , 2004 , 23, 1355-64	3.8	147
24	Observations on historical, contemporary, and natural PCDD/Fs. <i>Environmental Science & Technology</i> , 2004 , 38, 715-23	10.3	34
23	Potential contamination of shipboard air samples by diffusive emissions of PCBs and other organic pollutants: implications and solutions. <i>Environmental Science & Technology</i> , 2004 , 38, 3965-70	10.3	46
22	Maximum reservoir capacity of vegetation for persistent organic pollutants: Implications for global cycling. <i>Global Biogeochemical Cycles</i> , 2004 , 18, n/a-n/a	5.9	35
21	Spatial distribution of atmospheric PAHs and PCNs along a north-south Atlantic transect. <i>Environmental Pollution</i> , 2004 , 132, 173-81	9.3	56

20	A novel analytical approach for visualizing and tracking organic chemicals in plants. <i>Environmental Science & Technology</i> , 2004 , 38, 4195-9	10.3	81
19	Passive air sampling of PCBs, PBDEs, and organochlorine pesticides across Europe. <i>Environmental Science & Technology</i> , 2004 , 38, 34-41	10.3	435
18	Peer Reviewed: Nonextractable Pesticide Residues in Soil. <i>Environmental Science & Technology</i> , 2003 , 37, 138A-144A	10.3	35
17	Fate of 1,2,3,4,6,7,8-heptachlorodibenzofuran and pentachlorophenol during laboratory-scale anaerobic mesophilic sewage sludge digestion. <i>Chemosphere</i> , 2003 , 50, 1227-33	8.4	6
16	Quantification of PCDD/F concentrations in animal manure and comparison of the effects of the application of cattle manure and sewage sludge to agricultural land on human exposure to PCDD/Fs. <i>Chemosphere</i> , 2003 , 50, 1183-91	8.4	14
15	Towards a global historical emission inventory for selected PCB congeners--a mass balance approach. 1. Global production and consumption. <i>Science of the Total Environment</i> , 2002 , 290, 181-98	10.2	573
14	Towards a global historical emission inventory for selected PCB congeners--a mass balance approach. 2. Emissions. <i>Science of the Total Environment</i> , 2002 , 290, 199-224	10.2	368
13	A dynamic level IV multimedia environmental model: Application to the fate of polychlorinated biphenyls in the United Kingdom over a 60-year period. <i>Environmental Toxicology and Chemistry</i> , 2002 , 21, 930-940	3.8	57
12	Oceanic biogeochemical controls on global dynamics of persistent organic pollutants. <i>Environmental Science & Technology</i> , 2002 , 36, 4229-37	10.3	300
11	The significance of PCBs in the atmosphere of the southern hemisphere. <i>Environmental Science and Pollution Research</i> , 2001 , 8, 189-94	5.1	19
10	Further evidence for the existence of PCDD/Fs in the environment prior to 1900. <i>Environmental Science & Technology</i> , 2001 , 35, 1974-81	10.3	31
9	Particles and vegetation: implications for the transfer of particle-bound organic contaminants to vegetation. <i>Science of the Total Environment</i> , 2000 , 246, 207-36	10.2	113
8	Assessing the Contribution of Diffuse Domestic Burning as a Source of PCDD/Fs, PCBs, and PAHs to the U.K. Atmosphere. <i>Environmental Science & Technology</i> , 2000 , 34, 2892-2899	10.3	135
7	Measurement and Modeling of the Diurnal Cycling of Atmospheric PCBs and PAHs. <i>Environmental Science & Technology</i> , 1998 , 32, 2172-2179	10.3	115
6	Toward an Understanding of the Global Atmospheric Distribution of Persistent Organic Pollutants: The Use of Semipermeable Membrane Devices as Time-Integrated Passive Samplers. <i>Environmental Science & Technology</i> , 1998 , 32, 2795-2803	10.3	138
5	PAHs in soils: contemporary UK data and evidence for potential contamination problems caused by exposure of samples to laboratory air. <i>Science of the Total Environment</i> , 1997 , 203, 141-156	10.2	40
4	The effects of particle size, organic matter content, crop residues and dissolved organic matter on the sorption kinetics of atrazine and isoproturon by clay soil. <i>Chemosphere</i> , 1996 , 32, 2345-2358	8.4	35
3	Contamination of Environmental Samples Prepared for PCB Analysis. <i>Environmental Science & Technology</i> , 1994 , 28, 1838-42	10.3	77

2	Increases in the polychlorinated dibenzo-p-dioxin and -furan content of soils and vegetation since the 1840s. <i>Environmental Science & Technology</i> , 1991 , 25, 1619-1627	10.3	105
1	Ecological Memory of Historical Contamination Influences the Response of Phytoplankton Communities. <i>Ecosystems</i> , 1	3.9	1