

Carlo DeAngelis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1009610/publications.pdf>

Version: 2024-02-01

176
papers

3,980
citations

147801

31
h-index

161849

54
g-index

178
all docs

178
docs citations

178
times ranked

5132
citing authors

#	ARTICLE	IF	CITATIONS
1	Prophylaxis and Management of Acute Radiation-Induced Skin Reactions: A Systematic Review of the Literature. <i>Current Oncology</i> , 2010, 17, 94-112.	2.2	276
2	Role for Dual Individualization with Cefmenoxime. <i>American Journal of Medicine</i> , 1984, 77, 43-50.	1.5	181
3	Dexamethasone in the prophylaxis of radiation-induced pain flare after palliative radiotherapy for bone metastases: a double-blind, randomised placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2015, 16, 1463-1472.	10.7	142
4	Quality of life (QOL) and symptom burden (SB) in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2017, 25, 409-419.	2.2	134
5	Prevalence of pain in patients with breast cancer post-treatment: A systematic review. <i>Breast</i> , 2018, 42, 113-127.	2.2	112
6	Continuous Narcotic Infusion with Patient-Controlled Analgesia for Chronic Cancer Pain in Outpatients. <i>Annals of Internal Medicine</i> , 1988, 108, 554.	3.9	109
7	A selective review of medical cannabis in cancer pain management. <i>Annals of Palliative Medicine</i> , 2017, 6, S215-S222.	1.2	107
8	ASCO, NCCN, MASCC/ESMO: a comparison of antiemetic guidelines for the treatment of chemotherapy-induced nausea and vomiting in adult patients. <i>Supportive Care in Cancer</i> , 2019, 27, 87-95.	2.2	103
9	Cut points for mild, moderate, and severe pain among cancer and non-cancer patients: a literature review. <i>Annals of Palliative Medicine</i> , 2015, 4, 176-83.	1.2	96
10	Efficacy and safety of palonosetron for the prophylaxis of chemotherapy-induced nausea and vomiting (CINV): a systematic review and meta-analysis of randomized controlled trials. <i>Supportive Care in Cancer</i> , 2014, 22, 1685-1697.	2.2	74
11	Effect of Radiotherapy on Painful Bone Metastases. <i>JAMA Oncology</i> , 2017, 3, 953.	7.1	73
12	Dexamethasone for the Prophylaxis of Radiation-induced Pain Flare after Palliative Radiotherapy for Symptomatic Bone Metastases: a Phase II Study. <i>Clinical Oncology</i> , 2009, 21, 329-335.	1.4	72
13	Efficacy of olanzapine for the prophylaxis and rescue of chemotherapy-induced nausea and vomiting (CINV): a systematic review and meta-analysis. <i>Supportive Care in Cancer</i> , 2016, 24, 2381-2392.	2.2	72
14	Evaluation of direct medical costs of hospitalization for febrile neutropenia. <i>Cancer</i> , 2010, 116, 742-748.	4.1	69
15	Radiation-induced Skin Toxicity in Breast Cancer Patients: A Systematic Review of Randomized Trials. <i>Clinical Breast Cancer</i> , 2018, 18, e825-e840.	2.4	66
16	Spironolactone pharmacokinetics and pharmacodynamics in patients with cirrhotic ascites. <i>Gastroenterology</i> , 1992, 102, 1680-1685.	1.3	64
17	Inter-rater reliability in performance status assessment among health care professionals: a systematic review. <i>Annals of Palliative Medicine</i> , 2016, 5, 83-92.	1.2	64
18	Health System Costs for Stage-Specific Breast Cancer: A Population-Based Approach. <i>Current Oncology</i> , 2014, 21, 281-293.	2.2	57

#	ARTICLE	IF	CITATIONS
19	Retrospective Assessment of Cancer Pain Management in an Outpatient Palliative Radiotherapy Clinic Using the Pain Management Index. <i>Journal of Pain and Symptom Management</i> , 2010, 39, 259-267.	1.2	50
20	Efficacy of single fraction conventional radiation therapy for painful uncomplicated bone metastases: a systematic review and meta-analysis. <i>Annals of Palliative Medicine</i> , 2017, 6, 125-142.	1.2	49
21	Intraperitoneal therapy of malignant ascites associated with carcinoma of ovary and breast using radioiodinated monoclonal antibody 2G3. <i>Gynecologic Oncology</i> , 1992, 47, 102-109.	1.4	46
22	Prophylaxis of Radiation-Induced Nausea and Vomiting Using 5-Hydroxytryptamine-3 Serotonin Receptor Antagonists: A Systematic Review of Randomized Trials. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 408-417.	0.8	46
23	Comparison of the FACT-C, EORTC QLQ-CR38, and QLQ-CR29 quality of life questionnaires for patients with colorectal cancer: a literature review. <i>Supportive Care in Cancer</i> , 2016, 24, 3661-3668.	2.2	45
24	Efficacy and safety of olanzapine for the prophylaxis of chemotherapy-induced nausea and vomiting (CINV) as reported in phase I and II studies: a systematic review. <i>Supportive Care in Cancer</i> , 2016, 24, 1001-1008.	2.2	45
25	Enteral and parenteral nutrition in cancer patients: a systematic review and meta-analysis. <i>Annals of Palliative Medicine</i> , 2016, 5, 30-41.	1.2	45
26	Consensus Recommendations for the Management of Constipation in Patients with Advanced, Progressive Illness. <i>Journal of Pain and Symptom Management</i> , 2010, 40, 761-773.	1.2	43
27	Does the Time of Radiotherapy Affect Treatment Outcomes? A Review of the Literature. <i>Clinical Oncology</i> , 2017, 29, 231-238.	1.4	42
28	Incidence of pain flare in radiation treatment of bone metastases: A literature review. <i>Journal of Bone Oncology</i> , 2014, 3, 84-89.	2.4	40
29	A systematic review and meta-analysis of clinician-reported versus patient-reported outcomes of radiation dermatitis. <i>Breast</i> , 2020, 50, 125-134.	2.2	39
30	Elderly Patients With Painful Bone Metastases Should be Offered Palliative Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 76, 1500-1506.	0.8	34
31	Quality of life and symptom burden in patients with metastatic breast cancer. <i>Supportive Care in Cancer</i> , 2016, 24, 4035-4043.	2.2	33
32	Inadequate pain management in cancer patients attending an outpatient palliative radiotherapy clinic. <i>Supportive Care in Cancer</i> , 2016, 24, 887-892.	2.2	33
33	Degradation kinetics of imipenem in normal saline and in human serum. <i>Antimicrobial Agents and Chemotherapy</i> , 1986, 29, 936-937.	3.2	32
34	National Dementia Strategies: What Should Canada Learn?. <i>Canadian Geriatrics Journal</i> , 2018, 21, 173-209.	1.2	32
35	The impact of psychosocial intervention on survival in cancer: a meta-analysis. <i>Annals of Palliative Medicine</i> , 2016, 5, 93-106.	1.2	30
36	Cost-Effectiveness of Filgrastim and Pegfilgrastim as Primary Prophylaxis Against Febrile Neutropenia in Lymphoma Patients. <i>Journal of the National Cancer Institute</i> , 2013, 105, 1078-1085.	6.3	29

#	ARTICLE	IF	CITATIONS
37	Quality of life and symptom burden in patients with breast cancer treated with mastectomy and lumpectomy. <i>Supportive Care in Cancer</i> , 2016, 24, 2191-2199.	2.2	29
38	Effects of circadian rhythms and treatment times on the response of radiotherapy for painful bone metastases. <i>Annals of Palliative Medicine</i> , 2017, 6, 14-25.	1.2	29
39	Symptom clusters in patients with breast cancer receiving radiation therapy. <i>European Journal of Oncology Nursing</i> , 2019, 42, 14-20.	2.1	29
40	Taxane-induced arthralgia and myalgia: A literature review. <i>Journal of Oncology Pharmacy Practice</i> , 2017, 23, 56-67.	0.9	28
41	Efficacy of multiple fraction conventional radiation therapy for painful uncomplicated bone metastases: A systematic review. <i>Radiotherapy and Oncology</i> , 2017, 122, 323-331.	0.6	28
42	Integration of patient-reported outcomes (PROs) for personalized symptom management in real-world oncology practices: a population-based cohort comparison study of impact on healthcare utilization. <i>Supportive Care in Cancer</i> , 2020, 28, 4933-4942.	2.2	28
43	International Patterns of Practice in the Management of Radiation Therapy-induced Nausea and Vomiting. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, e49-e60.	0.8	27
44	A prospective study of gastrointestinal radiation therapy-induced nausea and vomiting. <i>Supportive Care in Cancer</i> , 2014, 22, 1493-1507.	2.2	27
45	Pain assessment tools for older adults with dementia in long-term care facilities: a systematic review. <i>Neurodegenerative Disease Management</i> , 2016, 6, 525-538.	2.2	27
46	A review of patterns of practice and clinical guidelines in the palliative radiation treatment of uncomplicated bone metastases. <i>Radiotherapy and Oncology</i> , 2017, 124, 38-44.	0.6	27
47	Do patients with brain metastases selected for whole brain radiotherapy have worse baseline quality of life as compared to those for radiosurgery or neurosurgery (with or without whole brain)? <i>Journal of Neuro-Oncology</i> , 2017, 131, 107-114.	1.0	27
48	A Multicenter Assessment of the Adequacy of Cancer Pain Treatment Using the Pain Management Index. <i>Journal of Palliative Medicine</i> , 2010, 13, 589-593.	1.1	25
49	Side Effects Related to Systemic Cancer Treatment: Are We Changing the Promethean Experience with Molecularly Targeted Therapies?. <i>Current Oncology</i> , 2008, 15, 198-199.	2.2	24
50	The effects of denosumab on calcium profiles in advanced cancer patients with bone metastases. <i>Supportive Care in Cancer</i> , 2014, 22, 1765-1771.	2.2	23
51	Opioid Prescribing Among Cancer and Non-cancer Patients: Time Trend Analysis in the Elderly Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 484-492.e1.	1.2	23
52	Radiotherapy-induced nausea and vomiting. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2011, 11, 685-692.	1.4	22
53	Prophylaxis of radiotherapy-induced nausea and vomiting in the palliative treatment of bone metastases. <i>Supportive Care in Cancer</i> , 2012, 20, 1673-1678.	2.2	22
54	Comparison of the EORTC QLQ-BN20 and the FACT-Br quality of life questionnaires for patients with primary brain cancers: a literature review. <i>Supportive Care in Cancer</i> , 2014, 22, 2593-2598.	2.2	22

#	ARTICLE	IF	CITATIONS
55	Modulating the endocannabinoid pathway as treatment for peripheral neuropathic pain: a selected review of preclinical studies. <i>Annals of Palliative Medicine</i> , 2017, 6, S209-S214.	1.2	22
56	Symptom correlates of dyspnea in advanced cancer patients using the Edmonton Symptom Assessment System. <i>Supportive Care in Cancer</i> , 2020, 28, 87-98.	2.2	22
57	Enteral and parenteral nutrition in cancer patients, a comparison of complication rates: an updated systematic review and (cumulative) meta-analysis. <i>Supportive Care in Cancer</i> , 2020, 28, 979-1010.	2.2	22
58	Radiation-induced nausea and vomiting: a comparison between MASCC/ESMO, ASCO, and NCCN antiemetic guidelines. <i>Supportive Care in Cancer</i> , 2019, 27, 783-791.	2.2	21
59	The Canadian Frailty Priority Setting Partnership: Research Priorities for Older Adults Living with Frailty. <i>Canadian Geriatrics Journal</i> , 2019, 22, 23-33.	1.2	21
60	Could time of whole brain radiotherapy delivery impact overall survival in patients with multiple brain metastases?. <i>Annals of Palliative Medicine</i> , 2016, 5, 267-279.	1.2	20
61	Magnetic Resonanceâ€“Guided High-Intensity-Focused Ultrasound for Palliation of Painful Skeletal Metastases: A Pilot Study. <i>Technology in Cancer Research and Treatment</i> , 2017, 16, 570-576.	1.9	20
62	An update in symptom clusters using the Edmonton Symptom Assessment System in a palliative radiotherapy clinic. <i>Supportive Care in Cancer</i> , 2017, 25, 3321-3327.	2.2	19
63	Symptoms Predictive of Overall Quality of Life Using the Edmonton Symptom Assessment Scale in Breast Cancer Patients Receiving Radiotherapy. <i>Clinical Breast Cancer</i> , 2019, 19, 405-410.	2.4	19
64	Approach to managing musculoskeletal pain: acetaminophen, cyclooxygenase-2 inhibitors, or traditional NSAIDs?. <i>Canadian Family Physician</i> , 2007, 53, 1177-84.	0.4	19
65	High prevalence of potential drug-drug interactions in patients with castration-resistant prostate cancer treated with abiraterone acetate. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 1391-1399.	1.9	18
66	Does gender affect self-perceived pain in cancer patients? â€”A meta-analysis. <i>Annals of Palliative Medicine</i> , 2017, 6, S177-S184.	1.2	18
67	Factors Associated With Opioid Use in Long-term Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 100-107.e2.	1.2	18
68	Olanzapine for the prophylaxis and rescue of chemotherapy-induced nausea and vomiting: a systematic review, meta-analysis, cumulative meta-analysis and fragility assessment of the literature. <i>Supportive Care in Cancer</i> , 2021, 29, 3439-3459.	2.2	18
69	Regulatory and Clinical Experiences with Biosimilar Filgrastim in the U.S., the European Union, Japan, and Canada. <i>Oncologist</i> , 2019, 24, 537-548.	3.7	17
70	Retrospective review of the incidence of monitoring blood glucose levels in patients receiving corticosteroids with systemic anticancer therapy. <i>Annals of Palliative Medicine</i> , 2015, 4, 70-7.	1.2	17
71	Prophylaxis of radiation-induced nausea and vomiting: a systematic review and meta-analysis of randomized controlled trials. <i>Annals of Palliative Medicine</i> , 2017, 6, 104-117.	1.2	16
72	A prospective study of docetaxel-associated pain syndrome. <i>Supportive Care in Cancer</i> , 2018, 26, 203-211.	2.2	16

#	ARTICLE	IF	CITATIONS
73	Efficacy of the combination neurokinin-1 receptor antagonist, palonosetron, and dexamethasone compared to others for the prophylaxis of chemotherapy-induced nausea and vomiting: a systematic review and meta-analysis of randomized controlled trials. <i>Annals of Palliative Medicine</i> , 2018, 7, 221-233.	1.2	16
74	Aprepitant and Granisetron for the Prophylaxis of Radiotherapy-Induced Nausea and Vomiting after Moderately Emetogenic Radiotherapy for Bone Metastases: A Prospective Pilot Study. <i>Current Oncology</i> , 2014, 21, 760-767.	2.2	15
75	Olanzapine for the prophylaxis and rescue of chemotherapy-induced nausea and vomiting (CINV): a retrospective study. <i>Annals of Palliative Medicine</i> , 2016, 5, 172-178.	1.2	15
76	A novel prospective descriptive analysis of nausea and vomiting among patients receiving gastrointestinal radiation therapy. <i>Supportive Care in Cancer</i> , 2016, 24, 1545-1561.	2.2	15
77	Health system costs for cancer medications and radiation treatment in Ontario for the 4 most common cancers: a retrospective cohort study. <i>CMAJ Open</i> , 2020, 8, E191-E198.	2.4	15
78	Minimal clinically important differences in the EORTC QLQ-BM22 and EORTC QLQ-C15-PAL modules in patients with bone metastases undergoing palliative radiotherapy. <i>Quality of Life Research</i> , 2016, 25, 2535-2541.	3.1	14
79	Timing and duration of 5-HT3 receptor antagonist therapy for the prophylaxis of radiotherapy-induced nausea and vomiting: a systematic review of randomized and non-randomized studies. <i>Journal of Radiation Oncology</i> , 2013, 2, 271-284.	0.7	13
80	Eliciting patients' preferences for outpatient treatment of febrile neutropenia: a discrete choice experiment. <i>Supportive Care in Cancer</i> , 2013, 21, 245-251.	2.2	13
81	Should palonosetron be a preferred 5-HT3 receptor antagonist for chemotherapy-induced nausea and vomiting? An updated systematic review and meta-analysis. <i>Supportive Care in Cancer</i> , 2018, 26, 2519-2549.	2.2	13
82	The incidence of neuropathic pain in bone metastases patients referred for palliative radiotherapy. <i>Radiotherapy and Oncology</i> , 2016, 118, 557-561.	0.6	12
83	A prospective study validating the EORTC QLQ-BM22 bone metastases module in patients with painful bone metastases undergoing palliative radiotherapy. <i>Radiotherapy and Oncology</i> , 2016, 119, 208-212.	0.6	12
84	A review of the Rapid Response Radiotherapy Program in patients with advanced cancer referred for palliative radiotherapy over two decades. <i>Supportive Care in Cancer</i> , 2019, 27, 2131-2134.	2.2	12
85	Self-reported pain in breast cancer patients receiving adjuvant radiotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 155-167.	2.2	12
86	Effect of re-irradiation for painful bone metastases on urinary markers of osteoclast activity (NCIC Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.6	11
87	Genetic biomarkers associated with pain flare and dexamethasone response following palliative radiotherapy in patients with painful bone metastases. <i>Annals of Palliative Medicine</i> , 2017, 6, S240-S247.	1.2	11
88	Update on the management of chemotherapy-induced nausea and vomiting – focus on palonosetron. <i>Therapeutics and Clinical Risk Management</i> , 2015, 11, 713.	2.0	10
89	Symptom clusters of gastrointestinal cancer patients undergoing radiotherapy using the Functional Living Indexâ"Emesis (FLIE) quality-of-life tool. <i>Supportive Care in Cancer</i> , 2015, 23, 2589-2598.	2.2	10
90	Impact of radiation-induced nausea and vomiting on quality of life. <i>Supportive Care in Cancer</i> , 2018, 26, 3959-3966.	2.2	10

#	ARTICLE	IF	CITATIONS
91	Gender differences in pain and patient reported outcomes: a secondary analysis of the NCIC CTG SC. 23 randomized trial. <i>Annals of Palliative Medicine</i> , 2017, 6, S185-S194.	1.2	10
92	Dexamethasone toxicity and quality of life in patients with brain metastases following palliative whole-brain radiotherapy. <i>Journal of Radiation Oncology</i> , 2013, 2, 435-443.	0.7	9
93	Comparison of Opioid Prescribing Among Cancer and Noncancer Patients Aged 18-64: Analysis Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 72-79.	1.2	9
94	Should dexamethasone be standard in the prophylaxis of pain flare after palliative radiotherapy for bone metastases? a debate. <i>Annals of Palliative Medicine</i> , 2018, 7, 279-283.	1.2	9
95	A pilot study with palonosetron in the prophylaxis of radiation-induced nausea and vomiting. <i>Annals of Palliative Medicine</i> , 2018, 7, 211-220.	1.2	9
96	Predictive biomarkers of chemotherapy-induced peripheral neuropathy: a review. <i>Biomarkers in Medicine</i> , 2018, 12, 907-916.	1.4	9
97	Re-analysis of symptom clusters in advanced cancer patients attending a palliative outpatient radiotherapy clinic. <i>Annals of Palliative Medicine</i> , 2019, 8, 140-149.	1.2	9
98	Pain descriptors of taxane acute pain syndrome (TAPS) in breast cancer patients a prospective clinical study. <i>Supportive Care in Cancer</i> , 2020, 28, 589-598.	2.2	9
99	The Generation of Two Specific Cancer Costing Algorithms Using Ontario Administrative Databases. <i>Current Oncology</i> , 2019, 26, 682-692.	2.2	9
100	Baseline Blood Work Before Initiation of Chemotherapy: What Is Safe in the Real World?. <i>Journal of Oncology Practice</i> , 2013, 9, e182-e185.	2.5	8
101	Ondansetron Rapidly Dissolving Film for the Prophylactic Treatment of Radiation-Induced Nausea and Vomiting A Pilot Study. <i>Current Oncology</i> , 2015, 22, 199-210.	2.2	8
102	An Overview of Radiation-Induced Nausea and Vomiting. <i>Journal of Medical Imaging and Radiation Sciences</i> , 2016, 47, S29-S38.	0.3	8
103	Patient Reported Outcomes After Radiation Therapy for Bone Metastases as a Function of Age: A Secondary Analysis of the NCIC CTG SC Twenty-Three Randomized Trial. <i>American Journal of Hospice and Palliative Medicine</i> , 2018, 35, 718-723.	1.4	8
104	Symptom clusters using the EORTC QLQ-C15-PAL in palliative radiotherapy. <i>Annals of Palliative Medicine</i> , 2018, 7, 192-204.	1.2	8
105	Cost-effectiveness analysis of olanzapine-containing antiemetic therapy for the prophylaxis of chemotherapy-induced nausea and vomiting (CINV) in highly emetogenic chemotherapy (HEC) patients. <i>Supportive Care in Cancer</i> , 2021, 29, 4269-4275.	2.2	8
106	Olanzapine 5mg vs 10mg for the prophylaxis of chemotherapy-induced nausea and vomiting: a network meta-analysis. <i>Supportive Care in Cancer</i> , 2022, 30, 1015-1018.	2.2	8
107	Incorporation of life expectancy estimates in the treatment of palliative care patients receiving radiotherapy: treatment approaches in light of incomplete prognostic models. <i>Annals of Palliative Medicine</i> , 2015, 4, 162-8.	1.2	8
108	Cost analysis of secondary prophylaxis with oral clodronate versus pamidronate in metastatic breast cancer patients. <i>Supportive Care in Cancer</i> , 2004, 12, 844-851.	2.2	7

#	ARTICLE	IF	CITATIONS
109	Should Bone Metastases Causing Neuropathic Pain be Treated with Single-dose Radiotherapy?. <i>Clinical Oncology</i> , 2011, 23, 482-484.	1.4	7
110	Are we better a decade later in the accuracy of survival prediction by palliative radiation oncologists?. <i>Annals of Palliative Medicine</i> , 2019, 8, 150-158.	1.2	7
111	Latest advances in the management of radiation-induced pain flare, nausea and vomiting. <i>Annals of Palliative Medicine</i> , 2016, 5, 50-7.	1.2	7
112	Radioimmunodetection of Colorectal Cancer Metastases with ¹³¹ I-Labeled Monoclonal Antibody B72.3: A Pilot Study to Determine Efficacy of Detection and Pharmacokinetics. <i>Cancer Investigation</i> , 1993, 11, 129-134.	1.3	6
113	Doctor, What Are My Options? a Prospective Cohort Study of an Individualized Care Plan for Patients with Gastrointestinal Cancer. <i>Current Oncology</i> , 2015, 22, 171-177.	2.2	6
114	Classification of painful bone metastases as mild, moderate, or severe using both EORTC QLQ-C15-PAL and EORTC QLQ-BM22. <i>Supportive Care in Cancer</i> , 2016, 24, 4871-4878.	2.2	6
115	Which pain intensity scale from the Brief Pain Inventory correlates most highly with functional interference scores in patients experiencing taxane-induced arthralgia and myalgia?. <i>Supportive Care in Cancer</i> , 2016, 24, 2979-88.	2.2	6
116	A systematic review of methodologies, endpoints, and outcome measures in randomized trials of radiation therapy-induced nausea and vomiting. <i>Supportive Care in Cancer</i> , 2017, 25, 2019-2033.	2.2	6
117	Development and validation of a patient-reported questionnaire assessing systemic therapy induced diarrhea in oncology patients. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 249.	2.4	6
118	To prep or not to prep - that is the question: A randomized trial on the use of antifatulent medication as part of bowel preparation for patients having image guided external beam radiation therapy to the prostate. <i>Practical Radiation Oncology</i> , 2018, 8, 116-122.	2.1	6
119	Efficacy and safety of 1-day versus 3-day dexamethasone for the prophylaxis of chemotherapy-induced nausea and vomiting: a systematic review and meta-analysis of randomized controlled trials. <i>Journal of Hospital Management and Health Policy</i> , 2018, 2, 25-25.	0.4	6
120	Patient-reported fatigue in breast cancer patients receiving radiation therapy. <i>Breast</i> , 2019, 47, 10-15.	2.2	6
121	Potential Limitations of Bioluminescent Xenograft Mouse Models: A Systematic Review. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2020, 23, 177-199.	2.1	6
122	Genetic biomarkers associated with changes in quality of life and pain following palliative radiotherapy in patients with bone metastases. <i>Annals of Palliative Medicine</i> , 2017, 6, S248-S256.	1.2	6
123	Compatibility of dexamethasone sodium phosphate with hydromorphone hydrochloride or diphenhydramine hydrochloride. <i>American Journal of Health-System Pharmacy</i> , 1991, 48, 2161-2166.	1.0	5
124	International radiation oncology trainee decision making in the management of radiotherapy-induced nausea and vomiting. <i>Supportive Care in Cancer</i> , 2013, 21, 2041-2048.	2.2	5
125	Does Pregabalin Still Have a Role in Treating Cancer-Induced Bone Pain?. <i>Journal of Clinical Oncology</i> , 2016, 34, 524-526.	1.6	5
126	Evolution of antiemetic studies for radiation-induced nausea and vomiting within an outpatient palliative radiotherapy clinic. <i>Supportive Care in Cancer</i> , 2019, 27, 3245-3252.	2.2	5

#	ARTICLE	IF	CITATIONS
127	Operationalizing Outpatient Palliative Care Referral Criteria in Lung Cancer Patients: A Population-Based Cohort Study Using Health Administrative Data. <i>Journal of Palliative Medicine</i> , 2020, 23, 670-677.	1.1	5
128	Efficacy of granisetron and aprepitant in a patient who failed ondansetron in the prophylaxis of radiation induced nausea and vomiting: a case report. <i>Annals of Palliative Medicine</i> , 2015, 4, 32-4.	1.2	5
129	Re-irradiation for painful bone metastases: evidence-based approach. <i>Annals of Palliative Medicine</i> , 2015, 4, 214-9.	1.2	5
130	Fatigue scores in patients receiving palliative radiotherapy for painful bone metastases. <i>Supportive Care in Cancer</i> , 2015, 23, 2097-2103.	2.2	4
131	Use of urinary markers in cancer setting: A literature review. <i>Journal of Bone Oncology</i> , 2015, 4, 18-23.	2.4	4
132	Urinary cytokines/chemokines after magnetic resonance-guided high intensity focused ultrasound for palliative treatment of painful bone metastases. <i>Annals of Palliative Medicine</i> , 2017, 6, 36-54.	1.2	4
133	Managing chemotherapy-induced nausea and vomiting in head and neck cancer patients receiving cisplatin chemotherapy with concurrent radiation. <i>Annals of Palliative Medicine</i> , 2017, 6, S13-S20.	1.2	4
134	Development of a process map for the delivery of virtual clinical pharmacy services at Odette Cancer Centre during the COVID-19 pandemic. <i>Journal of Oncology Pharmacy Practice</i> , 2021, 27, 650-657.	0.9	4
135	Urinary cytokines/chemokines pattern in patients with painful bone metastases undergoing external beam radiotherapy experiencing pain flare. <i>Annals of Palliative Medicine</i> , 2016, 5, 107-115.	1.2	4
136	Drug extravasation along the route of a peritoneal catheter during intraperitoneal chemotherapy. <i>Cancer</i> , 1987, 60, 1731-1733.	4.1	3
137	Has Province-Wide Symptom Screening Changed Opioid Prescribing Rates in Older Patients With Cancer?. <i>Journal of Oncology Practice</i> , 2017, 13, e927-e934.	2.5	3
138	Symptom clusters using the Brief Pain Inventory in patients with breast cancer. <i>Annals of Palliative Medicine</i> , 2017, 6, S170-S176.	1.2	3
139	A prospective cohort study of patient-reported vomiting, retching, nausea and antiemetic use during neoadjuvant long-course radiation therapy and concurrent 5-fluorouracil-based chemotherapy for rectal adenocarcinoma. <i>Clinical and Translational Radiation Oncology</i> , 2018, 10, 42-46.	1.7	3
140	Management of radiation-induced nausea and vomiting with palonosetron in patients with pre-existing emesis: a pilot study. <i>Annals of Palliative Medicine</i> , 2018, 7, 385-392.	1.2	3
141	A retrospective review of the real-world experience of the Pegfilgrastim biosimilar (Lapelga®) to the reference biologic (Neulasta®). <i>Journal of Oncology Pharmacy Practice</i> , 2022, 28, 5-16.	0.9	3
142	Doctor, what are my options? A prospective cohort study of an individualized care plan for patients with gastrointestinal cancer.. <i>Journal of Clinical Oncology</i> , 2012, 30, 12-12.	1.6	3
143	Description and Disposition of Patients With Cancer Accessing a Novel, Pharmacist-Led Cannabis Consultation Service. <i>JCO Oncology Practice</i> , 0, , .	2.9	3
144	Phase I and pharmacokinetic study of high volume intraperitoneal aclacinomycin ? A (Aclarubicin). <i>Investigational New Drugs</i> , 1987, 5, 171-6.	2.6	2

#	ARTICLE	IF	CITATIONS
145	Can Patient Risk Factors Outperform Antiemetic Guidelines?. JAMA Oncology, 2016, 2, 232.	7.1	2
146	Adverse Health Outcomes Associated with Postdiagnosis Smoking in Prostate Cancer Patients: A Literature Review. Journal of Medical Imaging and Radiation Sciences, 2017, 48, 103-110.	0.3	2
147	Genetic biomarkers associated with response to palliative radiotherapy in patients with painful bone metastases. Annals of Palliative Medicine, 2017, 6, S233-S239.	1.2	2
148	Anticipatory nausea: current landscape and future directions. Annals of Palliative Medicine, 2017, 6, 1-2.	1.2	2
149	Do we still need to study palonosetron for chemotherapy-induced nausea and vomiting? A cumulative meta-analysis. Critical Reviews in Oncology/Hematology, 2019, 142, 164-186.	4.4	2
150	Patient-Reported Pain in Patients with Breast Cancer Who Receive Radiotherapy. Pain Management Nursing, 2021, 22, 402-407.	0.9	2
151	Characterizing the risk of drug-drug interactions in patients receiving enzalutamide for castration-resistant prostate cancer.. Journal of Clinical Oncology, 2015, 33, 261-261.	1.6	2
152	Comparison of mortality between nosocomial and community-acquired febrile neutropenia patients treated initially with cefazolin plus tobramycin: retrospective chart review. European Journal of Clinical Microbiology and Infectious Diseases, 2012, 31, 1141-1150.	2.9	1
153	Validation of the long-term quality of life breast cancer scale (LTQOL-BC) by health care professionals. Supportive Care in Cancer, 2015, 23, 1629-1635.	2.2	1
154	Quality of life with Brain Symptom and Impact Questionnaire in patients with brain metastases. Annals of Palliative Medicine, 2016, 5, 179-189.	1.2	1
155	Evaluation of the 3-day recall period for the Functional Life Index-Emesis (FLIE). Annals of Palliative Medicine, 2018, 7, 393-403.	1.2	1
156	Secondary and cumulative meta-analysis of olanzapine for antiemetic prophylaxis for chemotherapy-induced nausea and vomiting: do we still need to study its effectiveness?. Annals of Palliative Medicine, 2021, 10, 2540-2547.	1.2	1
157	Comprehensiveness of Quality of Life Instruments in Capturing Concerns Related to Chemotherapy-Induced Neutropenia. Blood, 2008, 112, 1311-1311.	1.4	1
158	Cost-Effectiveness of Filgrastim and Pegfilgrastim as Primary Prophylaxis against Febrile Neutropenia in Lymphoma Patients Receiving R-CHOP Chemotherapy.. Blood, 2009, 114, 2475-2475.	1.4	1
159	Use of performance data to drive process change and improve patient wait time for chemotherapy treatment.. Journal of Clinical Oncology, 2012, 30, 223-223.	1.6	1
160	P73. Pain flare following radiotherapy for painful bone metastases: A joint effort of three cancer centres to determine the incidence. Cancer Treatment Reviews, 2008, 34, 34-35.	7.7	0
161	B06-C Improved Pain and Quality of Life as Early as Day 10 Following Radiotherapy for Painful Bone Metastases: A Secondary Analysis of the NCIC CTG SC.23 Randomized Trial. Journal of Pain and Symptom Management, 2016, 52, e17-e18.	1.2	0
162	Has pain management improved over the last decade in the Rapid Response Radiotherapy Program?. Current Opinion in Supportive and Palliative Care, 2016, 10, 3-4.	1.3	0

#	ARTICLE	IF	CITATIONS
163	Prophylactic dexamethasone for radiation-induced bone-pain flare – Authors' reply. <i>Lancet Oncology</i> , 2016, 17, e40-e41.	10.7	0
164	Do patients receiving pelvic radiation and anti-emetics experience diarrhea and/or constipation?. <i>Annals of Palliative Medicine</i> , 2017, 6, S71-S76.	1.2	0
165	Symptom Control. , 2018, , 417-417.		0
166	Deriving Health Utility Values From a Health-Related Quality of Life Instrument in Non-Hodgkin Lymphoma Patients. <i>Blood</i> , 2011, 118, 2065-2065.	1.4	0
167	Use of zoledronic acid therapy – associated severe hypophosphatemia to identify poor-prognosis patients with metastatic castration-resistant prostate cancer.. <i>Journal of Clinical Oncology</i> , 2012, 30, 58-58.	1.6	0
168	Severe zoledronic acid (ZOL)-associated hypophosphatemia and prognosis in patients with castration-resistant prostate cancer (CRPC).. <i>Journal of Clinical Oncology</i> , 2012, 30, e15180-e15180.	1.6	0
169	Assessing alternative dosing strategies for granulocyte-colony stimulating factor (G-CSF) use with FOLFOX6 therapy for treatment of colorectal cancer in a prospective cohort.. <i>Journal of Clinical Oncology</i> , 2015, 33, 771-771.	1.6	0
170	Drug-drug interactions in patients with castration-resistant prostate cancer undergoing abiraterone therapy: Characterizing the scale of the problem.. <i>Journal of Clinical Oncology</i> , 2015, 33, 269-269.	1.6	0
171	Time trends in opioid use in cancer and noncancer patients: Observations from administrative data.. <i>Journal of Clinical Oncology</i> , 2016, 34, 298-298.	1.6	0
172	Opioid use in long term cancer survivors.. <i>Journal of Clinical Oncology</i> , 2018, 36, 6520-6520.	1.6	0
173	Impact of treatment on patient-reported pain and fatigue in early breast cancer patients receiving adjuvant radiotherapy.. <i>Journal of Clinical Oncology</i> , 2019, 37, e12019-e12019.	1.6	0
174	Developing a standardized approach to cancer medication-related infusion reaction prevention and management in Ontario.. <i>Journal of Clinical Oncology</i> , 2019, 37, 255-255.	1.6	0
175	From guidelines to practice: Patient-focused and evidence-informed update of antiemetic recommendations in Ontario.. <i>Journal of Clinical Oncology</i> , 2019, 37, 39-39.	1.6	0
176	The Real-World Experience of the Biosimilar (Grastofil®) to the Reference Biologic (Neupogen®) in Breast Cancer and Lymphoma: A Canadian Single-Centre Retrospective Study. <i>Current Oncology</i> , 2022, 29, 1349-1369.	2.2	0