Simone Conci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1009936/publications.pdf

Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Hepatectomy for Metabolic Associated Fatty Liver Disease (MAFLD) related HCC: Propensity case-matched analysis with viral- and alcohol-related HCC. European Journal of Surgical Oncology, 2022, 48, 103-112. | 1.0 | 14 |
| 2 | Ablation Difficulty Score: Proposal of a new tool to predict success rate of percutaneous ablation for hepatocarcinoma. European Journal of Radiology, 2022, 146, 110097. | 2.6 | 0 |
| 3 | The largest western experience on salvage hepatectomy for recurrent hepatocellular carcinoma: propensity score-matched analysis on behalf of He.RC.O.Le.Study Group. Hpb, 2022, 24, 1291-1304. | 0.3 | 1 |
| 4 | Surgical treatment of ductal biliary recurrence of poorly cohesive gastric cancer mimicking primary biliary tract cancer: a case report. Journal of Surgical Case Reports, 2022, 2022, rjac132. | 0.4 | 2 |
| 5 | Different immunological microenvironment in patients with different cirrhosis etiology and hepatocellular carcinoma. Digestive and Liver Disease, 2022, 54, S3-S4. | 0.9 | 0 |
| 6 | Interleukin-6 as a new marker for advanced sarcopenic HCC patients with different cirrhotic aetiology. Digestive and Liver Disease, 2022, 54, S23-S24. | 0.9 | 0 |
| 7 | Benchmarking postoperative outcomes after open liver surgery for cirrhotic patients with hepatocellular carcinoma in a national cohort. Hpb, 2022, 24, 1365-1375. | 0.3 | 5 |
| 8 | Radiofrequency ablation of hepatocellular carcinoma: CT texture analysis of the ablated area to predict local recurrence. European Journal of Radiology, 2022, 150, 110250. | 2.6 | 4 |
| 9 | Infectious complications after surgery for perihilar cholangiocarcinoma: A single Western center experience. Surgery, 2022, 172, 813-820. | 1.9 | 4 |
| 10 | A machine learning analysis of difficulty scoring systems for laparoscopic liver surgery. Surgical Endoscopy and Other Interventional Techniques, 2022, 36, 8869-8880. | 2.4 | 2 |
| 11 | The Liver SEntinel LYmph-node (LISELY) study: A prospective intraoperative real time evaluation of liver lymphatic drainage and sentinel lymph-node using near-infrared (NIR) imaging with Indocyanine Green (ICG). European Journal of Surgical Oncology, 2022, 48, 2455-2459. | 1.0 | 1 |
| 12 | Sarcobesity Index Predicts Poor Disease-Specific Survival After Resection for Colorectal Cancer. Journal of Surgical Research, 2022, 279, 398-408. | 1.6 | 3 |
| 13 | Curative versus palliative treatments for recurrent hepatocellular carcinoma: a multicentric weighted comparison. Hpb, 2021, 23, 889-898. | 0.3 | 10 |
| 14 | Simultaneous approach for patients with synchronous colon and rectal liver metastases: Impact of site of primary on postoperative and oncological outcomes. European Journal of Surgical Oncology, 2021, 47, 842-849. | 1.0 | 7 |
| 15 | The best potential treatment for recurrent hepatocellular carcinoma after surgery: a machine learning predictive model for treatment allocation based on an Italian multicentric database. Digestive and Liver Disease, 2021, 53, S11-S12. | 0.9 | 0 |
| 16 | The Impact of Postoperative Ascites on Survival After Surgery for Hepatocellular Carcinoma: a National Study. Journal of Gastrointestinal Surgery, 2021, 25, 2823-2834. | 1.7 | 9 |
| 17 | Artificial neural networks for multi-omics classifications of hepato-pancreato-biliary cancers: towards the clinical application of genetic data. European Journal of Cancer, 2021, 148, 348-358. | 2.8 | 6 |
| 18 | Role of Inflammatory and Immune-Nutritional Prognostic Markers in Patients Undergoing Surgical Resection for Biliary Tract Cancers. Cancers, 2021, 13, 3594. | 3.7 | 12 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Effect of COVID-19 pandemic lockdowns on planned cancer surgery for 15 tumour types in 61 countries: an international, prospective, cohort study. Lancet Oncology, The, 2021, 22, 1507-1517. | 10.7 | 171 |
| 20 | Conditional disease-free survival after liver resection for HCC. Hpb, 2021, 23, S778-S779. | 0.3 | 0 |
| 21 | Three-dimensional (3D) Models Based on Pre-operative Computed Tomography Scans to Personalize the Planned Liver Surgery in Complex Cases. Hpb, 2021, 23, S860-S861. | 0.3 | 0 |
| 22 | Molecular characterization of extrahepatic cholangiocarcinoma: perihilar and distal tumors display divergent genomic and transcriptomic profiles. Expert Opinion on Therapeutic Targets, 2021, 25, 1095-1105. | 3.4 | 13 |
| 23 | Biliary Leakage After Hepatobiliary and Pancreatic Surgery: A Classification System to Guide the Proper Percutaneous Treatment. CardioVascular and Interventional Radiology, 2020, 43, 302-310. | 2.0 | 15 |
| 24 | Minimally invasive versus open liver resection for hepatocarcinoma: Case matched study in a single HPB center. Hpb, 2020, 22, S303-S304. | 0.3 | 0 |
| 25 | Pancreatic resections in patients who refuse blood transfusions. The application of a perioperative protocol for a true bloodless surgery. Pancreatology, 2020, 20, 1550-1557. | 1.1 | 3 |
| 26 | Surgical site infection after gastrointestinal surgery in children: an international, multicentre, prospective cohort study. BMJ Global Health, 2020, 5, e003429. | 4.7 | 9 |
| 27 | Hepatocellular carcinoma surgical and oncological trends in a national multicentric population: the HERCOLES experience. Updates in Surgery, 2020, 72, 399-411. | 2.0 | 18 |
| 28 | Multigene mutational profiling of biliary tract cancer is related to the pattern of recurrence in surgically resected patients. Updates in Surgery, 2020, 72, 119-128. | 2.0 | 9 |
| 29 | Care or palliation for recurrent hepatocarcinoma: a multicentric national analysis of survival. Digestive and Liver Disease, 2020, 52, e47-e48. | 0.9 | 1 |
| 30 | The role of postoperative ascites In determining long term survival after curative surgery for hepatocarcinoma: a national multicentric study. Digestive and Liver Disease, 2020, 52, e67-e68. | 0.9 | 0 |
| 31 | Prognostic value of red cell distribution width (RDW) in colorectal cancer. Results from a single-center cohort on 591 patients. Scientific Reports, 2020, 10, 1072. | 3.3 | 25 |
| 32 | Hepatopancreatoduodenectomy for Multifocal Cholangiocarcinoma in the Setting of Biliary Papillomatosis. Annals of Surgical Oncology, 2020, 27, 3356-3357. | 1.5 | 1 |
| 33 | Outcomes of vascular resection associated with curative intent hepatectomy for intrahepatic cholangiocarcinoma. European Journal of Surgical Oncology, 2020, 46, 1727-1733. | 1.0 | 16 |
| 34 | Performance of Comprehensive Complication Index and Clavien-Dindo Complication Scoring System in Liver Surgery for Hepatocellular Carcinoma. Cancers, 2020, 12, 3868. | 3.7 | 15 |
| 35 | Total Dorsal Pancreatectomy, an Alternative to Total Pancreatectomy: Report of a New Case and Literature Review. Digestive Surgery, 2019, 36, 363-368. | 1.2 | 3 |
| 36 | Patterns of gene mutations in bile duct cancers: is it time to overcome the anatomical classification?. Hpb, 2019, 21, 1648-1655. | 0.3 | 10 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Management of theÂNodal Basin. , 2019, , 85-94. | | 1 |
| 38 | Complications after liver surgery: a benchmark analysis. Hpb, 2019, 21, 1139-1149. | 0.3 | 47 |
| 39 | Global variation in anastomosis and end colostomy formation following leftâ€sided colorectal resection. BJS Open, 2019, 3, 403-414. | 1.7 | 18 |
| 40 | Prognostic value of thrombocytosis in patients undergoing surgery for colorectal cancer with synchronous liver metastases. Clinical and Translational Oncology, 2019, 21, 1644-1653. | 2.4 | 8 |
| 41 | Role of Lymph Node Dissection in Small (â‰≇€‰3Âcm) Intrahepatic Cholangiocarcinoma. Journal of Gastrointestinal Surgery, 2019, 23, 1122-1129. | 1.7 | 16 |
| 42 | Laparoscopic caudate lobe resection for hepatocellular carcinoma in cirrhosis. Hpb, 2019, 21, S600. | 0.3 | 0 |
| 43 | Pooled analysis of WHO Surgical Safety Checklist use and mortality after emergency laparotomy. British Journal of Surgery, 2019, 106, e103-e112. | 0.3 | 57 |
| 44 | Liver Resection for Neuroendocrine Tumor Liver Metastases Within Milan Criteria for Liver Transplantation. Journal of Gastrointestinal Surgery, 2019, 23, 93-100. | 1.7 | 20 |
| 45 | The albumin-bilirubin score stratifies the outcomes of Child-Pugh class A patients after resection of hepatocellular carcinoma. Translational Cancer Research, 2019, 8, S233-S244. | 1.0 | 3 |
| 46 | Genomic characterization of biliary tract cancers identifies driver genes and predisposing mutations. Journal of Hepatology, 2018, 68, 959-969. | 3.7 | 254 |
| 47 | Surgical site infection after gastrointestinal surgery in high-income, middle-income, and low-income countries: a prospective, international, multicentre cohort study. Lancet Infectious Diseases, The, 2018, 18, 516-525. | 9.1 | 278 |
| 48 | The Tumor Burden Score. Annals of Surgery, 2018, 267, 132-141. | 4.2 | 264 |
| 49 | Benchmarks value for incidence of post-hepatectomyÂliver failure after major liver surgery: aÂvalidation and integration analysis. Hpb, 2018, 20, S215-S216. | 0.3 | 1 |
| 50 | Validation of the albuminâ€indocyanine green evaluation model in patients with resected hepatocellular carcinoma and comparison with the albumin–bilirubin score. Journal of Hepato-Biliary-Pancreatic Sciences, 2018, 26, 51-57. | 2.6 | 18 |
| 51 | Comparison of the 7th and 8th editions of the American Joint Committee on Cancer Staging Systems for perihilar cholangiocarcinoma. Surgery, 2018, 164, 244-250. | 1.9 | 29 |
| 52 | Unenhanced magnetic resonance imaging immediately after radiofrequency ablation of liver malignancy: preliminary results. Abdominal Radiology, 2018, 43, 1379-1385. | 2.1 | 2 |
| 53 | Genetic alterations analysis in prognostic stratified groups identified TP53 and ARID1A as poor clinical performance markers in intrahepatic cholangiocarcinoma. Scientific Reports, 2018, 8, 7119. | 3.3 | 39 |
| 54 | Patterns of Distribution of Hepatic Nodules (Single, Satellites or Multifocal) in Intrahepatic Cholangiocarcinoma: Prognostic Impact After Surgery. Annals of Surgical Oncology, 2018, 25, 3719-3727. | 1.5 | 44 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | What is the most accurate lymph node staging method for perihilar cholangiocarcinoma? Comparison of UICC/AJCC pN stage, number of metastatic lymph nodes, lymph node ratio, and log odds of metastatic lymph notestatic lymph nodes. European Journal of Surgical Oncology, 2017, 43, 743-750. | 1.0 | 46 |
| 56 | C-reactive protein as early predictor of complications after minimally invasive colorectal resection. Journal of Surgical Research, 2017, 210, 261-268. | 1.6 | 15 |
| 57 | Surgery for Intrahepatic Cholangiocarcinoma with Multiples Nodules: Comparison of Single Tumor, Single Tumor with Satellites and Multifocal Tumors. Gastroenterology, 2017, 152, S1236. | 1.3 | 0 |
| 58 | Impact of age on short-term outcomes of liver surgery. Medicine (United States), 2017, 96, e6955. | 1.0 | 15 |
| 59 | One-carbon genetic variants and the role of MTHFD1 1958G>A in liver and colon cancer risk according to global DNA methylation. PLoS ONE, 2017, 12, e0185792. | 2.5 | 19 |
| 60 | The RFC1 80G>A, among Common One-Carbon Polymorphisms, Relates to Survival Rate According to DNA Global Methylation in Primary Liver Cancers. PLoS ONE, 2016, 11, e0167534. | 2.5 | 5 |
| 61 | Perihilar Cholangiocarcinoma: Number of Nodes Examined and Optimal Lymph Node Prognostic Scheme. Journal of the American College of Surgeons, 2016, 222, 750-759e2. | 0.5 | 61 |
| 62 | Validation of a Nomogram to Predict the Risk of Perioperative Blood Transfusion for Liver Resection. World Journal of Surgery, 2016, 40, 2481-2489. | 1.6 | 18 |
| 63 | Tu1730 A Clinical Score Predicting the Occurence of Liver-Related Complications Following Hepatectomy. Gastroenterology, 2016, 150, S1259. | 1.3 | 0 |
| 64 | Totally intrabiliary colorectal liver metastasis mimicking intraductal growth-type cholangiocarcinoma. Updates in Surgery, 2016, 68, 211-212. | 2.0 | 5 |
| 65 | Cholangiocarcinoma Heterogeneity Revealed by Multigene Mutational Profiling: Clinical and Prognostic Relevance in Surgically Resected Patients. Annals of Surgical Oncology, 2016, 23, 1699-1707. | 1.5 | 76 |
| 66 | Management of pancreatic trauma: A pancreatic surgeon's point of view. Pancreatology, 2016, 16, 302-308. | 1.1 | 40 |
| 67 | Global DNA methylation and hydroxymethylation differ in hepatocellular carcinoma and cholangiocarcinoma and relate to survival rate. Hepatology, 2015, 62, 496-504. | 7.3 | 53 |
| 68 | DNA methylation and gene expression profiles show novel regulatory pathways in hepatocellular carcinoma. Clinical Epigenetics, 2015, 7, 43. | 4.1 | 85 |
| 69 | Liver resection for hepatocellular carcinoma in patients with metabolic syndrome: A multicenter matched analysis with HCV-related HCC. Journal of Hepatology, 2015, 63, 93-101. | 3.7 | 89 |
| 70 | Role of surgery in the treatment of intrahepatic cholangiocarcinoma. European Review for Medical and Pharmacological Sciences, 2015, 19, 2892-900. | 0.7 | 21 |
| 71 | A novel serum marker for biliary tract cancer: Diagnostic and prognostic values of quantitative evaluation of serum mucin 5AC (MUC5AC). Surgery, 2014, 155, 633-639. | 1.9 | 32 |
| 72 | Assessment of bile and serum mucin5AC in cholangiocarcinoma: Diagnostic performance and biologic significance. Surgery, 2014, 156, 1218-1224. | 1.9 | 13 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Head dorsal pancreatectomy: An alternative to the pancreaticoduodenectomy for not enucleable benign or low-grade malignant lesions. Pancreatology, 2014, 14, 419-424. | 1.1 | 7 |
| 74 | Hepatolithiasis-associated cholangiocarcinoma. European Journal of Surgical Oncology, 2014, 40, 567-575. | 1.0 | 29 |
| 75 | Hepatocellular carcinoma: Surgical perspectives beyond the barcelona clinic liver cancer recommendations. World Journal of Gastroenterology, 2014, 20, 7525. | 3.3 | 50 |
| 76 | Patterns and Prognostic Significance of Lymph Node Dissection for Surgical Treatment of Perihilar and Intrahepatic Cholangiocarcinoma. Journal of Gastrointestinal Surgery, 2013, 17, 1917-1928. | 1.7 | 81 |
| 77 | Usefulness of Contrast-Enhanced Intraoperative Ultrasonography (CE-IOUS) in Patients with Colorectal Liver Metastases after Preoperative Chemotherapy. Journal of Gastrointestinal Surgery, 2013, 17, 281-287. | 1.7 | 37 |
| 78 | How Much Remnant Is Enough in Liver Resection?. Digestive Surgery, 2012, 29, 6-17. | 1.2 | 269 |
| 79 | Surgical Resection Versus Local Ablation for HCC on Cirrhosis: Results from a Propensity Case-Matched Study. Journal of Gastrointestinal Surgery, 2012, 16, 301-311. | 1.7 | 47 |
| 80 | Prognostic significance of lymph node ratio after resection of peri-hilar cholangiocarcinoma. Hpb, 2011, 13, 240-245. | 0.3 | 53 |
| 81 | Hepatocellular carcinoma in cirrhotic patients with portal hypertension: Is liver resection always contraindicated?. World Journal of Gastroenterology, 2011, 17, 5083. | 3.3 | 44 |
| 82 | Does intrahepatic cholangiocarcinoma have better prognosis compared to perihilar cholangiocarcinoma?. Journal of Surgical Oncology, 2010, 101, 111-115. | 1.7 | 17 |