

Wael Zaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1010009/publications.pdf>

Version: 2024-02-01

73
papers

2,099
citations

304602

22
h-index

233338

45
g-index

73
all docs

73
docs citations

73
times ranked

705
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of a torsional theory for radially functionally graded porous shape memory alloy circular bars. <i>Journal of Intelligent Material Systems and Structures</i> , 2022, 33, 1374-1391.	1.4	2
2	Self-sensing shape memory polymer composites reinforced with functional textiles. <i>Composites Science and Technology</i> , 2022, 221, 109219.	3.8	19
3	Mechanical attributes and wave propagation characteristics of TPMS lattice structures. <i>Mechanics of Materials</i> , 2022, 172, 104363.	1.7	20
4	Effective stiffness, wave propagation, and yield surface attributes of Menger sponge-like pre-fractal topologies. <i>International Journal of Mechanical Sciences</i> , 2022, 227, 107447.	3.6	8
5	Mechanical Behavior of Shape-Memory Alloy Triply Periodic Minimal Surface Foam Based on Schwarz Primitive. <i>Journal of Engineering Mechanics - ASCE</i> , 2022, 148, .	1.6	5
6	A thermomechanical constitutive model for porous SMAs accounting for the influence of void evolution. <i>Mechanics of Materials</i> , 2021, 155, 103779.	1.7	7
7	Additive manufacturing of shape memory alloys: A review with emphasis on powder bed systems. <i>Materials and Design</i> , 2021, 204, 109654.	3.3	82
8	Modeling bending behavior of shape memory alloy wire-reinforced composites: Semi-analytical model and finite element analysis. <i>Chinese Journal of Aeronautics</i> , 2021, 34, 176-191.	2.8	10
9	Bending model for functionally graded porous shape memory alloy/poroelastic composite cantilever beams. <i>Applied Mathematical Modelling</i> , 2021, 97, 398-417.	2.2	17
10	Free vibration and buckling characteristics of functionally graded beams with triply periodic minimal surface architecture. <i>Composite Structures</i> , 2021, 274, 114342.	3.1	27
11	Modeling the behavior of bilayer shape memory alloy/functionally graded material beams considering asymmetric shape memory alloy response. <i>Journal of Intelligent Material Systems and Structures</i> , 2020, 31, 84-99.	1.4	7
12	Mathematical model for superelastic shape memory alloy springs with large spring index. <i>International Journal of Solids and Structures</i> , 2020, 185-186, 159-169.	1.3	20
13	Free vibration characteristics of sectioned unidirectional/bidirectional functionally graded material cantilever beams based on finite element analysis. <i>Applied Mathematics and Mechanics (English) Tj ETQq1 1 0.784314 rgBT /O</i>		
14	Analytical investigation of an energy harvesting shape memory alloy piezoelectric beam. <i>Archive of Applied Mechanics</i> , 2020, 90, 2715-2738.	1.2	7
15	A Model for FGM/SMA Bilayer Beams Accounting for Asymmetric SMA Behavior. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 855, 012011.	0.3	0
16	Behavior of composite pre-flat slabs in resisting punching shear forces. <i>AEJ - Alexandria Engineering Journal</i> , 2020, 59, 333-347.	3.4	4
17	Analytical model for the torsional response of superelastic shape memory alloy circular sections subjected to a loading-unloading cycle. <i>International Journal of Solids and Structures</i> , 2019, 156-157, 49-60.	1.3	9
18	Bending model for a laminated composite cantilever beam with multiple embedded shape memory alloy layers presenting tensile-compressive asymmetry. <i>Composite Structures</i> , 2019, 229, 111410.	3.1	14

#	ARTICLE	IF	CITATIONS
19	A model for shape memory alloy beams accounting for tensile compressive asymmetry. <i>Journal of Intelligent Material Systems and Structures</i> , 2019, 30, 2697-2715.	1.4	15
20	Development and implementation of an effective constitutive model for architected cellular iron-based shape memory alloys: Pressure dependency and transformation-plasticity interaction. <i>Journal of Intelligent Material Systems and Structures</i> , 2019, 30, 1789-1822.	1.4	4
21	Bending theory for laminated composite cantilever beams with multiple embedded shape memory alloy layers. <i>Journal of Intelligent Material Systems and Structures</i> , 2019, 30, 1549-1568.	1.4	14
22	Analytical investigation of the behavior of concrete beams reinforced with multiple circular superelastic shape memory alloy bars. <i>Composite Structures</i> , 2019, 210, 958-970.	3.1	20
23	Theoretical model for laminated composite beam consisting of multiple superelastic shape memory alloy layers. , 2019, , .		0
24	An analytical model for a shape memory alloy beam accounting for tension-compression stress asymmetry effect. , 2019, , .		0
25	Bending models for superelastic shape memory alloy laminated composite cantilever beams with elastic core layer. <i>Composites Part B: Engineering</i> , 2018, 147, 86-103.	5.9	19
26	Interlaminar shear stress function for adhesively bonded multi-layer metal laminates. <i>International Journal of Adhesion and Adhesives</i> , 2018, 82, 14-20.	1.4	15
27	Analytical Model for a Functionally Graded Material/Shape Memory Alloy Laminated Composite Cantilever Beam. , 2018, , .		0
28	Analytical Model of Shape Memory Alloy Helical Springs. , 2018, , .		2
29	Analytical model for a superelastic Timoshenko shape memory alloy beam subjected to a loading-unloading cycle. <i>Journal of Intelligent Material Systems and Structures</i> , 2018, 29, 3902-3922.	1.4	14
30	Numerical simulation of the behavior of steel T-stubs connected by Fe-based shape memory alloy bolts. <i>Journal of Intelligent Material Systems and Structures</i> , 2018, 29, 3284-3292.	1.4	4
31	Analytical model of functionally graded material/shape memory alloy composite cantilever beam under bending. <i>Composite Structures</i> , 2018, 203, 764-776.	3.1	34
32	Analytical model for a laminated shape memory alloy beam with piezoelectric layers. , 2018, , .		1
33	Numerical model for an epoxy beam reinforced with superelastic shape memory alloy wires. , 2018, , .		1
34	A nonlinear 3D model for iron-based shape memory alloys considering different thermomechanical properties for austenite and martensite and coupling between transformation and plasticity. <i>Mechanics of Materials</i> , 2017, 107, 1-21.	1.7	28
35	Finite element analysis of a 3D Fe-based SMA cellular beam with highly heterogeneous stress and strain distributions. <i>Proceedings of SPIE</i> , 2017, , .	0.8	2
36	A thermomechanically coupled finite deformation constitutive model for shape memory alloys based on Hencky strain. <i>International Journal of Engineering Science</i> , 2017, 117, 51-77.	2.7	55

#	ARTICLE	IF	CITATIONS
37	A 3D finite-strain-based constitutive model for shape memory alloys accounting for thermomechanical coupling and martensite reorientation. <i>Smart Materials and Structures</i> , 2017, 26, 065006.	1.8	44
38	Numerical simulation of pseudoelastic shape memory alloys using the large time increment method. <i>Smart Materials and Structures</i> , 2017, 26, 045016.	1.8	4
39	Analytical Model for a Superelastic SMA Beam. , 2017, , .		6
40	Modeling and Simulation of Architected Iron-Based SMA Materials. , 2017, , .		1
41	An extended thermomechanically coupled 3D rate-dependent model for pseudoelastic SMAs under cyclic loading. <i>Smart Materials and Structures</i> , 2017, 26, 095047.	1.8	26
42	A model for inter-laminar shear stress in laminated composites. <i>Journal of Physics: Conference Series</i> , 2017, 814, 012006.	0.3	1
43	High-Cycle Fatigue Criterion for Shape Memory Alloys Based on Shakedown Theory. , 2016, , .		2
44	A review of modeling techniques for advanced effects in shape memory alloy behavior. <i>Smart Materials and Structures</i> , 2016, 25, 103001.	1.8	74
45	Postpartum Family Planning During Sociopolitical Transition: Findings from an Integrated Community-Based Program in Egypt. <i>International Perspectives on Sexual and Reproductive Health</i> , 2016, 42, 57.	3.8	2
46	Shakedown based model for high-cycle fatigue of shape memory alloys. <i>Smart Materials and Structures</i> , 2016, 25, 115012.	1.8	11
47	Mechanical factors in primary water stress corrosion cracking of cold-worked stainless steel. <i>Nuclear Engineering and Design</i> , 2016, 301, 24-31.	0.8	1
48	A review of constitutive models and modeling techniques for shape memory alloys. <i>International Journal of Plasticity</i> , 2016, 76, 244-284.	4.1	267
49	A Model for Iron-Based Shape Memory Alloys Considering Variable Elastic Stiffness and Coupling Between Plasticity and Phase Transformation. , 2015, , .		1
50	Implementation of the Large Time Increment Method for the Simulation of Pseudoelastic Shape Memory Alloys. , 2015, , .		0
51	Modeling of materials capable of solid-solid phase transformation. Application to the analytical solution of the semi-infinite mode III crack problem in a phase-changing solid. <i>International Journal of Non-Linear Mechanics</i> , 2015, 69, 146-156.	1.4	12
52	Modeling framework for materials capable of solid-solid phase transformation: application to the analytical solution of the semi-infinite mode III crack problem in an idealized shape memory alloy. , 2015, , .		0
53	Time integration and assessment of a model for shape memory alloys considering multiaxial nonproportional loading cases. <i>International Journal of Solids and Structures</i> , 2015, 54, 82-99.	1.3	42
54	Modeling of steady-state crack growth in shape memory alloys using a stationary method. <i>International Journal of Plasticity</i> , 2015, 67, 26-38.	4.1	35

#	ARTICLE	IF	CITATIONS
55	Time Integration and Assessment of a Model for Shape Memory Alloys Considering Multiaxial Nonproportional Loading Cases. , 2014, , .		2
56	Steady State Crack Growth in Shape Memory Alloys. , 2013, , .		1
57	Non-linear dynamic thermomechanical behaviour of shape memory alloys. Journal of Intelligent Material Systems and Structures, 2012, 23, 1593-1611.	1.4	30
58	An efficient implementation for a model of martensite reorientation in martensitic shape memory alloys under multiaxial nonproportional loading. International Journal of Plasticity, 2012, 37, 72-94.	4.1	49
59	Time integration of a model for martensite detwinning and reorientation under nonproportional loading using Lagrange multipliers. International Journal of Solids and Structures, 2012, 49, 2951-2961.	1.3	28
60	Direct Numerical Determination of the Asymptotic Cyclic Behavior of Pseudoelastic Shape Memory Structures. Journal of Engineering Mechanics - ASCE, 2011, 137, 497-503.	1.6	21
61	Modeling Tensile-Compressive Asymmetry for Superelastic Shape Memory Alloys. Mechanics of Advanced Materials and Structures, 2011, 18, 559-564.	1.5	43
62	Thermomechanical coupling in shape memory alloys under cyclic loadings: Experimental analysis and constitutive modeling. International Journal of Plasticity, 2011, 27, 1959-1980.	4.1	144
63	Optimal weaving for 2.5D interlocks. Composite Structures, 2011, 93, 1255-1264.	3.1	20
64	A constitutive model for shape memory alloys accounting for thermomechanical coupling. International Journal of Plasticity, 2011, 27, 748-767.	4.1	143
65	Modeling and Simulation of the Mechanical Response of Martensitic Shape Memory Alloys. , 2011, , .		1
66	An extension of the ZM model for shape memory alloys accounting for plastic deformation. Mechanics of Materials, 2010, 42, 266-274.	1.7	47
67	A simple 1D model with thermomechanical coupling for superelastic SMAs. IOP Conference Series: Materials Science and Engineering, 2010, 10, 012149.	0.3	3
68	An approach to modeling tensile-compressive asymmetry for martensitic shape memory alloys. Smart Materials and Structures, 2010, 19, 025009.	1.8	38
69	Cyclic behavior and energy approach to the fatigue of shape memory alloys. Journal of Mechanics of Materials and Structures, 2009, 4, 395-411.	0.4	48
70	Theoretical and numerical modeling of solid-solid phase change: Application to the description of the thermomechanical behavior of shape memory alloys. International Journal of Plasticity, 2008, 24, 614-645.	4.1	82
71	A 3D model of the cyclic thermomechanical behavior of shape memory alloys. Journal of the Mechanics and Physics of Solids, 2007, 55, 2427-2454.	2.3	164
72	A three-dimensional model of the thermomechanical behavior of shape memory alloys. Journal of the Mechanics and Physics of Solids, 2007, 55, 2455-2490.	2.3	209

#	ARTICLE	IF	CITATIONS
73	Modélisation thermomécanique des alliages à mémoire de forme : généralisation de la loi Moumni-Son. European Physical Journal Special Topics, 2005, 124, 237-242.	0.2	1