## Nickolai A Barley

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1010452/nickolai-a-barlev-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

5,216
papers

5,216
h-index

72
g-index

74
ext. papers

6,657
ext. citations

6.3
avg, IF

L-index

| #  | Paper   | IF  | Citations |
|----|---|-----|-----------|
| 67 | Nano-molecularly imprinted polymers (nanoMIPs) as a novel approach to targeted drug delivery in nanomedicine <i>RSC Advances</i> , <b>2022</b> , 12, 3957-3968        | 3.7 | 3         |
| 66 | The p53 family member p73 in the regulation of cell stress response. <i>Biology Direct</i> , <b>2021</b> , 16, 23   | 7.2 | 7         |
| 65 | Zeb1-mediated autophagy enhances resistance of breast cancer cells to genotoxic drugs.  Biochemical and Biophysical Research Communications, 2021, 589, 29-34         | 3.4 | 2         |
| 64 | p53-Independent Effects of Set7/9 Lysine Methyltransferase on Metabolism of Non-Small Cell Lung Cancer Cells. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 706668 | 5.3 | 1         |
| 63 | Proteomic Analysis of Zeb1 Interactome in Breast Carcinoma Cells. <i>Molecules</i> , <b>2021</b> , 26,  | 4.8 | 2         |
| 62 | Emerging roles of cancer-testis antigenes, semenogelin 1 and 2, in neoplastic cells. <i>Cell Death Discovery</i> , <b>2021</b> , 7, 97                                | 6.9 | 1         |
| 61 | The RNA-binding protein HuR is a novel target of Pirh2 E3 ubiquitin ligase. <i>Cell Death and Disease</i> , <b>2021</b> , 12, 581                                     | 9.8 | 2         |
| 60 | Regulation of autophagy flux by E3 ubiquitin ligase Pirh2 in lung cancer. <i>Biochemical and Biophysical Research Communications</i> , <b>2021</b> , 563, 119-125     | 3.4 | 1         |
| 59 | Interplay between p53 and non-coding RNAs in the regulation of EMT in breast cancer. <i>Cell Death and Disease</i> , <b>2021</b> , 12, 17                             | 9.8 | 8         |
| 58 | Set7/9 controls proliferation and genotoxic drug resistance of NSCLC cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2021</b> , 572, 41-48     | 3.4 | 4         |
| 57 | KMT Set7/9 is a new regulator of Sam68 STAR-protein. <i>Biochemical and Biophysical Research Communications</i> , <b>2020</b> , 525, 1018-1024                        | 3.4 | 2         |
| 56 | Effects of Mycoplasmas on the Host Cell Signaling Pathways. <i>Pathogens</i> , <b>2020</b> , 9,   | 4.5 | 5         |
| 55 | Distinct p63 and p73 Protein Interactions Predict Specific Functions in mRNA Splicing and Polyploidy Control in Epithelia. <i>Cells</i> , <b>2020</b> , 10,           | 7.9 | 1         |
| 54 | Attenuation of p53 mutant as an approach for treatment Her2-positive cancer. <i>Cell Death Discovery</i> , <b>2020</b> , 6, 100                                       | 6.9 | 5         |
| 53 | The Role of ERBB2/HER2 Tyrosine Kinase Receptor in the Regulation of Cell Death. <i>Biochemistry</i> (Moscow), <b>2020</b> , 85, 1277-1287                            | 2.9 | 1         |
| 52 | Activating Effect of 3-Benzylidene Oxindoles on AMPK: From Computer Simulation to High-Content Screening. <i>ChemMedChem</i> , <b>2020</b> , 15, 2521-2529            | 3.7 | 4         |
| 51 | SEMG1/2 augment energy metabolism of tumor cells. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 1047  | 9.8 | 3         |

| 50 | Sea Urchin as a Universal Model for Studies of Gene Networks. Frontiers in Genetics, 2020, 11, 627259  | 4.5    | 1    |
|----|--|--------|------|
| 49 | Autophagy suppresses the pathogenic immune response to dietary antigens in cystic fibrosis. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 258  | 9.8    | 13   |
| 48 | Lysine-specific post-translational modifications of proteins in the life cycle of viruses. <i>Cell Cycle</i> , <b>2019</b> , 18, 1995-2005   | 4.7    | 9    |
| 47 | Role of ACTN4 in Tumorigenesis, Metastasis, and EMT. <i>Cells</i> , <b>2019</b> , 8,   | 7.9    | 19   |
| 46 | Aldo-keto reductases protect metastatic melanoma from ER stress-independent ferroptosis. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 902   | 9.8    | 46   |
| 45 | EMT: A mechanism for escape from EGFR-targeted therapy in lung cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , <b>2019</b> , 1871, 29-39   | 11.2   | 71   |
| 44 | Orphan receptor NR4A3 is a novel target of p53 that contributes to apoptosis. <i>Oncogene</i> , <b>2019</b> , 38, 210  | 892122 | ! 18 |
| 43 | Non-alcoholic fatty liver disease severity is modulated by transglutaminase type 2. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 257   | 9.8    | 20   |
| 42 | Molecular mechanisms of cell death: recommendations of the Nomenclature Committee on Cell Death 2018. <i>Cell Death and Differentiation</i> , <b>2018</b> , 25, 486-541                                      | 12.7   | 2160 |
| 41 | Combined treatment of human multiple myeloma cells with bortezomib and doxorubicin alters the interactome of 20S proteasomes. <i>Cell Cycle</i> , <b>2018</b> , 17, 1745-1756                                | 4.7    | 6    |
| 40 | TG2 regulates the heat-shock response by the post-translational modification of HSF1. <i>EMBO Reports</i> , <b>2018</b> , 19,  | 6.5    | 20   |
| 39 | Novel isatin-derived molecules activate p53 via interference with Mdm2 to promote apoptosis. <i>Cell Cycle</i> , <b>2018</b> , 17, 1917-1930   | 4.7    | 13   |
| 38 | Effects of mycoplasma infection on the host organism response via p53/NF- <b>B</b> signaling. <i>Journal of Cellular Physiology</i> , <b>2018</b> , 234, 171-180   | 7      | 4    |
| 37 | Co-expression of RelA/p65 and ACTN4 induces apoptosis in non-small lung carcinoma cells. <i>Cell Cycle</i> , <b>2018</b> , 17, 616-626   | 4.7    | 11   |
| 36 | Nutlin sensitizes lung carcinoma cells to interferon-alpha treatment in MDM2-dependent but p53-independent manner. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 495, 1233-1239 | 3.4    | 9    |
| 35 | Isatin-Schiff base-copper (II) complex induces cell death in p53-positive tumors. <i>Cell Death Discovery</i> , <b>2018</b> , 4, 103   | 6.9    | 24   |
| 34 | BTK: a two-faced effector in cancer and tumour suppression. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 1064  | 9.8    | 21   |
| 33 | The biological basis and clinical symptoms of CAR-T therapy-associated toxicites. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 897   | 9.8    | 59   |

| 32 | Ca -depended signaling pathways regulate self-renewal and pluripotency of stem cells. <i>Cell Biology International</i> , <b>2018</b> , 42, 1086-1096  | 4.5  | 7  |
|----|--|------|----|
| 31 | Specific Drug Delivery to Cancer Cells with Double-Imprinted Nanoparticles against Epidermal Growth Factor Receptor. <i>Nano Letters</i> , <b>2018</b> , 18, 4641-4646   | 11.5 | 84 |
| 30 | Proapoptotic modification of substituted isoindolinones as MDM2-p53 inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2017</b> , 27, 5197-5202  | 2.9  | 16 |
| 29 | Extracellular Proteasomes Are Deficient in 19S Subunits as Revealed by iTRAQ Quantitative Proteomics. <i>Journal of Cellular Physiology</i> , <b>2017</b> , 232, 842-851   | 7    | 19 |
| 28 | One-carbon metabolism and nucleotide biosynthesis as attractive targets for anticancer therapy. <i>Oncotarget</i> , <b>2017</b> , 8, 23955-23977   | 3.3  | 67 |
| 27 | BTK blocks the inhibitory effects of MDM2 on p53 activity. <i>Oncotarget</i> , <b>2017</b> , 8, 106639-106647  | 3.3  | 18 |
| 26 | Regulation of Endoribonuclease Activity of Alpha-Type Proteasome Subunits in Proerythroleukemia K562 Upon Hemin-Induced Differentiation. <i>Protein Journal</i> , <b>2016</b> , 35, 17-23                        | 3.9  | 3  |
| 25 | E3 ubiquitin ligase Pirh2 enhances tumorigenic properties of human non-small cell lung carcinoma cells. <i>Genes and Cancer</i> , <b>2016</b> , 7, 383-393   | 2.9  | 17 |
| 24 | BTK Modulates p53 Activity to Enhance Apoptotic and Senescent Responses. <i>Cancer Research</i> , <b>2016</b> , 76, 5405-14  | 10.1 | 37 |
| 23 | TAp73 transcriptionally represses BNIP3 expression. <i>Cell Cycle</i> , <b>2015</b> , 14, 2484-93  | 4.7  | 13 |
| 22 | Simultaneous EGFP and tag labeling of the <b>2</b> subunit for live imaging and affinity purification of functional human proteasomes. <i>Molecular Biotechnology</i> , <b>2015</b> , 57, 36-44                  | 3    | 10 |
| 21 | KMT Set7/9 affects genotoxic stress response via the Mdm2 axis. <i>Oncotarget</i> , <b>2015</b> , 6, 25843-55  | 3.3  | 29 |
| 20 | The 26S proteasome is a multifaceted target for anti-cancer therapies. <i>Oncotarget</i> , <b>2015</b> , 6, 24733-49   | 3.3  | 61 |
| 19 | Current genome editing tools in gene therapy: new approaches to treat cancer. <i>Current Gene Therapy</i> , <b>2015</b> , 15, 511-29   | 4.3  | 19 |
| 18 | Immunoaffinity purification of the functional 20S proteasome from human cells via transient overexpression of specific proteasome subunits. <i>Protein Expression and Purification</i> , <b>2014</b> , 97, 37-43 | 2    | 3  |
| 17 | DNA damage modulates interactions between microRNAs and the 26S proteasome. <i>Oncotarget</i> , <b>2014</b> , 5, 3555-67   | 3.3  | 24 |
| 16 | Hot and toxic: hyperthermia and anti-mitotic drugs in cancer therapy. Cell Cycle, 2013, 12, 2533   | 4.7  | 2  |
| 15 | DNA damage-induced ubiquitylation of proteasome controls its proteolytic activity. <i>Oncotarget</i> , <b>2013</b> , 4, 1338-48  | 3.3  | 39 |

## LIST OF PUBLICATIONS

| 14                                      | Lysine-specific modifications of p53: a matter of life and death?. <i>Oncotarget</i> , <b>2013</b> , 4, 1556-71  | 3.3                 | 67         |
|---|--|---------------------|------------|
| 13                                      | Proteomic analysis of the 20S proteasome (PSMA3)-interacting proteins reveals a functional link between the proteasome and mRNA metabolism. <i>Biochemical and Biophysical Research Communications</i> , <b>2011</b> , 416, 258-65   | 3.4                 | 39         |
| 12                                      | 26S proteasome exhibits endoribonuclease activity controlled by extra-cellular stimuli. <i>Cell Cycle</i> , <b>2010</b> , 9, 840-9   | 4.7                 | 33         |
| 11                                      | Proteomic analysis of ACTN4-interacting proteins reveals it a putative involvement in mRNA metabolism. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 397, 192-6   | 3.4                 | 11         |
| 10                                      | Role of proteasomes in transcription and their regulation by covalent modifications. <i>Frontiers in Bioscience - Landmark</i> , <b>2008</b> , 13, 7184-92   | 2.8                 | 30         |
| 9                                       | Methylation-acetylation interplay activates p53 in response to DNA damage. <i>Molecular and Cellular Biology</i> , <b>2007</b> , 27, 6756-69   | 4.8                 | 138        |
| 8                                       | Regulation of p53 activity through lysine methylation. <i>Nature</i> , <b>2004</b> , 432, 353-60   | 50.4                | 620        |
|   |  |                     |            |
| 7                                       | A novel human Ada2 homologue functions with Gcn5 or Brg1 to coactivate transcription. <i>Molecular and Cellular Biology</i> , <b>2003</b> , 23, 6944-57  | 4.8                 | 51         |
| 7                                       |  | 4.8                 | 51<br>190  |
|   | and Cellular Biology, 2003, 23, 6944-57  Activating signal cointegrator 2 belongs to a novel steady-state complex that contains a subset of  | <u> </u>            | 190        |
| 6                                       | and Cellular Biology, 2003, 23, 6944-57  Activating signal cointegrator 2 belongs to a novel steady-state complex that contains a subset of trithorax group proteins. Molecular and Cellular Biology, 2003, 23, 140-9  Acetylation of p53 activates transcription through recruitment of coactivators/histone  | 4.8                 | 190        |
| 5                                       | Activating signal cointegrator 2 belongs to a novel steady-state complex that contains a subset of trithorax group proteins. <i>Molecular and Cellular Biology</i> , <b>2003</b> , 23, 140-9  Acetylation of p53 activates transcription through recruitment of coactivators/histone acetyltransferases. <i>Molecular Cell</i> , <b>2001</b> , 8, 1243-54  Crystal structure of yeast Esa1 suggests a unified mechanism for catalysis and substrate binding by   | 4.8                 | 190<br>587 |
| <ul><li>6</li><li>5</li><li>4</li></ul> | Activating signal cointegrator 2 belongs to a novel steady-state complex that contains a subset of trithorax group proteins. <i>Molecular and Cellular Biology</i> , <b>2003</b> , 23, 140-9  Acetylation of p53 activates transcription through recruitment of coactivators/histone acetyltransferases. <i>Molecular Cell</i> , <b>2001</b> , 8, 1243-54  Crystal structure of yeast Esa1 suggests a unified mechanism for catalysis and substrate binding by histone acetyltransferases. <i>Molecular Cell</i> , <b>2000</b> , 6, 1195-205  Analysis of activity and regulation of hGcn5, a human histone acetyltransferase. <i>Methods in</i> | 4.8<br>17.6<br>17.6 | 190<br>587 |