Marc Van den Eynde

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10110444/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	International validation of the consensus Immunoscore for the classification of colon cancer: a prognostic and accuracy study. Lancet, The, 2018, 391, 2128-2139.	13.7	1,487
2	Evolution of Metastases in Space and Time under Immune Selection. Cell, 2018, 175, 751-765.e16.	28.9	322
3	The Link between the Multiverse of Immune Microenvironments in Metastases and the Survival of Colorectal Cancer Patients. Cancer Cell, 2018, 34, 1012-1026.e3.	16.8	209
4	Comprehensive Intrametastatic Immune Quantification and Major Impact of Immunoscore on Survival. Journal of the National Cancer Institute, 2018, 110, 97-108.	6.3	199
5	Multicenter International Society for Immunotherapy of Cancer Study of the Consensus Immunoscore for the Prediction of Survival and Response to Chemotherapy in Stage III Colon Cancer. Journal of Clinical Oncology, 2020, 38, 3638-3651.	1.6	130
6	A Diagnostic Biopsy-Adapted Immunoscore Predicts Response to Neoadjuvant Treatment and Selects Patients with Rectal Cancer Eligible for a Watch-and-Wait Strategy. Clinical Cancer Research, 2020, 26, 5198-5207.	7.0	66
7	Sinusoidal obstruction syndrome (SOS) related to chemotherapy for colorectal liver metastases: factors predictive of severe SOS lesions and protective effect of bevacizumab. Hpb, 2013, 15, 858-864.	0.3	50
8	Analytical validation of the Immunoscore and its associated prognostic value in patients with colon cancer. , 2020, 8, e000272.		43
9	Surgical Treatment of Colorectal Cancer with Peritoneal and Liver Metastases Using Combined Liver and Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy: Report from a Single-Centre Experience. Annals of Surgical Oncology, 2016, 23, 666-673.	1.5	31
10	Biomarkers of Response and Resistance to Immunotherapy in Microsatellite Stable Colorectal Cancer: Toward a New Personalized Medicine. Cancers, 2022, 14, 2241.	3.7	26
11	Radiological imaging markers predicting clinical outcome in patients with metastatic colorectal carcinoma treated with regorafenib: post hoc analysis of the CORRECT phase III trial (RadioCORRECT) Tj ETQq1 1	047.84314	⊦r g₿ T /Overl
12	Prognostic assessment of resected colorectal liver metastases integrating pathological features, <scp><i>RAS</i></scp> mutation and Immunoscore. Journal of Pathology: Clinical Research, 2021, 7, 27-41.	3.0	24
13	Monitoring metabolic response using FDG PET-CT during targeted therapy for metastatic colorectal cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 1792-1801.	6.4	17
14	The Prognostic Significance of Metabolic Response Heterogeneity in Metastatic Colorectal Cancer. PLoS ONE, 2015, 10, e0138341.	2.5	16
15	Endoscopic mucosal or submucosal resection of early neoplasia in Barrett's esophagus after antireflux surgery. Gastrointestinal Endoscopy, 2010, 72, 855-861.	1.0	15
16	CTCs as a prognostic and predictive biomarker for stage II/III Colon Cancer: a companion study to the PePiTA trial. BMC Cancer, 2019, 19, 304.	2.6	13
17	Multiverse of immune microenvironment in metastatic colorectal cancer. Oncolmmunology, 2020, 9, 1824316.	4.6	9
18	Joint Belgian recommendation on screening for DPD-deficiency in patients treated with 5-FU, capecitabine (and tegafur). Acta Clinica Belgica, 2021, , 1-7.	1.2	9

#	Article	IF	CITATIONS
19	Prediction of tumor response and patient outcome after radioembolization of hepatocellular carcinoma using 90Y-PET-computed tomography dosimetry. Nuclear Medicine Communications, 2021, 42, 747-754.	1.1	9
20	The absence of benefit of perioperative chemotherapy in initially resectable peritoneal metastases of colorectal cancer origin treated with complete cytoreductive surgery and hyperthermic intraperitoneal chemotherapy: A retrospective analysis. European Journal of Surgical Oncology, 2021, 47, 1661-1667.	1.0	8
21	SoMore trial: Early metabolic response assessment of a sorafenib (SOR) and capecitabine (CAP) combination in chemorefractory metastatic colorectal cancer (mCRC) Journal of Clinical Oncology, 2014, 32, 524-524.	1.6	5
22	Impact of Primary Tumour Location and Early Tumour Shrinkage on Outcomes in Patients with RAS Wild-Type Metastatic Colorectal Cancer Following First-Line FOLFIRI Plus Panitumumab. Drugs in R and D, 2019, 19, 267-275.	2.2	4
23	Immunity to live: an immunopathoscore using the consensus Immunoscore to best define the risk of recurrence and death in stage IV metastatic patients. Oncolmmunology, 2020, 9, 1826133.	4.6	4
24	Metastasis immune-based scores predict patient survival. Oncolmmunology, 2020, 9, 1806000.	4.6	4
25	Preoperative (preop) chemosensitivity testing as predictor of treatment benefit in adjuvant stage III colon cancer (CC): Interim analysis of the PEPITA study Journal of Clinical Oncology, 2014, 32, 385-385.	1.6	1
26	Randomized Phase 2 Study Comparing Pathological Responses of Resected Colorectal Cancer Metastases after Bevacizumab with mFOLFOX6 or FOLFIRI (BEV-ONCO Trial). Cancers, 2022, 14, 1183.	3.7	1
27	Fortnightly or fractionated weekly docetaxel–cisplatin–5â€FU as firstâ€line treatment in advanced gastric and gastroesophageal junction adenocarcinoma: The randomized phase II DoGE study. Cancer Medicine, 2021, 10, 4366-4374.	2.8	0
28	Phase II trial of preoperative radiotherapy (RT) and panitumumab (PAN) in KRAS wild type (wt) rectal cancer (RC) Journal of Clinical Oncology, 2012, 30, e14060-e14060.	1.6	0