## Brandon R Grossardt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1011263/publications.pdf

Version: 2024-02-01

93 papers 10,344 citations

46984 47 h-index 90 g-index

93 all docs 93 docs citations

93 times ranked 9983 citing authors

#	Article	IF	CITATIONS
1	Increased risk of cognitive impairment or dementia in women who underwent oophorectomy before menopause. Neurology, 2007, 69, 1074-1083.	1.5	684
2	History of the Rochester Epidemiology Project: Half a Century of Medical Records Linkage in a US Population. Mayo Clinic Proceedings, 2012, 87, 1202-1213.	1.4	684
3	Premature menopause or early menopause: Long-term health consequences. Maturitas, 2010, 65, 161-166.	1.0	596
4	Use of a Medical Records Linkage System to Enumerate a Dynamic Population Over Time: The Rochester Epidemiology Project. American Journal of Epidemiology, 2011, 173, 1059-1068.	1.6	575
5	Generalizability of Epidemiological Findings and Public Health Decisions: An Illustration From the Rochester Epidemiology Project. Mayo Clinic Proceedings, 2012, 87, 151-160.	1.4	556
6	Data Resource Profile: The Rochester Epidemiology Project (REP) medical records-linkage system. International Journal of Epidemiology, 2012, 41, 1614-1624.	0.9	522
7	Survival patterns after oophorectomy in premenopausal women: a population-based cohort study. Lancet Oncology, The, 2006, 7, 821-828.	5.1	482
8	Increased cardiovascular mortality after early bilateral oophorectomy. Menopause, 2009, 16, 15-23.	0.8	384
9	Medical records documentation of constipation preceding Parkinson disease. Neurology, 2009, 73, 1752-1758.	1.5	344
10	Increased risk of parkinsonism in women who underwent oophorectomy before menopause. Neurology, 2008, 70, 200-209.	1.5	275
11	Incidence of Dementia With Lewy Bodies and Parkinson Disease Dementia. JAMA Neurology, 2013, 70, 1396.	4.5	250
12	Oophorectomy, menopause, estrogen treatment, and cognitive aging: Clinical evidence for a window of opportunity. Brain Research, 2011, 1379, 188-198.	1.1	223
13	Prophylactic oophorectomy in premenopausal women and long-term health. Menopause International, 2008, 14, 111-116.	1.6	207
14	Time Trends in the Incidence of Parkinson Disease. JAMA Neurology, 2016, 73, 981.	4.5	194
15	Prevalence of Multimorbidity in a Geographically Defined American Population. Mayo Clinic Proceedings, 2014, 89, 1336-1349.	1.4	193
16	Left atrial volume predicts cardiovascular events in patients originally diagnosed with lone atrial fibrillation: three-decade follow-up. European Heart Journal, 2005, 26, 2556-2561.	1.0	190
17	Risk of developing multimorbidity across all ages in an historical cohort study: differences by sex and ethnicity. BMJ Open, 2015, 5, e006413-e006413.	0.8	180
18	Oophorectomy, estrogen, and dementia: A 2014 update. Molecular and Cellular Endocrinology, 2014, 389, 7-12.	1.6	178

#	Article	IF	Citations
19	Accelerated Accumulation of Multimorbidity After Bilateral Oophorectomy: A Population-Based Cohort Study. Mayo Clinic Proceedings, 2016, 91, 1577-1589.	1.4	169
20	Incidence and classification of new-onset epilepsy and epilepsy syndromes in children in Olmsted County, Minnesota from 1980 to 2004: A population-based study. Epilepsy Research, 2011, 95, 110-118.	0.8	160
21	Premature menopause or early menopause and risk of ischemic stroke. Menopause, 2012, 19, 272-277.	0.8	146
22	Data Resource Profile: Expansion of the Rochester Epidemiology Project medical records-linkage system (E-REP). International Journal of Epidemiology, 2018, 47, 368-368j.	0.9	144
23	Incidence and Pathology of Synucleinopathies and Tauopathies Related to Parkinsonism. JAMA Neurology, 2013, 70, 859.	4.5	140
24	Long-term risk of depressive and anxiety symptoms after early bilateral oophorectomy. Menopause, 2008, 15, 1050-1059.	0.8	124
25	Anxious personality predicts an increased risk of Parkinson's disease. Movement Disorders, 2010, 25, 2105-2113.	2.2	117
26	Long-Term Effects of Bilateral Oophorectomy on Brain Aging: Unanswered Questions from the Mayo Clinic Cohort Study of Oophorectomy and Aging. Women's Health, 2009, 5, 39-48.	0.7	114
27	Education and occupations preceding Parkinson disease: A population-based case-control study. Neurology, 2005, 65, 1575-1583.	1.5	111
28	Pessimistic, Anxious, and Depressive Personality Traits Predict All-Cause Mortality: The Mayo Clinic Cohort Study of Personality and Aging. Psychosomatic Medicine, 2009, 71, 491-500.	1.3	100
29	C-Reactive Protein Is Related to Arterial Wave Reflection and Stiffness in Asymptomatic Subjects From the Community. American Journal of Hypertension, 2005, 18, 1123-1129.	1.0	91
30	Oophorectomy, Menopause, Estrogen, and Cognitive Aging: The Timing Hypothesis. Neurodegenerative Diseases, 2010, 7, 163-166.	0.8	91
31	Chemical exposures and Parkinson's disease: A population-based case–control study. Movement Disorders, 2006, 21, 1688-1692.	2.2	85
32	Anemia or low hemoglobin levels preceding Parkinson disease. Neurology, 2009, 73, 1381-1387.	1.5	85
33	Frailty Trajectories in an Elderly Populationâ€Based Cohort. Journal of the American Geriatrics Society, 2016, 64, 285-292.	1.3	82
34	Increased risk of essential tremor in first-degree relatives of patients with Parkinson's disease. Movement Disorders, 2007, 22, 1607-1614.	2.2	81
35	Hysterectomy, Oophorectomy, Estrogen, and the Risk of Dementia. Neurodegenerative Diseases, 2012, 10, 175-178.	0.8	81
36	Epilepsyâ€related mortality is low in children: A 30â€year populationâ€based study in Olmsted County, MN. Epilepsia, 2012, 53, 2164-2171.	2.6	81

#	Article	IF	CITATIONS
37	Comparison of Usefulness of Echocardiographic Doppler Variables to Left Ventricular End-Diastolic Pressure in Predicting Future Heart Failure Events. American Journal of Cardiology, 2006, 97, 866-871.	0.7	78
38	The Long-Term Effects of Oophorectomy on Cognitive and Motor Aging Are Age Dependent. Neurodegenerative Diseases, 2008, 5, 257-260.	0.8	73
39	Incidence and time trends of drug-induced parkinsonism: A 30-year population-based study. Movement Disorders, 2017, 32, 227-234.	2.2	71
40	Bilateral Oophorectomy and Accelerated Aging: Cause or Effect?. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 1213-1217.	1.7	68
41	Survival and Causes of Death Among People With Clinically Diagnosed Synucleinopathies With Parkinsonism. JAMA Neurology, 2017, 74, 839.	4.5	68
42	Long-term risk of depressive and anxiety symptoms after early bilateral oophorectomy. Menopause, 2018, 25, 1275-1285.	0.8	64
43	Parkinson disease with and without Dementia: A prevalence study and future projections. Movement Disorders, 2018, 33, 537-543.	2.2	63
44	Increased Mortality for Neurological and Mental Diseases following Early Bilateral Oophorectomy. Neuroepidemiology, 2009, 33, 32-40.	1.1	62
45	Increased Risk of Depressive and Anxiety Disorders in Relatives of Patients With Parkinson Disease. Archives of General Psychiatry, 2007, 64, 1385.	13.8	58
46	Prevalence of Sporadic Vestibular Schwannoma: Reconciling Temporal Bone, Radiologic, and Population-based Studies. Otology and Neurotology, 2019, 40, 384-390.	0.7	57
47	Risk factors for Parkinson's disease may differ in men and women: an exploratory study. Hormones and Behavior, 2013, 63, 308-314.	1.0	55
48	Metabolic markers or conditions preceding Parkinson's disease: A caseâ€control study. Movement Disorders, 2012, 27, 974-979.	2.2	49
49	Prevalence of Combined Somatic and Mental Health Multimorbidity: Patterns by Age, Sex, and Race/Ethnicity. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 1483-1491.	1.7	48
50	Risk of Cognitive Impairment or Dementia in Relatives of Patients With Parkinson Disease. Archives of Neurology, 2007, 64, 1458.	4.9	47
51	Clinical Trials Targeting Aging and Age-Related Multimorbidity. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, glw220.	1.7	41
52	Does where you live influence how your vestibular schwannoma is managed? Examining geographical differences in vestibular schwannoma treatment across the United States. Journal of Neuro-Oncology, 2016, 129, 269-279.	1.4	40
53	A populationâ€based study of longâ€ŧerm outcomes of cryptogenic focal epilepsy in childhood: <i>Cryptogenic</i> epilepsy is <i>probably</i> not <i>symptomatic</i> epilepsy. Epilepsia, 2011, 52, 738-745.	2.6	38
54	Relationship between body mass index and the incidence of inguinal hernia repairs: a population-based study in Olmsted County, MN. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2014, 18, 283-288.	0.9	38

#	Article	IF	CITATIONS
55	Association of Depression and Anxiety With the Accumulation of Chronic Conditions. JAMA Network Open, 2022, 5, e229817.	2.8	36
56	Loss of Ovarian Hormones and Accelerated Somatic and Mental Aging. Physiology, 2018, 33, 374-383.	1.6	35
57	Mortality in patients with Parkinson's disease treated by stimulation of the subthalamic nucleus. Movement Disorders, 2007, 22, 257-261.	2.2	33
58	Rising Incidence of Sporadic Vestibular Schwannoma: True Biological Shift Versus Simply Greater Detection. Otology and Neurotology, 2020, 41, 813-847.	0.7	33
59	Risk of glaucoma after early bilateral oophorectomy. Menopause, 2014, 21, 391-398.	0.8	32
60	Novel Use of Kaplan–Meier Methods to Explain Age and Gender Differences in Hypertension Control Rates. Hypertension, 2008, 51, 841-847.	1.3	31
61	CKD in Patients with Bilateral Oophorectomy. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1649-1658.	2.2	31
62	Cohort profile: the Mayo Clinic Cohort Study of Oophorectomy and Aging-2 (MOA-2) in Olmsted County, Minnesota (USA). BMJ Open, 2017, 7, e018861.	0.8	30
63	Novelty seeking and introversion do not predict the long-term risk of Parkinson disease. Neurology, 2010, 75, 349-357.	1.5	29
64	The Impact of Observer and Patient Factors on the Occurrence of Digit Preference for Zero in Blood Pressure Measurement in a Hypertension Specialty Clinic: Evidence for the Need of Continued Observation. American Journal of Hypertension, 2006, 19, 567-572.	1.0	25
65	Completion of the Human Papillomavirus Vaccination Series Lags in Somali Adolescents. Journal of Lower Genital Tract Disease, 2013, 17, 280-288.	0.9	22
66	Adverse childhood or adult experiences and risk of bilateral oophorectomy: a population-based case–control study. BMJ Open, 2017, 7, e016045.	0.8	21
67	A Single Dose of Neuron-Binding Human Monoclonal Antibody Improves Spontaneous Activity in a Murine Model of Demyelination. PLoS ONE, 2011, 6, e26001.	1.1	20
68	Rochester Epidemiology Project Data Exploration Portal. Preventing Chronic Disease, 2018, 15, E42.	1.7	19
69	Implementing the US Department of Health and Human Services definition of multimorbidity: a comparison between billing codes and medical record review in a population-based sample of persons 40 <b>–</b> 84 years old. BMJ Open, 2021, 11, e042870.	0.8	18
70	Incidence, time trends, laterality, indications, and pathological findings of unilateral oophorectomy before menopause. Menopause, 2014, 21, 442-449.	0.8	17
71	The trained observer better predicts daytime ABPM diastolic blood pressure in hypertensive patients than does an automated (Omron) device. Blood Pressure Monitoring, 2006, 11, 53-58.	0.4	15
72	IS IMPROVED DETECTION OF VESTIBULAR SCHWANNOMA LEADING TO OVERTREATMENT OF THE DISEASE?. Otology and Neurotology, 2019, 40, 847-850.	0.7	15

#	Article	IF	Citations
73	Multimorbidity, ageing and mortality: normative data and cohort study in an American population. BMJ Open, 2021, 11, e042633.	0.8	15
74	The Rise and Fall of Otosclerosis: A Population-based Study of Disease Incidence Spanning 70 Years. Otology and Neurotology, 2020, 41, e1082-e1090.	0.7	14
75	Linking medical and dental health record data: a partnership with the Rochester Epidemiology Project. BMJ Open, 2017, 7, e012528.	0.8	13
76	Frequency and predictors of the potential overprescribing of antidepressants in elderly residents of a geographically defined U.S. population. Pharmacology Research and Perspectives, 2019, 7, e00461.	1.1	13
77	Number of children and risk of Parkinson's disease. Movement Disorders, 2007, 22, 632-639.	2.2	12
78	The occurrence of the alerting response is independent of the method of blood pressure measurement in hypertensive patients. Blood Pressure Monitoring, 2006, 11, 321-327.	0.4	10
79	Discarding the first of three nurse-auscultatory or oscillometric blood pressure measurements does not improve the association of office blood pressure with ABPM. Blood Pressure Monitoring, 2010, 15, 146-151.	0.4	10
80	Personal, reproductive, and familial characteristics associated with bilateral oophorectomy in premenopausal women: A population-based case-control study. Maturitas, 2018, 117, 64-77.	1.0	10
81	Mental health conditions diagnosed before bilateral oophorectomy: a population-based case-control study. Menopause, 2019, 26, 1395-1404.	0.8	9
82	ANEMIA OR LOW HEMOGLOBIN LEVELS PRECEDING PARKINSON DISEASE: A CASE-CONTROL STUDY. Neurology, 2010, 74, 1655-1656.	1.5	8
83	The Mayo Clinic Cohort Study of Personality and Aging: Design and Sampling, Reliability and Validity of Instruments, and Baseline Description. Neuroepidemiology, 2006, 26, 119-129.	1.1	7
84	Prevalence of and indications for antipsychotic use in Parkinson's disease. Movement Disorders, 2018, 33, 325-328.	2.2	7
85	Pregnancy, Estrogen Exposure, and the Development of Otosclerosis: A Caseâ€Control Study of 1196 Women. Otolaryngology - Head and Neck Surgery, 2021, 164, 1294-1298.	1.1	7
86	Vestibular schwannoma and pituitary adenoma in the same patient: coincidence or novel clinical association?. Journal of Neuro-Oncology, 2016, 128, 101-108.	1.4	4
87	Clinical failure of botulinum toxin A in movement disorders. Parkinsonism and Related Disorders, 2012, 18, 73-75.	1.1	3
88	The trained observer better predicts daytime ambulatory blood pressure measurement diastolic blood pressure in hypertensive patients than does an automated (Omron)device. Blood Pressure Monitoring, 2007, 12, 57-59.	0.4	1
89	Bell's palsy preceding Parkinson's disease: A caseâ€control study. Movement Disorders, 2009, 24, 1530-1533.	2.2	1
90	Trends in the Incidence of Parkinson Diseaseâ€"Reply. JAMA Neurology, 2016, 73, 1498.	4.5	1

#	Article	IF	CITATIONS
91	Response to Letter by Friedman on "Incidence and time trends of drugâ€induced parkinsonism: A 30â€year populationâ€based study― Movement Disorders, 2017, 32, 1111-1112.	2.2	0
92	Abstract 3265: A Comparison of Echocardiographic and Electrocardiographic Characteristics of Patients with Apical Hypertrophic Cardiomyopathy. Circulation, 2007, $116$ , .	1.6	0
93	How Common Is Vestibular Schwannoma, Really? Reconciling Temporal Bone, Radiologic, and Population-Based Studies., 2019, 80,.		0