

# Brandon R Grossardt

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1011263/brandon-r-grossardt-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91  
papers

7,987  
citations

43  
h-index

89  
g-index

93  
ext. papers

9,319  
ext. citations

5.5  
avg, IF

5.93  
L-index

#	Paper	IF	Citations
91	History of the Rochester Epidemiology Project: half a century of medical records linkage in a US population. <i>Mayo Clinic Proceedings</i> , <b>2012</b> , 87, 1202-13	6.4	567
90	Increased risk of cognitive impairment or dementia in women who underwent oophorectomy before menopause. <i>Neurology</i> , <b>2007</b> , 69, 1074-83	6.5	541
89	Use of a medical records linkage system to enumerate a dynamic population over time: the Rochester epidemiology project. <i>American Journal of Epidemiology</i> , <b>2011</b> , 173, 1059-68	3.8	476
88	Generalizability of epidemiological findings and public health decisions: an illustration from the Rochester Epidemiology Project. <i>Mayo Clinic Proceedings</i> , <b>2012</b> , 87, 151-60	6.4	456
87	Premature menopause or early menopause: long-term health consequences. <i>Maturitas</i> , <b>2010</b> , 65, 161-6	5	453
86	Data resource profile: the Rochester Epidemiology Project (REP) medical records-linkage system. <i>International Journal of Epidemiology</i> , <b>2012</b> , 41, 1614-24	7.8	421
85	Survival patterns after oophorectomy in premenopausal women: a population-based cohort study. <i>Lancet Oncology</i> , <b>2006</b> , 7, 821-8	21.7	398
84	Increased cardiovascular mortality after early bilateral oophorectomy. <i>Menopause</i> , <b>2009</b> , 16, 15-23	2.5	302
83	Medical records documentation of constipation preceding Parkinson disease: A case-control study. <i>Neurology</i> , <b>2009</b> , 73, 1752-8	6.5	260
82	Increased risk of parkinsonism in women who underwent oophorectomy before menopause. <i>Neurology</i> , <b>2008</b> , 70, 200-9	6.5	230
81	Incidence of dementia with Lewy bodies and Parkinson disease dementia. <i>JAMA Neurology</i> , <b>2013</b> , 70, 1396-402	17.2	185
80	Oophorectomy, menopause, estrogen treatment, and cognitive aging: clinical evidence for a window of opportunity. <i>Brain Research</i> , <b>2011</b> , 1379, 188-98	3.7	185
79	Prophylactic oophorectomy in premenopausal women and long-term health. <i>Menopause International</i> , <b>2008</b> , 14, 111-6		166
78	Left atrial volume predicts cardiovascular events in patients originally diagnosed with lone atrial fibrillation: three-decade follow-up. <i>European Heart Journal</i> , <b>2005</b> , 26, 2556-61	9.5	164
77	Prevalence of multimorbidity in a geographically defined American population: patterns by age, sex, and race/ethnicity. <i>Mayo Clinic Proceedings</i> , <b>2014</b> , 89, 1336-49	6.4	151
76	Time Trends in the Incidence of Parkinson Disease. <i>JAMA Neurology</i> , <b>2016</b> , 73, 981-9	17.2	134
75	Oophorectomy, estrogen, and dementia: a 2014 update. <i>Molecular and Cellular Endocrinology</i> , <b>2014</b> , 389, 7-12	4.4	131

74	Risk of developing multimorbidity across all ages in an historical cohort study: differences by sex and ethnicity. <i>BMJ Open</i> , <b>2015</b> , 5, e006413	3	122
73	Incidence and classification of new-onset epilepsy and epilepsy syndromes in children in Olmsted County, Minnesota from 1980 to 2004: a population-based study. <i>Epilepsy Research</i> , <b>2011</b> , 95, 110-8	3	115
72	Premature menopause or early menopause and risk of ischemic stroke. <i>Menopause</i> , <b>2012</b> , 19, 272-7	2.5	114
71	Accelerated Accumulation of Multimorbidity After Bilateral Oophorectomy: A Population-Based Cohort Study. <i>Mayo Clinic Proceedings</i> , <b>2016</b> , 91, 1577-1589	6.4	113
70	Long-term risk of depressive and anxiety symptoms after early bilateral oophorectomy. <i>Menopause</i> , <b>2008</b> , 15, 1050-9	2.5	111
69	Incidence and pathology of synucleinopathies and tauopathies related to parkinsonism. <i>JAMA Neurology</i> , <b>2013</b> , 70, 859-66	17.2	103
68	Anxious personality predicts an increased risk of Parkinson's disease. <i>Movement Disorders</i> , <b>2010</b> , 25, 2105-13		98
67	Education and occupations preceding Parkinson disease: a population-based case-control study. <i>Neurology</i> , <b>2005</b> , 65, 1575-83	6.5	93
66	Long-term effects of bilateral oophorectomy on brain aging: unanswered questions from the Mayo Clinic Cohort Study of Oophorectomy and Aging. <i>Women's Health</i> , <b>2009</b> , 5, 39-48	3	91
65	C-reactive protein is related to arterial wave reflection and stiffness in asymptomatic subjects from the community. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 1123-9	2.3	86
64	Oophorectomy, menopause, estrogen, and cognitive aging: the timing hypothesis. <i>Neurodegenerative Diseases</i> , <b>2010</b> , 7, 163-6	2.3	83
63	Pessimistic, anxious, and depressive personality traits predict all-cause mortality: the Mayo Clinic cohort study of personality and aging. <i>Psychosomatic Medicine</i> , <b>2009</b> , 71, 491-500	3.7	80
62	Chemical exposures and Parkinson's disease: a population-based case-control study. <i>Movement Disorders</i> , <b>2006</b> , 21, 1688-92	7	72
61	Increased risk of essential tremor in first-degree relatives of patients with Parkinson's disease. <i>Movement Disorders</i> , <b>2007</b> , 22, 1607-14	7	69
60	Comparison of usefulness of echocardiographic Doppler variables to left ventricular end-diastolic pressure in predicting future heart failure events. <i>American Journal of Cardiology</i> , <b>2006</b> , 97, 866-71	3	68
59	Data Resource Profile: Expansion of the Rochester Epidemiology Project medical records-linkage system (E-REP). <i>International Journal of Epidemiology</i> , <b>2018</b> , 47, 368-368j	7.8	67
58	Epilepsy-related mortality is low in children: a 30-year population-based study in Olmsted County, MN. <i>Epilepsia</i> , <b>2012</b> , 53, 2164-71	6.4	67
57	Anemia or low hemoglobin levels preceding Parkinson disease: a case-control study. <i>Neurology</i> , <b>2009</b> , 73, 1381-7	6.5	65

56	Hysterectomy, oophorectomy, estrogen, and the risk of dementia. <i>Neurodegenerative Diseases</i> , <b>2012</b> , 10, 175-8	2.3	62
55	The long-term effects of oophorectomy on cognitive and motor aging are age dependent. <i>Neurodegenerative Diseases</i> , <b>2008</b> , 5, 257-60	2.3	56
54	Increased mortality for neurological and mental diseases following early bilateral oophorectomy. <i>Neuroepidemiology</i> , <b>2009</b> , 33, 32-40	5.4	55
53	Incidence and time trends of drug-induced parkinsonism: A 30-year population-based study. <i>Movement Disorders</i> , <b>2017</b> , 32, 227-234	7	54
52	Increased risk of depressive and anxiety disorders in relatives of patients with Parkinson disease. <i>Archives of General Psychiatry</i> , <b>2007</b> , 64, 1385-92		54
51	Bilateral Oophorectomy and Accelerated Aging: Cause or Effect?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2017</b> , 72, 1213-1217	6.4	50
50	Frailty Trajectories in an Elderly Population-Based Cohort. <i>Journal of the American Geriatrics Society</i> , <b>2016</b> , 64, 285-92	5.6	49
49	Survival and Causes of Death Among People With Clinically Diagnosed Synucleinopathies With Parkinsonism: A Population-Based Study. <i>JAMA Neurology</i> , <b>2017</b> , 74, 839-846	17.2	46
48	Risk factors for Parkinson's disease may differ in men and women: an exploratory study. <i>Hormones and Behavior</i> , <b>2013</b> , 63, 308-14	3.7	40
47	Parkinson disease with and without Dementia: A prevalence study and future projections. <i>Movement Disorders</i> , <b>2018</b> , 33, 537-543	7	38
46	Prevalence of Sporadic Vestibular Schwannoma: Reconciling Temporal Bone, Radiologic, and Population-based Studies. <i>Otology and Neurotology</i> , <b>2019</b> , 40, 384-390	2.6	37
45	Risk of cognitive impairment or dementia in relatives of patients with Parkinson disease. <i>Archives of Neurology</i> , <b>2007</b> , 64, 1458-64		32
44	A population-based study of long-term outcomes of cryptogenic focal epilepsy in childhood: cryptogenic epilepsy is probably not symptomatic epilepsy. <i>Epilepsia</i> , <b>2011</b> , 52, 738-45	6.4	31
43	Metabolic markers or conditions preceding Parkinson's disease: a case-control study. <i>Movement Disorders</i> , <b>2012</b> , 27, 974-9	7	30
42	Prevalence of Combined Somatic and Mental Health Multimorbidity: Patterns by Age, Sex, and Race/Ethnicity. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2016</b> , 71, 1483-1491	6.4	30
41	Does where you live influence how your vestibular schwannoma is managed? Examining geographical differences in vestibular schwannoma treatment across the United States. <i>Journal of Neuro-Oncology</i> , <b>2016</b> , 129, 269-79	4.8	29
40	Relationship between body mass index and the incidence of inguinal hernia repairs: a population-based study in Olmsted County, MN. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , <b>2014</b> , 18, 283-8	3.2	28
39	Mortality in patients with Parkinson's disease treated by stimulation of the subthalamic nucleus. <i>Movement Disorders</i> , <b>2007</b> , 22, 257-61	7	27

38	Clinical Trials Targeting Aging and Age-Related Multimorbidity. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2017</b> , 72, 355-361	6.4	26
37	Novel use of Kaplan-Meier methods to explain age and gender differences in hypertension control rates. <i>Hypertension</i> , <b>2008</b> , 51, 841-7	8.5	26
36	Risk of glaucoma after early bilateral oophorectomy. <i>Menopause</i> , <b>2014</b> , 21, 391-8	2.5	23
35	Novelty seeking and introversion do not predict the long-term risk of Parkinson disease. <i>Neurology</i> , <b>2010</b> , 75, 349-57	6.5	23
34	Cohort profile: the Mayo Clinic Cohort Study of Oophorectomy and Aging-2 (MOA-2) in Olmsted County, Minnesota (USA). <i>BMJ Open</i> , <b>2017</b> , 7, e018861	3	22
33	The impact of observer and patient factors on the occurrence of digit preference for zero in blood pressure measurement in a hypertension specialty clinic: evidence for the need of continued observation. <i>American Journal of Hypertension</i> , <b>2006</b> , 19, 567-72	2.3	21
32	Loss of Ovarian Hormones and Accelerated Somatic and Mental Aging. <i>Physiology</i> , <b>2018</b> , 33, 374-383	9.8	21
31	A single dose of neuron-binding human monoclonal antibody improves spontaneous activity in a murine model of demyelination. <i>PLoS ONE</i> , <b>2011</b> , 6, e26001	3.7	19
30	CKD in Patients with Bilateral Oophorectomy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2018</b> , 13, 1649-1658	6.9	18
29	Rising Incidence of Sporadic Vestibular Schwannoma: True Biological Shift Versus Simply Greater Detection. <i>Otology and Neurotology</i> , <b>2020</b> , 41, 813-847	2.6	16
28	Completion of the human papillomavirus vaccination series lags in Somali adolescents. <i>Journal of Lower Genital Tract Disease</i> , <b>2013</b> , 17, 280-8	3.6	14
27	Adverse childhood or adult experiences and risk of bilateral oophorectomy: a population-based case-control study. <i>BMJ Open</i> , <b>2017</b> , 7, e016045	3	13
26	Incidence, time trends, laterality, indications, and pathological findings of unilateral oophorectomy before menopause. <i>Menopause</i> , <b>2014</b> , 21, 442-9	2.5	13
25	The trained observer better predicts daytime ABPM diastolic blood pressure in hypertensive patients than does an automated (Omron) device. <i>Blood Pressure Monitoring</i> , <b>2006</b> , 11, 53-8	1.3	13
24	Rochester Epidemiology Project Data Exploration Portal. <i>Preventing Chronic Disease</i> , <b>2018</b> , 15, E42	3.7	12
23	Long-term risk of depressive and anxiety symptoms after early bilateral oophorectomy. <i>Menopause</i> , <b>2018</b> , 25, 1275-1285	2.5	12
22	Linking medical and dental health record data: a partnership with the Rochester Epidemiology Project. <i>BMJ Open</i> , <b>2017</b> , 7, e012528	3	10
21	Number of children and risk of Parkinson's disease. <i>Movement Disorders</i> , <b>2007</b> , 22, 632-9	7	10

20	Anemia or low hemoglobin levels preceding Parkinson disease: a case-control study. <i>Neurology</i> , <b>2010</b> , 74, 1655; author reply 1655-6	6.5	8
19	Discarding the first of three nurse-auscultatory or oscillometric blood pressure measurements does not improve the association of office blood pressure with ABPM. <i>Blood Pressure Monitoring</i> , <b>2010</b> , 15, 146-51	1.3	8
18	The occurrence of the alerting response is independent of the method of blood pressure measurement in hypertensive patients. <i>Blood Pressure Monitoring</i> , <b>2006</b> , 11, 321-7	1.3	8
17	IS IMPROVED DETECTION OF VESTIBULAR SCHWANNOMA LEADING TO OVERTREATMENT OF THE DISEASE?. <i>Otology and Neurotology</i> , <b>2019</b> , 40, 847-850	2.6	8
16	Personal, reproductive, and familial characteristics associated with bilateral oophorectomy in premenopausal women: A population-based case-control study. <i>Maturitas</i> , <b>2018</b> , 117, 64-77	5	8
15	The Mayo Clinic cohort study of personality and aging: design and sampling, reliability and validity of instruments, and baseline description. <i>Neuroepidemiology</i> , <b>2006</b> , 26, 119-29	5.4	7
14	Frequency and predictors of the potential overprescribing of antidepressants in elderly residents of a geographically defined U.S. population. <i>Pharmacology Research and Perspectives</i> , <b>2019</b> , 7, e00461	3.1	7
13	The Rise and Fall of Otosclerosis: A Population-based Study of Disease Incidence Spanning 70 Years. <i>Otology and Neurotology</i> , <b>2020</b> , 41, e1082-e1090	2.6	6
12	Multimorbidity, ageing and mortality: normative data and cohort study in an American population. <i>BMJ Open</i> , <b>2021</b> , 11, e042633	3	5
11	Implementing the US Department of Health and Human Services definition of multimorbidity: a comparison between billing codes and medical record review in a population-based sample of persons 40-84 years old. <i>BMJ Open</i> , <b>2021</b> , 11, e042870	3	5
10	Mental health conditions diagnosed before bilateral oophorectomy: a population-based case-control study. <i>Menopause</i> , <b>2019</b> , 26, 1395-1404	2.5	5
9	Association of Depression and Anxiety With the Accumulation of Chronic Conditions.. <i>JAMA Network Open</i> , <b>2022</b> , 5, e229817	10.4	5
8	Pregnancy, Estrogen Exposure, and the Development of Otosclerosis: A Case-Control Study of 1196 Women. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2021</b> , 164, 1294-1298	5.5	4
7	Clinical failure of botulinum toxin A in movement disorders. <i>Parkinsonism and Related Disorders</i> , <b>2012</b> , 18, 73-5	3.6	3
6	Prevalence of and indications for antipsychotic use in Parkinson's disease. <i>Movement Disorders</i> , <b>2018</b> , 33, 325-328	7	1
5	Bell's palsy preceding Parkinson's disease: a case-control study. <i>Movement Disorders</i> , <b>2009</b> , 24, 1530-3	7	1
4	The trained observer better predicts daytime ambulatory blood pressure measurement diastolic blood pressure in hypertensive patients than does an automated (Omron) device. <i>Blood Pressure Monitoring</i> , <b>2007</b> , 12, 57; author reply 57-9	1.3	1
3	Trends in the Incidence of Parkinson Disease-Reply. <i>JAMA Neurology</i> , <b>2016</b> , 73, 1498-1499	17.2	0

- |   |   |     |   |
|---|---|-----|---|
| 2 | Vestibular schwannoma and pituitary adenoma in the same patient: coincidence or novel clinical association?. <i>Journal of Neuro-Oncology</i> , <b>2016</b> , 128, 101-108            | 4.8 | o |
| 1 | Response to Letter by Friedman on "Incidence and time trends of drug-induced parkinsonism: A 30-year population-based study". <i>Movement Disorders</i> , <b>2017</b> , 32, 1111-1112 | 7   |   |