

Brandon R Grossardt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1011263/brandon-r-grossardt-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

7,987
citations

43
h-index

89
g-index

93
ext. papers

9,319
ext. citations

5.5
avg, IF

5.93
L-index

#	Paper	IF	Citations
91	Association of Depression and Anxiety With the Accumulation of Chronic Conditions.. <i>JAMA Network Open</i> , 2022 , 5, e229817	10.4	5
90	Multimorbidity, ageing and mortality: normative data and cohort study in an American population. <i>BMJ Open</i> , 2021 , 11, e042633	3	5
89	Implementing the US Department of Health and Human Services definition of multimorbidity: a comparison between billing codes and medical record review in a population-based sample of persons 4084 years old. <i>BMJ Open</i> , 2021 , 11, e042870	3	5
88	Pregnancy, Estrogen Exposure, and the Development of Otosclerosis: A Case-Control Study of 1196 Women. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 164, 1294-1298	5.5	4
87	The Rise and Fall of Otosclerosis: A Population-based Study of Disease Incidence Spanning 70 Years. <i>Otology and Neurotology</i> , 2020 , 41, e1082-e1090	2.6	6
86	Rising Incidence of Sporadic Vestibular Schwannoma: True Biological Shift Versus Simply Greater Detection. <i>Otology and Neurotology</i> , 2020 , 41, 813-847	2.6	16
85	Frequency and predictors of the potential overprescribing of antidepressants in elderly residents of a geographically defined U.S. population. <i>Pharmacology Research and Perspectives</i> , 2019 , 7, e00461	3.1	7
84	Prevalence of Sporadic Vestibular Schwannoma: Reconciling Temporal Bone, Radiologic, and Population-based Studies. <i>Otology and Neurotology</i> , 2019 , 40, 384-390	2.6	37
83	IS IMPROVED DETECTION OF VESTIBULAR SCHWANNOMA LEADING TO OVERTREATMENT OF THE DISEASE?. <i>Otology and Neurotology</i> , 2019 , 40, 847-850	2.6	8
82	Mental health conditions diagnosed before bilateral oophorectomy: a population-based case-control study. <i>Menopause</i> , 2019 , 26, 1395-1404	2.5	5
81	Data Resource Profile: Expansion of the Rochester Epidemiology Project medical records-linkage system (E-REP). <i>International Journal of Epidemiology</i> , 2018 , 47, 368-368j	7.8	67
80	Parkinson disease with and without Dementia: A prevalence study and future projections. <i>Movement Disorders</i> , 2018 , 33, 537-543	7	38
79	Prevalence of and indications for antipsychotic use in Parkinson's disease. <i>Movement Disorders</i> , 2018 , 33, 325-328	7	1
78	Rochester Epidemiology Project Data Exploration Portal. <i>Preventing Chronic Disease</i> , 2018 , 15, E42	3.7	12
77	Long-term risk of depressive and anxiety symptoms after early bilateral oophorectomy. <i>Menopause</i> , 2018 , 25, 1275-1285	2.5	12
76	CKD in Patients with Bilateral Oophorectomy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 1649-1658	6.9	18
75	Personal, reproductive, and familial characteristics associated with bilateral oophorectomy in premenopausal women: A population-based case-control study. <i>Maturitas</i> , 2018 , 117, 64-77	5	8

74	Loss of Ovarian Hormones and Accelerated Somatic and Mental Aging. <i>Physiology</i> , 2018 , 33, 374-383	9.8	21
73	Bilateral Oophorectomy and Accelerated Aging: Cause or Effect?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 1213-1217	6.4	50
72	Survival and Causes of Death Among People With Clinically Diagnosed Synucleinopathies With Parkinsonism: A Population-Based Study. <i>JAMA Neurology</i> , 2017 , 74, 839-846	17.2	46
71	Linking medical and dental health record data: a partnership with the Rochester Epidemiology Project. <i>BMJ Open</i> , 2017 , 7, e012528	3	10
70	Response to Letter by Friedman on "Incidence and time trends of drug-induced parkinsonism: A 30-year population-based study". <i>Movement Disorders</i> , 2017 , 32, 1111-1112	7	
69	Clinical Trials Targeting Aging and Age-Related Multimorbidity. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 355-361	6.4	26
68	Adverse childhood or adult experiences and risk of bilateral oophorectomy: a population-based case-control study. <i>BMJ Open</i> , 2017 , 7, e016045	3	13
67	Incidence and time trends of drug-induced parkinsonism: A 30-year population-based study. <i>Movement Disorders</i> , 2017 , 32, 227-234	7	54
66	Cohort profile: the Mayo Clinic Cohort Study of Oophorectomy and Aging-2 (MOA-2) in Olmsted County, Minnesota (USA). <i>BMJ Open</i> , 2017 , 7, e018861	3	22
65	Trends in the Incidence of Parkinson Disease-Reply. <i>JAMA Neurology</i> , 2016 , 73, 1498-1499	17.2	0
64	Time Trends in the Incidence of Parkinson Disease. <i>JAMA Neurology</i> , 2016 , 73, 981-9	17.2	134
63	Does where you live influence how your vestibular schwannoma is managed? Examining geographical differences in vestibular schwannoma treatment across the United States. <i>Journal of Neuro-Oncology</i> , 2016 , 129, 269-79	4.8	29
62	Vestibular schwannoma and pituitary adenoma in the same patient: coincidence or novel clinical association?. <i>Journal of Neuro-Oncology</i> , 2016 , 128, 101-108	4.8	0
61	Frailty Trajectories in an Elderly Population-Based Cohort. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 285-92	5.6	49
60	Prevalence of Combined Somatic and Mental Health Multimorbidity: Patterns by Age, Sex, and Race/Ethnicity. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 1483-1491	6.4	30
59	Accelerated Accumulation of Multimorbidity After Bilateral Oophorectomy: A Population-Based Cohort Study. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 1577-1589	6.4	113
58	Risk of developing multimorbidity across all ages in an historical cohort study: differences by sex and ethnicity. <i>BMJ Open</i> , 2015 , 5, e006413	3	122
57	Prevalence of multimorbidity in a geographically defined American population: patterns by age, sex, and race/ethnicity. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 1336-49	6.4	151

56	Relationship between body mass index and the incidence of inguinal hernia repairs: a population-based study in Olmsted County, MN. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2014 , 18, 283-8	3.2	28
55	Oophorectomy, estrogen, and dementia: a 2014 update. <i>Molecular and Cellular Endocrinology</i> , 2014 , 389, 7-12	4.4	131
54	Incidence, time trends, laterality, indications, and pathological findings of unilateral oophorectomy before menopause. <i>Menopause</i> , 2014 , 21, 442-9	2.5	13
53	Risk of glaucoma after early bilateral oophorectomy. <i>Menopause</i> , 2014 , 21, 391-8	2.5	23
52	Incidence and pathology of synucleinopathies and tauopathies related to parkinsonism. <i>JAMA Neurology</i> , 2013 , 70, 859-66	17.2	103
51	Risk factors for Parkinson's disease may differ in men and women: an exploratory study. <i>Hormones and Behavior</i> , 2013 , 63, 308-14	3.7	40
50	Completion of the human papillomavirus vaccination series lags in Somali adolescents. <i>Journal of Lower Genital Tract Disease</i> , 2013 , 17, 280-8	3.6	14
49	Incidence of dementia with Lewy bodies and Parkinson disease dementia. <i>JAMA Neurology</i> , 2013 , 70, 1396-402	17.2	185
48	Clinical failure of botulinum toxin A in movement disorders. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 73-5	3.6	3
47	Epilepsy-related mortality is low in children: a 30-year population-based study in Olmsted County, MN. <i>Epilepsia</i> , 2012 , 53, 2164-71	6.4	67
46	History of the Rochester Epidemiology Project: half a century of medical records linkage in a US population. <i>Mayo Clinic Proceedings</i> , 2012 , 87, 1202-13	6.4	567
45	Generalizability of epidemiological findings and public health decisions: an illustration from the Rochester Epidemiology Project. <i>Mayo Clinic Proceedings</i> , 2012 , 87, 151-60	6.4	456
44	Metabolic markers or conditions preceding Parkinson's disease: a case-control study. <i>Movement Disorders</i> , 2012 , 27, 974-9	7	30
43	Data resource profile: the Rochester Epidemiology Project (REP) medical records-linkage system. <i>International Journal of Epidemiology</i> , 2012 , 41, 1614-24	7.8	421
42	Hysterectomy, oophorectomy, estrogen, and the risk of dementia. <i>Neurodegenerative Diseases</i> , 2012 , 10, 175-8	2.3	62
41	Premature menopause or early menopause and risk of ischemic stroke. <i>Menopause</i> , 2012 , 19, 272-7	2.5	114
40	A single dose of neuron-binding human monoclonal antibody improves spontaneous activity in a murine model of demyelination. <i>PLoS ONE</i> , 2011 , 6, e26001	3.7	19
39	A population-based study of long-term outcomes of cryptogenic focal epilepsy in childhood: cryptogenic epilepsy is probably not symptomatic epilepsy. <i>Epilepsia</i> , 2011 , 52, 738-45	6.4	31

38	Oophorectomy, menopause, estrogen treatment, and cognitive aging: clinical evidence for a window of opportunity. <i>Brain Research</i> , 2011 , 1379, 188-98	3.7	185
37	Incidence and classification of new-onset epilepsy and epilepsy syndromes in children in Olmsted County, Minnesota from 1980 to 2004: a population-based study. <i>Epilepsy Research</i> , 2011 , 95, 110-8	3	115
36	Use of a medical records linkage system to enumerate a dynamic population over time: the Rochester epidemiology project. <i>American Journal of Epidemiology</i> , 2011 , 173, 1059-68	3.8	476
35	Anemia or low hemoglobin levels preceding Parkinson disease: a case-control study. <i>Neurology</i> , 2010 , 74, 1655; author reply 1655-6	6.5	8
34	Novelty seeking and introversion do not predict the long-term risk of Parkinson disease. <i>Neurology</i> , 2010 , 75, 349-57	6.5	23
33	Oophorectomy, menopause, estrogen, and cognitive aging: the timing hypothesis. <i>Neurodegenerative Diseases</i> , 2010 , 7, 163-6	2.3	83
32	Premature menopause or early menopause: long-term health consequences. <i>Maturitas</i> , 2010 , 65, 161-6	5	453
31	Discarding the first of three nurse-auscultatory or oscillometric blood pressure measurements does not improve the association of office blood pressure with ABPM. <i>Blood Pressure Monitoring</i> , 2010 , 15, 146-51	1.3	8
30	Anxious personality predicts an increased risk of Parkinson's disease. <i>Movement Disorders</i> , 2010 , 25, 2105-13	5	98
29	Increased mortality for neurological and mental diseases following early bilateral oophorectomy. <i>Neuroepidemiology</i> , 2009 , 33, 32-40	5.4	55
28	Long-term effects of bilateral oophorectomy on brain aging: unanswered questions from the Mayo Clinic Cohort Study of Oophorectomy and Aging. <i>Women's Health</i> , 2009 , 5, 39-48	3	91
27	Anemia or low hemoglobin levels preceding Parkinson disease: a case-control study. <i>Neurology</i> , 2009 , 73, 1381-7	6.5	65
26	Medical records documentation of constipation preceding Parkinson disease: A case-control study. <i>Neurology</i> , 2009 , 73, 1752-8	6.5	260
25	Bell's palsy preceding Parkinson's disease: a case-control study. <i>Movement Disorders</i> , 2009 , 24, 1530-3	7	1
24	Pessimistic, anxious, and depressive personality traits predict all-cause mortality: the Mayo Clinic cohort study of personality and aging. <i>Psychosomatic Medicine</i> , 2009 , 71, 491-500	3.7	80
23	Increased cardiovascular mortality after early bilateral oophorectomy. <i>Menopause</i> , 2009 , 16, 15-23	2.5	302
22	The long-term effects of oophorectomy on cognitive and motor aging are age dependent. <i>Neurodegenerative Diseases</i> , 2008 , 5, 257-60	2.3	56
21	Prophylactic oophorectomy in premenopausal women and long-term health. <i>Menopause International</i> , 2008 , 14, 111-6		166

20	Increased risk of parkinsonism in women who underwent oophorectomy before menopause. <i>Neurology</i> , 2008 , 70, 200-9	6.5	230
19	Novel use of Kaplan-Meier methods to explain age and gender differences in hypertension control rates. <i>Hypertension</i> , 2008 , 51, 841-7	8.5	26
18	Long-term risk of depressive and anxiety symptoms after early bilateral oophorectomy. <i>Menopause</i> , 2008 , 15, 1050-9	2.5	111
17	Mortality in patients with Parkinson's disease treated by stimulation of the subthalamic nucleus. <i>Movement Disorders</i> , 2007 , 22, 257-61	7	27
16	Number of children and risk of Parkinson's disease. <i>Movement Disorders</i> , 2007 , 22, 632-9	7	10
15	Increased risk of essential tremor in first-degree relatives of patients with Parkinson's disease. <i>Movement Disorders</i> , 2007 , 22, 1607-14	7	69
14	Increased risk of cognitive impairment or dementia in women who underwent oophorectomy before menopause. <i>Neurology</i> , 2007 , 69, 1074-83	6.5	541
13	Risk of cognitive impairment or dementia in relatives of patients with Parkinson disease. <i>Archives of Neurology</i> , 2007 , 64, 1458-64		32
12	Increased risk of depressive and anxiety disorders in relatives of patients with Parkinson disease. <i>Archives of General Psychiatry</i> , 2007 , 64, 1385-92		54
11	The trained observer better predicts daytime ambulatory blood pressure measurement diastolic blood pressure in hypertensive patients than does an automated (Omron) device. <i>Blood Pressure Monitoring</i> , 2007 , 12, 57; author reply 57-9	1.3	1
10	Comparison of usefulness of echocardiographic Doppler variables to left ventricular end-diastolic pressure in predicting future heart failure events. <i>American Journal of Cardiology</i> , 2006 , 97, 866-71	3	68
9	Chemical exposures and Parkinson's disease: a population-based case-control study. <i>Movement Disorders</i> , 2006 , 21, 1688-92	7	72
8	The Mayo Clinic cohort study of personality and aging: design and sampling, reliability and validity of instruments, and baseline description. <i>Neuroepidemiology</i> , 2006 , 26, 119-29	5.4	7
7	Survival patterns after oophorectomy in premenopausal women: a population-based cohort study. <i>Lancet Oncology</i> , 2006 , 7, 821-8	21.7	398
6	The impact of observer and patient factors on the occurrence of digit preference for zero in blood pressure measurement in a hypertension specialty clinic: evidence for the need of continued observation. <i>American Journal of Hypertension</i> , 2006 , 19, 567-72	2.3	21
5	The trained observer better predicts daytime ABPM diastolic blood pressure in hypertensive patients than does an automated (Omron) device. <i>Blood Pressure Monitoring</i> , 2006 , 11, 53-8	1.3	13
4	The occurrence of the alerting response is independent of the method of blood pressure measurement in hypertensive patients. <i>Blood Pressure Monitoring</i> , 2006 , 11, 321-7	1.3	8
3	Left atrial volume predicts cardiovascular events in patients originally diagnosed with lone atrial fibrillation: three-decade follow-up. <i>European Heart Journal</i> , 2005 , 26, 2556-61	9.5	164

- | | | | |
|---|---|-----|----|
| 2 | C-reactive protein is related to arterial wave reflection and stiffness in asymptomatic subjects from the community. <i>American Journal of Hypertension</i> , 2005 , 18, 1123-9 | 2.3 | 86 |
| 1 | Education and occupations preceding Parkinson disease: a population-based case-control study. <i>Neurology</i> , 2005 , 65, 1575-83 | 6.5 | 93 |