

Thierry Douillard

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1011734/thierry-douillard-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

1,470

citations

22

h-index

36

g-index

88

ext. papers

1,797

ext. citations

5.7

avg. IF

4.61

L-index

#	Paper	IF	Citations
86	Bone micromechanical properties are compromised during long-term alendronate therapy independently of mineralization. <i>Journal of Bone and Mineral Research</i> , 2012 , 27, 825-34	6.3	84
85	Growth Twinning and Generation of High-Frequency Surface Nanostructures in Ultrafast Laser-Induced Transient Melting and Resolidification. <i>ACS Nano</i> , 2016 , 10, 6995-7007	16.7	71
84	A new testing protocol for zirconia dental implants. <i>Dental Materials</i> , 2015 , 31, 15-25	5.7	65
83	Microstructure Evolution in Nano-reinforced Ferritic Steel Processed By Mechanical Alloying and Spark Plasma Sintering. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014 , 45, 1485-1497	2.3	63
82	Respective roles of organic and mineral components of human cortical bone matrix in micromechanical behavior: an instrumented indentation study. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2011 , 4, 1473-82	4.1	62
81	Multiscale phase mapping of LiFePO ₄ -based electrodes by transmission electron microscopy and electron forward scattering diffraction. <i>ACS Nano</i> , 2013 , 7, 10887-94	16.7	60
80	A Facile and Very Effective Method to Enhance the Mechanical Strength and the Cyclability of Si-Based Electrodes for Li-Ion Batteries. <i>Advanced Energy Materials</i> , 2018 , 8, 1701787	21.8	58
79	Highly ductile amorphous oxide at room temperature and high strain rate. <i>Science</i> , 2019 , 366, 864-869	33.3	58
78	Investigating the n- and p-Type Electrolytic Charging of Colloidal Nanoplatelets. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 21795-21799	3.8	52
77	M ₂₃ C ₆ carbides and Cr ₂ N nitrides in aged duplex stainless steel: A SEM, TEM and FIB tomography investigation. <i>Micron</i> , 2016 , 84, 43-53	2.3	51
76	Low temperature degradation and reliability of one-piece ceramic oral implants with a porous surface. <i>Dental Materials</i> , 2013 , 29, 389-97	5.7	51
75	Multiscale Morphological and Electrical Characterization of Charge Transport Limitations to the Power Performance of Positive Electrode Blends for Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2017 , 7, 1602239	21.8	50
74	Comparative ageing behaviour of commercial, unworn and worn 3Y-TZP and zirconia-toughened alumina hip joint heads. <i>Journal of the European Ceramic Society</i> , 2012 , 32, 1529-1540	6	39
73	Forty years after the promise of "ceramic steel": Zirconia-based composites with a metal-like mechanical behavior. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 1482-1513	3.8	39
72	Self-Arranged Periodic Nanovoids by Ultrafast Laser-Induced Near-Field Enhancement. <i>ACS Photonics</i> , 2018 , 5, 1418-1426	6.3	33
71	Effect of amount of doping agent on sintering, microstructure and optical properties of Zr- and La-doped alumina sintered by SPS. <i>Journal of the European Ceramic Society</i> , 2014 , 34, 1279-1288	6	33
70	Effect of different surface treatments on the hydrothermal degradation of a 3Y-TZP ceramic for dental implants. <i>Dental Materials</i> , 2014 , 30, 1136-46	5.7	32

69	Sintering mechanisms involved in high-velocity compaction of nascent semicrystalline polymer powders. <i>Acta Materialia</i> , 2009 , 57, 2550-2559	8.4	31
68	Influence on microstructure, strength and ductility of build platform temperature during laser powder bed fusion of AlSi10Mg. <i>Acta Materialia</i> , 2020 , 201, 231-243	8.4	29
67	Stabilization of ZnCl ₂ -containing wastes using calcium sulfoaluminate cement: leaching behaviour of the solidified waste form, mechanisms of zinc retention. <i>Journal of Hazardous Materials</i> , 2011 , 194, 268-76	12.8	28
66	Multiscale morphological characterization of process induced heterogeneities in blended positive electrodes for lithium-ion batteries. <i>Journal of Materials Science</i> , 2017 , 52, 3576-3596	4.3	26
65	Effect of grain orientation and magnesium doping on strontium calcium phosphate resorption behavior. <i>Acta Biomaterialia</i> , 2019 , 89, 391-402	10.8	22
64	3D-characterization of the veneer-zirconia interface using FIB nano-tomography. <i>Dental Materials</i> , 2013 , 29, 157-65	5.7	22
63	Evolution of the 3D Microstructure of a Si-Based Electrode for Li-Ion Batteries Investigated by FIB/SEM Tomography. <i>Journal of the Electrochemical Society</i> , 2016 , 163, A1550-A1559	3.9	21
62	Experimental determination of the macroscopic fatigue properties of metal hollow sphere structures. <i>Materials Letters</i> , 2009 , 63, 1131-1134	3.3	21
61	Crystal orientation mapping via ion channeling: An alternative to EBSD. <i>Ultramicroscopy</i> , 2015 , 157, 65-73	3.1	19
60	Local fracture toughness measurements in polycrystalline cubic zirconia using micro-cantilever bending tests. <i>Mechanics of Materials</i> , 2019 , 136, 103086	3.3	17
59	Incorporation of Aluminum into CBN Structures: From Synthesis to Nanostructural Characterization. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 2337-2342	3.8	17
58	Reconstruction of the Cubic and Tetragonal Parent Grains from Electron Backscatter Diffraction Maps of Monoclinic Zirconia. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2541-2544	3.8	16
57	Phase transformation induces plasticity with negligible damage in ceria-stabilized zirconia-based ceramics. <i>Acta Materialia</i> , 2020 , 183, 261-273	8.4	16
56	Sub-surface assessment of hydrothermal ageing in zirconia-containing femoral heads for hip joint applications. <i>Acta Biomaterialia</i> , 2018 , 68, 286-295	10.8	15
55	Electron Channeling Orientation Determination (eCHORD): An original approach to crystalline orientation mapping. <i>Ultramicroscopy</i> , 2018 , 186, 146-149	3.1	15
54	Evolution of microstructure and strength during the ultra-fast tempering of Fe-Mn-C martensitic steels. <i>Journal of Materials Science</i> , 2014 , 49, 7782-7796	4.3	15
53	Influence of crystallographic orientation on the early stages of oxidation of polycrystalline titanium nitride. <i>Journal of Nuclear Materials</i> , 2012 , 427, 415-417	3.3	14
52	Microcracking of high zirconia refractories after t-m phase transition during cooling: An EBSD study. <i>Journal of the European Ceramic Society</i> , 2011 , 31, 1525-1531	6	14

51	Numerical Prediction of Multiscale Electronic Conductivity of Lithium-Ion Battery Positive Electrodes. <i>Journal of the Electrochemical Society</i> , 2019 , 166, A1692-A1703	3.9	13
50	Strain-hardening influence on iodine induced stress corrosion cracking of Zircaloy-4. <i>Journal of Nuclear Materials</i> , 2008 , 373, 59-70	3.3	13
49	Influence of artificial aging on mechanical properties of commercially and non-commercially available zirconia dental implants. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020 , 101, 103423	4.1	13
48	Influence of firing time and framework thickness on veneered Y-TZP discs curvature. <i>Dental Materials</i> , 2014 , 30, 242-8	5.7	11
47	Multiscale Characterization of Composite Electrode Microstructures for High Density Lithium-ion Batteries Guided by the Specificities of Their Electronic and Ionic Transport Mechanisms. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 100521	3.9	10
46	Unveiling damage sites and fracture path in laser powder bed fusion AlSi10Mg: Comparison between horizontal and vertical loading directions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 807, 140845	5.3	10
45	Three-dimensional structure and formation mechanisms of Y2O3 hollow-precipitates in a Cu-based metallic glass. <i>Materials and Design</i> , 2019 , 168, 107660	8.1	9
44	Room temperature plasticity and phase transformation of nanometer-sized transition alumina nanoparticles under pressure. <i>Acta Materialia</i> , 2018 , 150, 308-316	8.4	9
43	Rotational-Electron Channeling Contrast Imaging analysis of dislocation structure in fatigued copper single crystal. <i>Scripta Materialia</i> , 2019 , 162, 103-107	5.6	9
42	Elaboration and behavior under extreme irradiation conditions of nano- and micro-structured TiC. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2015 , 356-357, 114-128	1.2	8
41	Microstructure and hydrothermal ageing of alumina-zirconia composites modified by laser engraving. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 2077-2089	6	8
40	The effects of microstructures and repassivation kinetics on the tribocorrosion resistance of ferrite and ferrite-martensite stainless steels. <i>Wear</i> , 2019 , 420-421, 245-256	3.5	8
39	iCHORD-SI combination as an alternative to EDS-EBSD coupling for the characterization of γ nickel-based superalloy microstructures. <i>Materials Characterization</i> , 2018 , 142, 492-503	3.9	8
38	Effective Electronic and Ionic Conductivities of Dense EV-Designed NMC-Based Positive Electrodes using Fourier Based Numerical Simulations on FIB/SEM Volumes. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 140504	3.9	7
37	In situ TEM observations of ion irradiation damage in boron carbide. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 726-734	6	7
36	A simple approach to bulk bioinspired tough ceramics. <i>Materialia</i> , 2020 , 12, 100807	3.2	6
35	Self-diffusion of electrolyte species in model battery electrodes using Magic Angle Spinning and Pulsed Field Gradient Nuclear Magnetic Resonance. <i>Journal of Power Sources</i> , 2017 , 362, 315-322	8.9	6
34	Microstructural analyses of artificial ageing in 5 commercially and non-commercially available Zirconia dental implants. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 3642-3655	6	6

33	Role of Ceria Nanoparticles on the Electrodeposited Zinc Coating Growth: Interest of a TEM-Scale Investigation. <i>ECS Electrochemistry Letters</i> , 2014 , 3, D33-D35		5
32	Evidence for the formation of distorted nanodomains involved in the phase transformation of stabilized zirconia by coupling convergent beam electron diffraction and in situ TEM nanoindentation. <i>Acta Materialia</i> , 2013 , 61, 174-182	8.4	5
31	Intraoral low-temperature degradation of monolithic zirconia dental prostheses: Results of a prospective clinical study with ex vivo monitoring. <i>Dental Materials</i> , 2021 , 37, 1134-1149	5.7	5
30	Microstructural study of the NbC to G-phase transformation in HP-Nb alloys. <i>Materialia</i> , 2020 , 9, 100593	3.2	4
29	Towards quantitative analysis of enamel erosion by focused ion beam tomography. <i>Dental Materials</i> , 2018 , 34, e289-e300	5.7	4
28	Thickness evaluation of thermally sprayed coatings after exposure to boiler tube environments by eddy current testing. <i>International Journal of Applied Electromagnetics and Mechanics</i> , 2015 , 47, 993-1001	1.4	3
27	A global investigation into in situ nanoindentation experiments on zirconia: from the sample geometry optimization to the stress nanolocalization using convergent beam electron diffraction. <i>Journal of Microscopy</i> , 2013 , 249, 99-110	1.9	3
26	Towards large scale orientation mapping using the eCHORD method. <i>Ultramicroscopy</i> , 2020 , 208, 112854	1.1	3
25	Fabrication of BN membranes containing high density of cylindrical pores using an elegant approach. <i>RSC Advances</i> , 2017 , 7, 20709-20715	3.7	2
24	The crystal structure of Rb ₂ Ti ₂ O ₅ . <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2017 , 73, 1142-1150	1.8	2
23	Magnetic filaments for anisotropic composite polymers. <i>Nanotechnology</i> , 2020 , 31, 395503	3.4	2
22	Structural modifications of boron carbide irradiated by swift heavy ions. <i>Journal of Nuclear Materials</i> , 2021 , 546, 152737	3.3	2
21	Effect of microstructure heterogeneity on the damage resistance of nacre-like alumina: Insights from image-based discrete simulations. <i>Scripta Materialia</i> , 2021 , 191, 210-214	5.6	2
20	Angular resolution expected from iCHORD orientation maps through a revisited ion channeling model. <i>Ultramicroscopy</i> , 2019 , 202, 68-75	3.1	1
19	Toward an automated tool for dislocation density characterization in a scanning electron microscope. <i>Materials Characterization</i> , 2019 , 158, 109954	3.9	1
18	Impact of spherulite-type crystalline defects on the mechanical and electrochemical properties of TiCuZrPd metallic glasses. <i>Materialia</i> , 2022 , 21, 101353	3.2	1
17	Intrinsic properties of osteomalacia bone evaluated by nanoindentation and FTIRM analysis. <i>Journal of Biomechanics</i> , 2021 , 117, 110247	2.9	1
16	Observation of a modified superficial layer on heavily loaded contacts under grease lubrication. <i>Tribology International</i> , 2021 , 158, 106921	4.9	1

15	Nerve Growth Factor Expression and Its Receptors TrkA and p75NTR in Peri-Implantitis Lesions. <i>Implant Dentistry</i> , 2016 , 25, 373-9	2.4	1
14	Origin of Nickel Catalytic Particles in Carbon Nanotube Formation on a High-Carbon 25CrB5NiNb Cast Alloy. <i>Oxidation of Metals</i> , 2019 , 91, 279-290	1.6	1
13	Growth and Characterization of Undoped Polysilicon Thick Layers: Revisiting an Old System. <i>Silicon</i> , 2020 , 12, 1187-1194	2.4	1
12	Can (Mg,Y)-PSZSpinel composites be a valuable option for dental application?. <i>International Journal of Applied Ceramic Technology</i> , 2018 , 15, 873-883	2	0
11	3D microstructural study of selachimorph enameloid evolution. <i>Journal of Structural Biology</i> , 2021 , 213, 107664	3.4	0
10	eCHORD orientation mapping of bio-inspired alumina down to 1 kV. <i>Materialia</i> , 2021 , 20, 101207	3.2	0
9	When Ion or Electron Channeling Meets Crystal Orientation Mapping. <i>Microscopy and Microanalysis</i> , 2019 , 25, 1964-1965	0.5	
8	Ion imaging in a Focused Ion Beam microscope: modeling the channeling contrast to construct EBSD-like orientation maps 2016 , 589-590		
7	In situ deformation of nanocrystalline Al ₂ O ₃ thin films at room temperature 2016 , 195-196		
6	Ni-based superalloy: crystalline orientation mapping and gamma-gamma' phases discrimination with the iCHORD method 2016 , 930-931		
5	Heterointerfaces TEM characterization of buffer layers in KF treated CIGS solar cells. Towards a new buffer layer? 2016 , 898-899		
4	Acquisition of Micro-mechanical Data on Irradiated Fuel. <i>Microscopy and Microanalysis</i> , 2014 , 20, 1844-1845		
3	Crystallographic Orientation Maps Obtained from Ion and Backscattered Electron Channeling Contrast. <i>Microscopy and Microanalysis</i> , 2017 , 23, 552-553	0.5	
2	Model Materials for Irradiated Fuels: Study of Local Mechanical Behavior Using Nanoindentation and Microstructural Analysis. <i>Microscopy and Microanalysis</i> , 2014 , 20, 1832-1833	0.5	
1	Multi scale tomography of materials for Li-ion battery electrodes 2016 , 7-7		