

Gabriele Stoffels

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1011879/gabriele-stoffels-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42
papers

1,387
citations

20
h-index

37
g-index

43
ext. papers

1,700
ext. citations

5.4
avg. IF

4.09
L-index

#	Paper	IF	Citations
42	NIMG-27. REGORAFENIB RESPONSE ASSESSMENT USING FET PET IN PATIENTS WITH PROGRESSIVE GLIOMA. <i>Neuro-Oncology</i> , 2021 , 23, vi134-vi134	1	
41	Lesion-Function Analysis from Multimodal Imaging and Normative Brain Atlases for Prediction of Cognitive Deficits in Glioma Patients. <i>Cancers</i> , 2021 , 13,	6.6	1
40	Current trends in the use of O-(2-[F]fluoroethyl)-L-tyrosine ([F]FET) in neurooncology. <i>Nuclear Medicine and Biology</i> , 2021 , 92, 78-84	2.1	11
39	Combined F-FET PET and diffusion kurtosis MRI in posttreatment glioblastoma: differentiation of true progression from treatment-related changes. <i>Neuro-Oncology Advances</i> , 2021 , 3, vdab044	0.9	1
38	Investigation of Cerebral O-(2-[F]Fluoroethyl)-L-Tyrosine Uptake in Rat Epilepsy Models. <i>Molecular Imaging and Biology</i> , 2020 , 22, 1255-1265	3.8	2
37	Invasive versus non-invasive mapping of the motor cortex. <i>Human Brain Mapping</i> , 2020 , 41, 3970-3983	5.9	7
36	Flare Phenomenon in -(2-F-Fluoroethyl)-l-Tyrosine PET After Resection of Gliomas. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 1294-1299	8.9	5
35	Comparison of [F]Fluoroethyltyrosine PET and Sodium MRI in Cerebral Gliomas: a Pilot Study. <i>Molecular Imaging and Biology</i> , 2020 , 22, 198-207	3.8	6
34	F-FET PET Imaging in Differentiating Glioma Progression from Treatment-Related Changes: A Single-Center Experience. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 505-511	8.9	22
33	Differentiation of treatment-related changes from tumour progression: a direct comparison between dynamic FET PET and ADC values obtained from DWI MRI. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 1889-1901	8.8	28
32	Treatment-Related Uptake of -(2-F-Fluoroethyl)-l-Tyrosine and l-[Methyl-H]-Methionine After Tumor Resection in Rat Glioma Models. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 1373-1379	8.9	4
31	Influence of Dexamethasone on O-(2-[F]-Fluoroethyl)-L-Tyrosine Uptake in the Human Brain and Quantification of Tumor Uptake. <i>Molecular Imaging and Biology</i> , 2019 , 21, 168-174	3.8	8
30	Cis-4-[18F]fluoro-D-proline detects neurodegeneration in patients with akinetic-rigid parkinsonism. <i>Nuclear Medicine Communications</i> , 2019 , 40, 383-387	1.6	1
29	Investigation of cis-4-[F]Fluoro-D-Proline Uptake in Human Brain Tumors After Multimodal Treatment. <i>Molecular Imaging and Biology</i> , 2018 , 20, 1035-1043	3.8	4
28	Comparison of O-(2-F-Fluoroethyl)-L-Tyrosine Positron Emission Tomography and Perfusion-Weighted Magnetic Resonance Imaging in the Diagnosis of Patients with Progressive and Recurrent Glioma: A Hybrid Positron Emission Tomography/Magnetic Resonance Study. <i>World Neurology</i> , 2018 , 9, 787-797	2.1	21
27	Use of FET PET in glioblastoma patients undergoing neurooncological treatment including tumour-treating fields: initial experience. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1626-1635	8.8	12
26	Spatial Relationship of Glioma Volume Derived from F-FET PET and Volumetric MR Spectroscopy Imaging: A Hybrid PET/MRI Study. <i>Journal of Nuclear Medicine</i> , 2018 , 59, 603-609	8.9	19

25	Early treatment response evaluation using FET PET compared to MRI in glioblastoma patients at first progression treated with bevacizumab plus lomustine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 2377-2386	8.8	31
24	Dabrafenib Treatment in a Patient with an Epithelioid Glioblastoma and BRAF V600E Mutation. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	20
23	Combined FET PET/MRI radiomics differentiates radiation injury from recurrent brain metastasis. <i>NeuroImage: Clinical</i> , 2018 , 20, 537-542	5.3	79
22	Static and dynamic F-FET PET for the characterization of gliomas defined by IDH and 1p/19q status. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 443-451	8.8	73
21	Evaluation of factors influencing F-FET uptake in the brain. <i>NeuroImage: Clinical</i> , 2018 , 17, 491-497	5.3	13
20	NIMG-79. EARLY TREATMENT RESPONSE ASSESSMENT USING O-(2-18F-FLUOROETHYL)-L-TYROSINE (FET) PET COMPARED TO MRI IN MALIGNANT GLIOMAS TREATED WITH ADJUVANT TEMOZOLOMIDE CHEMOTHERAPY. <i>Neuro-Oncology</i> , 2018 , 20, vi193-vi193	1	2
19	Predicting IDH genotype in gliomas using FET PET radiomics. <i>Scientific Reports</i> , 2018 , 8, 13328	4.9	56
18	Functional MRI vs. navigated TMS to optimize M1 seed volume delineation for DTI tractography. A prospective study in patients with brain tumours adjacent to the corticospinal tract. <i>NeuroImage: Clinical</i> , 2017 , 13, 297-309	5.3	34
17	Imaging of amino acid transport in brain tumours: Positron emission tomography with O-(2-[F]fluoroethyl)-L-tyrosine (FET). <i>Methods</i> , 2017 , 130, 124-134	4.6	55
16	O-(2-[F]fluoroethyl)-L-tyrosine PET in gliomas: influence of data processing in different centres. <i>EJNMMI Research</i> , 2017 , 7, 64	3.6	11
15	Comparison of F-FET PET and perfusion-weighted MRI for glioma grading: a hybrid PET/MR study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017 , 44, 2257-2265	8.8	41
14	Radiation injury vs. recurrent brain metastasis: combining textural feature radiomics analysis and standard parameters may increase F-FET PET accuracy without dynamic scans. <i>European Radiology</i> , 2017 , 27, 2916-2927	8	62
13	The use of O-(2-18F-fluoroethyl)-L-tyrosine PET in the diagnosis of gliomas located in the brainstem and spinal cord. <i>Neuro-Oncology</i> , 2017 , 19, 710-718	1	6
12	Multimodal Imaging in Malignant Brain Tumors: Enhancing the Preoperative Risk Evaluation for Motor Deficits with a Combined Hybrid MRI-PET and Navigated Transcranial Magnetic Stimulation Approach. <i>American Journal of Neuroradiology</i> , 2016 , 37, 266-73	4.4	13
11	Late Pseudoprogression in Glioblastoma: Diagnostic Value of Dynamic O-(2-[18F]fluoroethyl)-L-Tyrosine PET. <i>Clinical Cancer Research</i> , 2016 , 22, 2190-6	12.9	78
10	Diagnosis of pseudoprogression in patients with glioblastoma using O-(2-[18F]fluoroethyl)-L-tyrosine PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 685-95	8.8	164
9	The use of dynamic O-(2-18F-fluoroethyl)-l-tyrosine PET in the diagnosis of patients with progressive and recurrent glioma. <i>Neuro-Oncology</i> , 2015 , 17, 1293-300	1	100
8	Congruency of tumour volume delineated by FET PET and MRSI. <i>EJNMMI Physics</i> , 2015 , 2, A61	4.4	3

7	Improved nTMS- and DTI-derived CST tractography through anatomical ROI seeding on anterior pontine level compared to internal capsule. <i>NeuroImage: Clinical</i> , 2015 , 7, 424-37	5.3	54
6	Adapting MR-BrainPET scans for comparison with conventional PET: experiences with dynamic FET-PET in brain tumours. <i>EJNMMI Physics</i> , 2014 , 1, A64	4.4	
5	Comparison of 18F-FET PET and perfusion-weighted MR imaging: a PET/MR imaging hybrid study in patients with brain tumors. <i>Journal of Nuclear Medicine</i> , 2014 , 55, 540-5	8.9	91
4	Earlier Diagnosis of Progressive Disease during Bevacizumab Treatment Using O-(2-18F-Fluorethyl)-L-Tyrosine Positron Emission Tomography in Comparison with Magnetic Resonance Imaging. <i>Molecular Imaging</i> , 2013 , 12, 7290.2013.00051	3.7	33
3	Multimodal imaging utilising integrated MR-PET for human brain tumour assessment. <i>European Radiology</i> , 2012 , 22, 2568-80	8	54
2	Assessment of treatment response in patients with glioblastoma using O-(2-18F-fluoroethyl)-L-tyrosine PET in comparison to MRI. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 1048-57	8.9	156
1	cis-4-[(18F)-Fluoro-L-proline fails to detect peripheral tumors in humans. <i>Nuclear Medicine and Biology</i> , 2008 , 35, 895-900	2.1	6