Geoffrey R Smith

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1012574/publications.pdf

Version: 2024-02-01

471509 610901 76 887 17 24 citations h-index g-index papers 79 79 79 760 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Individual growth of the Flathead Knobâ€scaled Lizard, <i>Xenosaurus platyceps</i> , from tropical and temperate populations. Biotropica, 2022, 54, 1217-1225.	1.6	1
2	Relative strength of top-down effects of an invasive fish and bottom-up effects of nutrient addition in a simple aquatic food web. Environmental Science and Pollution Research, 2021, 28, 5845-5853.	5.3	10
3	Invasive fish (Gambusia affinis) as an ecological filter for macroinvertebrate colonization of experimental ponds. Freshwater Science, 2021, 40, 151-161.	1.8	2
4	Effects of the Interaction of Bluegill and Two Species of Tadpoles on Experimental Zooplankton Communities. American Midland Naturalist, 2021, 186, .	0.4	1
5	Prevalence of Leeches and Algae on Painted Turtles (Chrysemys picta) in Four Created Ponds in Central Ohio: Effects of Pond, Sex, and Age Class. Chelonian Conservation and Biology, 2021, 20, .	0.6	O
6	Thermoregulation in a saxicolous population of the lizard Urosaurus ornatus from the northern Chihuahuan Desert, Mexico. Amphibia - Reptilia, 2020, 42, 153-166.	0.5	3
7	Ecology of Xenosaurus fractus (Squamata: Xenosauridae) from Sierra Nororiental, Puebla, Mexico. Current Herpetology, 2020, 39, 1.	0.5	4
8	NATURAL HISTORY OBSERVATIONS OF AMBYSTOMA ALTAMIRANI AND DRYOPHYTES PLICATUS AT SIERRA DE LAS CRUCES, STATE OF MÉXICO, MEXICO. Southwestern Naturalist, 2020, 64, 135.	0.1	5
9	A conservation checklist of the herpetofauna of Morelos, with comparisons with adjoining states. ZooKeys, 2020, 941, 121-144.	1.1	5
10	Distribution and Population Structure of Ambystoma altamirani from the Llano de Lobos, State of México, Mexico. Western North American Naturalist, 2020, 80, 228.	0.4	5
11	The amphibians and reptiles of Colima, Mexico, with a summary of their conservation status. ZooKeys, 2020, 927, 99-125.	1.1	3
12	A conservation checklist of the amphibians and reptiles of the State of Mexico, Mexico with comparisons with adjoining states. ZooKeys, 2020, 953, 137-159.	1.1	2
13	Differential oviposition and offspring success of gray treefrogs in the presence of an invasive fish. Ecosphere, 2019, 10, e02612.	2.2	5
14	Neonatal growth of three species of Xenosaurus (Squamata: Xenosauridae) in captivity. Phyllomedusa, 2019, 18, 265-268.	0.2	1
15	A conservation checklist of the amphibians and reptiles of Sonora, Mexico, with updated species lists. ZooKeys, 2019, 829, 131-160.	1.1	7
16	Body Size, Growth, and Longevity in Northern Map Turtles (Graptemys geographica) in Indiana. Journal of Herpetology, 2019, 53, 297.	0.5	2
17	Effects of malathion and nitrate exposure on the zooplankton community in experimental mesocosms. Environmental Science and Pollution Research, 2018, 25, 9992-9997.	5.3	10
18	Consumption of Invasive Western Mosquitofish Fry by Adult Conspecifics and Native Crayfish. Northeastern Naturalist, 2018, 25, 117-122.	0.3	2

#	Article	IF	Citations
19	Amphibians and reptiles of the state of San Luis Potos \tilde{A}_5 Mexico, with comparisons with adjoining states. ZooKeys, 2018, 753, 83-106.	1.1	8
20	Amphibians and reptiles of the state of Durango, Mexico, with comparisons with adjoining states. ZooKeys, 2018, 748, 65-87.	1.1	6
21	Diet of juvenile lizards, Uma exsul, from Coahuila, Mexico. Southwestern Naturalist, 2017, 62, 69-71.	0.1	1
22	Is righting response lateralized in two species of freshwater turtles?. Behaviour, 2017, 154, 1069-1079.	0.8	5
23	Amphibians and reptiles of the state of Chihuahua, Mexico, with comparisons with adjoining states. ZooKeys, 2017, 658, 105-130.	1.1	11
24	Differential effects of Bluegill Sunfish (Lepomis macrochirus) on two fish-tolerant species of tadpoles (Anaxyrus americanus and Lithobates catesbeianus). Hydrobiologia, 2016, 773, 77-86.	2.0	6
25	Effects of Roundup formulations, nutrient addition, and Western mosquitofish (Gambusia affinis) on aquatic communities. Environmental Science and Pollution Research, 2016, 23, 11729-11739.	5.3	18
26	Amphibians and reptiles of the state of Coahuila, Mexico, with comparison with adjoining states. ZooKeys, 2016, 593, 117-137.	1,1	16
27	Thermal Ecology, Sexual Dimorphism, and Diet of <i>Xenosaurus tzacualtipantecus </i> from Hidalgo, Mexico. Western North American Naturalist, 2015, 75, 209-217.	0.4	7
28	Effects of colour morph and season on the dehydration and rehydration rates of Plethodon cinereus. Amphibia - Reptilia, 2015, 36, 170-174.	0.5	9
29	Do gravid female Anolis nebulosus thermoregulate differently than males and non-gravid females?. Journal of Thermal Biology, 2015, 52, 84-89.	2.5	14
30	Effects of Cutrine-Plus® algaecide and predators on wood frog (Lithobates sylvaticus) tadpole survival and growth. Environmental Science and Pollution Research, 2014, 21, 12472-12478.	5. 3	3
31	Effects of Invasive Western Mosquitofish and Ammonium Nitrate on Green Frog Tadpoles. Copeia, 2013, 2013, 248-253.	1.3	13
32	A New Species of <i>Xenosaurus </i> from the Sierra Madre Oriental, Mexico. Herpetologica, 2012, 68, 551-559.	0.4	12
33	Effects of an Invasive Fish (<i>Gambusia affinis</i>) and Anthropogenic Nutrient Enrichment on American Toad (<i>Anaxyrus americanus</i>) Tadpoles. Journal of Herpetology, 2012, 46, 198-202.	0.5	16
34	Effects of the Anuran Tadpole Assemblage and Nutrient Enrichment on Freshwater Snail Abundance (Physella sp.). American Midland Naturalist, 2012, 168, 341-351.	0.4	2
35	Ecology ofXenosaurus rectocollarisin Tehuacan Valley, Puebla, Mexico. Southwestern Naturalist, 2012, 57, 157-161.	0.1	7
36	Ecologia térmica do lagarto Sceloporus gadoviae (Squamata: Phrynosomatidae) em uma região semi-Á¡rida do sul de Puebla, México Phyllomedusa, 2012, 11, 21.	0.2	4

#	Article	IF	CITATIONS
37	Interaction Between Two Species of Tadpoles Mediated By Nutrient Enrichment. Herpetologica, 2012, 68, 174-183.	0.4	7
38	Demography of a Semelparous, High-Elevation Population of Sceloporus bicanthalis (Lacertilia:) Tj ETQq0 0 0 rgBT 71-77.		10 Tf 50 70 13
39	Effects of mosquitofish and ammonium nitrate on activity of green frog (<i>Lithobates clamitans</i>) tadpoles: a mesocosm experiment. Journal of Freshwater Ecology, 2011, 26, 59-63.	1.2	4
40	Differential Effects of Malathion and Nitrate Exposure on American Toad and Wood Frog Tadpoles. Archives of Environmental Contamination and Toxicology, 2011, 60, 327-335.	4.1	21
41	Substrate preference of eastern red-backed salamanders, Plethodon cinereus: A comparison of deciduous and coniferous substrates. Amphibia - Reptilia, 2011, 32, 266-269.	0.5	7
42	An Exotic Species Is the Favorite Prey of a Native Enemy. PLoS ONE, 2011, 6, e24299.	2.5	29
43	Effects of Sibship and the Presence of Multiple Predators on the Behavior of Green Frog (<i>Rana) Tj ETQq1 1 0.78</i>	4314 rgBT	 JOverlock
44	The roles of predator identity and group size in the antipredator responses of American toad (Bufo) Tj ETQq0 0 0 r	gBT /Overl	ock 10 Tf 50
45	Effects of potential predator and competitor cues and sibship on wood frog (Rana sylvatica) embryos. Amphibia - Reptilia, 2009, 30, 294-298.	0.5	7
46	Sex, Reproductive Status, and Cost of Tail Autotomy via Decreased Running Speed in Lizards. Ethology, 2009, 115, 7-13.	1.1	24
47	Effects of Salinity on Survivorship of Wood Frog (<i>Rana sylvatica</i>) Tadpoles. Journal of Freshwater Ecology, 2009, 24, 335-337.	1.2	12
48	Foraging Behavior of Male and Female Mosquitofish (<i>) in Single- and Mixed-Sex Groups. Journal of Freshwater Ecology, 2009, 24, 327-329.</i>	1.2	8
49	Behavioral responses of American toad and bullfrog tadpoles to the presence of cues from the invasive fish, Gambusia affinis. Biological Invasions, 2008, 10, 743-748.	2.4	36
50	The Ability of Three Species of Tadpoles to Differentiate among Potential Fish Predators. Ethology, 2008, 114, 701-710.	1.1	31
51	Foraging Responses of Mosquitofish (<i>Gambusia affinis</i>) to Items of Different Sizes and Colors. Journal of Freshwater Ecology, 2008, 23, 677-678.	1.2	5
52	Reproduction and sexual dimorphism of Lepidophyma sylvaticum (Squamata: Xantusiidae), a tropical night lizard from Tlanchinol, Hidalgo, Mexico. Amphibia - Reptilia, 2008, 29, 207-216.	0.5	14
53	The Effect of Group Size on the Activity of Leopard Frog (Rana pipiens) Tadpoles. Journal of Freshwater Ecology, 2007, 22, 355-357.	1.2	5
54	Lack of effect of nitrate, nitrite, and phosphate on wood frog (Rana sylvatica) tadpoles. Applied Herpetology, 2007, 4, 287-291.	0.5	11

#	Article	IF	CITATIONS
55	Actue Toxic Effects of Round-Up Herbicide on Wood Frog Tadpoles (<i>Rana sylvatica</i>). Journal of Freshwater Ecology, 2007, 22, 705-708.	1.2	9
56	Effects of nitrate on the interactions of the tadpoles of two ranids (Rana clamitans and R.) Tj ETQq0 0 0 rgBT /Ove	erlock 10 T 1.5	f 50 702 Td
57	Effects of Three Organic Wastewater Contaminants on American Toad, Bufo americanus, Tadpoles. Ecotoxicology, 2005, 14, 477-482.	2.4	34
58	Within-Pond Oviposition Site Selection in Two Spring-Breeding Amphibians (<i>Ambystoma) Tj ETQq0 0 0 rgBT /C</i>	Overlock 10 1.2	7f 50 622 1
59	Abundance of Vertebrates and Macroinvertebrates One and Two Years after a Winterkill in a Small Ohio Pond. Journal of Freshwater Ecology, 2005, 20, 201-203.	1.2	6
60	Effects of two organic wastewater contaminants on Xenopus laevis tadpoles. Applied Herpetology, 2005, 2, 381-388.	0.5	5
61	No effect of nitrate on gray treefrog (Hyla versicolor) tadpoles. Applied Herpetology, 2004, 1, 265-269.	0.5	10
62	Direct and interactive effects of ecologically relevant concentrations of organic wastewater contaminants on Rana pipiens tadpoles. Environmental Toxicology, 2004, 19, 250-256.	4.0	70
63	Distribution and abundance of macroinvertebrates within two temporary ponds. Hydrobiologia, 2003, 497, 161-167.	2.0	31
64	Variation in Growth and Demography of a Knob-scaled Lizard (Xenosaurus newmanorum:) Tj ETQq0 0 0 rgBT /Ove	erlock 10 T 1.6	f 50 382 Td 20
65	Distribution and Abundance of Amphibian Larvae within Two Temporary Ponds in Central Ohio, USA. Journal of Freshwater Ecology, 2003, 18, 491-496.	1.2	17
66	Diet of Re-Introduced River Otters, <i>Lontra canadensis </i> , in North-Central Arizona. Journal of Freshwater Ecology, 2003, 18, 337-338.	1.2	2
67	DIETS OF THREE SPECIES OF KNOB-SCALED LIZARDS (GENUS XENOSAURUS) FROM MÉXICO. Southwestern Naturalist, 2003, 48, 119-122.	0.1	15
68	Ecology of Xenosaurus grandis agrenon, a Knob-Scaled Lizard from Oaxaca, México. Journal of Herpetology, 2003, 37, 192-196.	0.5	20
69	Effects of Changing Water Volume on the Tadpoles of Two Anuran Species (<i>Pseudacris triseriata) Tj ETQq1 1 (</i>).784314 r 1.2	gBT Overloo
70	Reproduction in females of three species of crevice-dwelling lizards (genus Xenosaurus) from Mexico. Studies on Neotropical Fauna and Environment, 2000, 35, 179-183.	1.0	21
71	Thermal ecology of the lizard, Sceloporus gadoviae, in an arid tropical scrub forest. Journal of Arid Environments, 1997, 35, 311-319.	2.4	11
72	Annual life-history variation in the striped plateau lizard, Sceloporus virgatus. Canadian Journal of Zoology, 1996, 74, 2025-2030.	1.0	21

#	Article	IF	CITATIONS
73	Thermal Ecology of Sceloporus virgatus from Southeastern Arizona, with Comparison to Urosaurus ornatus. Journal of Herpetology, 1994, 28, 65.	0.5	28
74	Temporal and Spatial Variation in Individual Growth in the Spiny Lizard, Sceloporus jarrovi. Copeia, 1994, 1994, 1007.	1.3	24
75	Thermal ecology of the high-altitude bunch grass lizard, <i>Sceloporus scalaris</i> . Canadian Journal of Zoology, 1993, 71, 2152-2155.	1.0	21
76	Effects of body temperature on initial bite force in three species of rock- and crevice-dwelling lizards from Mexico. Herpetozoa, 0, 34, 163-168.	1.0	1