

Pedro Armario

List of Publications by Citations

Source: <https://exaly.com/author-pdf/10129798/pedro-armario-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18
papers

743
citations

8
h-index

27
g-index

28
ext. papers

910
ext. citations

2.8
avg, IF

3.35
L-index

#	Paper	IF	Citations
18	Clinical features of 8295 patients with resistant hypertension classified on the basis of ambulatory blood pressure monitoring. <i>Hypertension</i> , 2011 , 57, 898-902	8.5	547
17	Urinary albumin excretion is associated with nocturnal systolic blood pressure in resistant hypertensives. <i>Hypertension</i> , 2011 , 57, 556-60	8.5	41
16	Prevalence and Clinical Characteristics of Refractory Hypertension. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	34
15	Therapeutic strategies to improve control of hypertension. <i>Journal of Hypertension</i> , 2013 , 31 Suppl 1, S9-12	1.9	30
14	Twenty-four-hour central blood pressure is not better associated with hypertensive target organ damage than 24-h peripheral blood pressure. <i>Journal of Hypertension</i> , 2017 , 35, 2000-2005	1.9	12
13	Blood pressure in the initial phase of acute ischaemic stroke: evolution and its role as an independent prognosis factor at discharge and after 3 months of follow-up. <i>Blood Pressure</i> , 2008 , 17, 284-90	1.7	10
12	Organ damage changes in patients with resistant hypertension randomized to renal denervation or spironolactone: The DENERVHTA (Denervaci3n en Hipertensi3n Arterial) study. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 69-75	2.3	9
11	Cuff-Based Oscillometric Central and Brachial Blood Pressures Obtained Through ABPM are Similarly Associated with Renal Organ Damage in Arterial Hypertension. <i>Kidney and Blood Pressure Research</i> , 2017 , 42, 1068-1077	3.1	6
10	The effect of age on the relationship of pulse pressure and left ventricular mass in untreated patients with mild to moderate hypertension. <i>Blood Pressure</i> , 2002 , 11, 13-7	1.7	6
9	Management of the hypertensive patient who smokes. <i>Drugs</i> , 1998 , 56, 177-87	12.1	5
8	Adverse effects of direct-acting vasodilators. <i>Drug Safety</i> , 1994 , 11, 80-5	5.1	4
7	Antihypertensive treatment and stroke prevention: are angiotensin receptor blockers superior to other antihypertensive agents?. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2009 , 3, 197-204	3.4	3
6	Increased pulse pressure is associated with left atrial enlargement in resistant hypertensive patients. <i>Blood Pressure</i> , 2013 , 22, 39-44	1.7	2
5	Blood pressure as a therapeutic target in stroke. <i>Current Topics in Medicinal Chemistry</i> , 2009 , 9, 1278-84	3	2
4	Ultrasonography as a diagnostic and monitoring tool for the tendon xanthomas in familial hypercholesterolemia. <i>Reumatolog3a Cl3nica</i> , 2019 , 15, 305-306	0.9	2
3	Standards for global cardiovascular risk management arteriosclerosis. <i>Cl3nica E Investigaci3n En Arteriosclerosis</i> , 2019 , 31 Suppl 1, 1-43	1.4	1
2	Blood pressure control is similar in treated hypertensive patients with optimal or with high-normal albuminuria. <i>American Journal of Hypertension</i> , 2014 , 27, 1185-90	2.3	1

- 1 Benefits of LDL cholesterol reduction in the secondary prevention of ischemic stroke New evidence. *Clinica E Investigaci3n En Arteriosclerosis*, **2021**, 33, 53-54 1.4