Clara Cerrato

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10131682/publications.pdf

Version: 2024-02-01

1162367 1281420 24 181 8 11 citations h-index g-index papers 24 24 24 140 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Severe intraoperative bleeding predicts the risk of perioperative blood transfusion after robot-assisted radical prostatectomy. Journal of Robotic Surgery, 2022, 16, 463-471.	1.0	3
2	Botulinum Toxin-A Injection in Chronic Pelvic Pain Syndrome Treatment: A Systematic Review and Pooled Meta-Analysis. Toxins, 2022, 14, 25.	1.5	9
3	The Influence of Endogenous Testosterone Density on Unfavorable Disease and Tumor Load at Final Pathology in Intermediate-Risk Prostate Cancer: Results in 338 Patients Treated with Radical Prostatectomy and Extended Pelvic Lymph Node Dissection. Urologia Internationalis, 2022, 106, 928-939.	0.6	2
4	Endogenous testosterone density is an independent predictor of pelvic lymph node invasion in high-risk prostate cancer: results in 201 consecutive patients treated with radical prostatectomy and extended pelvic lymph node dissection. International Urology and Nephrology, 2022, 54, 541-550.	0.6	4
5	Novel Insights into Autophagy and Prostate Cancer: A Comprehensive Review. International Journal of Molecular Sciences, 2022, 23, 3826.	1.8	31
6	Ureteroscopy and tailored treatment of upper tract urothelial cancer: recent advances and unmet needs. BJU International, 2022, 130, 35-37.	1.3	8
7	American Society of Anesthesiologists' (ASA) Physical Status System and Risk of Major Clavien-Dindo Complications After Robot-Assisted Radical Prostatectomy at Hospital Discharge: Analysis of 1143 Consecutive Prostate Cancer Patients. Indian Journal of Surgical Oncology, 2022, 13, 848-857.	0.3	2
8	The Influence of Endogenous Testosterone on Incidental Prostate Cancer after Transurethral Prostate Resection. Urologia Internationalis, 2021, 105, 826-834.	0.6	5
9	Endogenous testosterone as a predictor of prostate growing disorders in the aging male. International Urology and Nephrology, 2021, 53, 843-854.	0.6	13
10	Acute kidney injury strongly influences renal function after radical nephroureterectomy for upper tract urothelial carcinoma: A single-centre experience. Archivio Italiano Di Urologia Andrologia, 2021, 93, 9-14.	0.4	5
11	ABO blood group system and risk of positive surgical margins in patients treated with robot-assisted radical prostatectomy: results in 1114 consecutive patients. Journal of Robotic Surgery, 2021, , 1.	1.0	1
12	Low endogenous testosterone levels are associated with the extend of lymphnodal invasion at radical prostatectomy and extended pelvic lymph node dissection. International Urology and Nephrology, 2021, 53, 2027-2039.	0.6	10
13	Urodynamics criteria of detrusor underactivity in women underwent middle urethral sling for stress urinary incontinence: What is the clinical role?. Neurourology and Urodynamics, 2021, 40, 1955-1965.	0.8	3
14	Incidental prostate cancer after transurethral resection of the prostate: analysis of incidence and risk factors in 458 patients. Minerva Urology and Nephrology, 2021, 73, 471-480.	1.3	5
15	Endogenous testosterone density predicts unfavorable disease at final pathology in intermediate risk prostate cancer. International Urology and Nephrology, 2021, 53, 2517-2526.	0.6	3
16	Endogenous testosterone density as ratio of endogenous testosterone levels on prostate volume predicts tumor upgrading in low-risk prostate cancer. International Urology and Nephrology, 2021, 53, 2505-2515.	0.6	4
17	Linear extent of positive surgical margin impacts biochemical recurrence after robot-assisted radical prostatectomy in a high-volume center. Journal of Robotic Surgery, 2020, 14, 663-675.	1.0	11
18	Early and Late Efficacy on Wound Healing of Silver Nanoparticle Gel in Males after Circumcision. Journal of Clinical Medicine, 2020, 9, 1822.	1.0	7

#	Article	IF	CITATIONS
19	The impact of extended pelvic lymph node dissection on the risk of hospital readmission within 180Âdays after robot assisted radical prostatectomy. World Journal of Urology, 2020, 38, 2799-2809.	1.2	14
20	Predictive Factors of the Risk of Long-Term Hospital Readmission after Primary Prostate Surgery at a Single Tertiary Referral Center: Preliminary Report. Urologia Internationalis, 2020, 104, 465-475.	0.6	8
21	Open approach, extended pelvic lymph node dissection, and seminal vesicle invasion are independent predictors of hospital readmission after prostate cancer surgery: a large retrospective study. Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2020, 72, 72-81.	3.9	9
22	Prostate volume index and prostatic chronic inflammation have an effect on tumor load at baseline random biopsies in patients with normal DRE and PSA values less than 10 ng/ml: results of 564 consecutive cases. Therapeutic Advances in Urology, 2019, 11, 175628721986860.	0.9	5
23	Positive Association between Basal Total Testosterone Circulating Levels and Tumor Grade Groups at the Time of Diagnosis of Prostate Cancer. Urologia Internationalis, 2019, 103, 400-407.	0.6	11
24	High surgeon volume and positive surgical margins can predict the risk of biochemical recurrence after robot-assisted radical prostatectomy. Therapeutic Advances in Urology, 2019, 11, 175628721987828.	0.9	8