

Hannah Lemke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1013376/publications.pdf>

Version: 2024-02-01

26
papers

367
citations

1040056

9
h-index

940533

16
g-index

27
all docs

27
docs citations

27
times ranked

498
citing authors

#	ARTICLE	IF	CITATIONS
1	Attachment and social support mediate the association between childhood maltreatment and depressive symptoms. <i>Journal of Affective Disorders</i> , 2020, 273, 310-317.	4.1	54
2	Severity of current depression and remission status are associated with structural connectome alterations in major depressive disorder. <i>Molecular Psychiatry</i> , 2020, 25, 1550-1558.	7.9	36
3	Brain structural correlates of insomnia severity in 1053 individuals with major depressive disorder: results from the ENIGMA MDD Working Group. <i>Translational Psychiatry</i> , 2020, 10, 425.	4.8	31
4	Brain Correlates of Suicide Attempt in 18,925 Participants Across 18 International Cohorts. <i>Biological Psychiatry</i> , 2021, 90, 243-252.	1.3	29
5	Association between body mass index and subcortical brain volumes in bipolar disorders—ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021, 26, 6806-6819.	7.9	24
6	Identification of transdiagnostic psychiatric disorder subtypes using unsupervised learning. <i>Neuropsychopharmacology</i> , 2021, 46, 1895-1905.	5.4	24
7	Reduced hippocampal gray matter volume is a common feature of patients with major depression, bipolar disorder, and schizophrenia spectrum disorders. <i>Molecular Psychiatry</i> , 2022, 27, 4234-4243.	7.9	21
8	Brain functional effects of electroconvulsive therapy during emotional processing in major depressive disorder. <i>Brain Stimulation</i> , 2020, 13, 1051-1058.	1.6	17
9	Dimensions of Formal Thought Disorder and Their Relation to Gray- and White Matter Brain Structure in Affective and Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2022, 48, 902-911.	4.3	17
10	Brain structural connectivity, anhedonia, and phenotypes of major depressive disorder: A structural equation model approach. <i>Human Brain Mapping</i> , 2021, 42, 5063-5074.	3.6	11
11	Association of disease course and brain structural alterations in major depressive disorder. <i>Depression and Anxiety</i> , 2022, 39, 441-451.	4.1	11
12	Polygenic risk for schizophrenia and schizotypal traits in non-clinical subjects. <i>Psychological Medicine</i> , 2022, 52, 1069-1079.	4.5	10
13	Social support and hippocampal volume are negatively associated in adults with previous experience of childhood maltreatment. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E328-E336.	2.4	10
14	The Course of Disease in Major Depressive Disorder Is Associated With Altered Activity of the Limbic System During Negative Emotion Processing. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 323-332.	1.5	9
15	Association of brain white matter microstructure with cognitive performance in major depressive disorder and healthy controls: a diffusion-tensor imaging study. <i>Molecular Psychiatry</i> , 2022, 27, 1103-1110.	7.9	9
16	DLPFC volume is a neural correlate of resilience in healthy high-risk individuals with both childhood maltreatment and familial risk for depression. <i>Psychological Medicine</i> , 2021, , 1-7.	4.5	8
17	Which traits predict elevated distress during the Covid-19 pandemic? Results from a large, longitudinal cohort study with psychiatric patients and healthy controls. <i>Journal of Affective Disorders</i> , 2022, 297, 18-25.	4.1	8
18	Association between stressful life events and grey matter volume in the medial prefrontal cortex: A 2-year longitudinal study. <i>Human Brain Mapping</i> , 2022, 43, 3577-3584.	3.6	8

#	ARTICLE	IF	CITATIONS
19	Neural processing of emotional facial stimuli in specific phobia: An fMRI study. <i>Depression and Anxiety</i> , 2021, 38, 846-859.	4.1	6
20	Interaction of developmental factors and ordinary stressful life events on brain structure in adults. <i>NeuroImage: Clinical</i> , 2021, 30, 102683.	2.7	5
21	Diagnosis of bipolar disorders and body mass index predict clustering based on similarities in cortical thickness—ENIGMA study in 2436 individuals. <i>Bipolar Disorders</i> , 2022, 24, 509-520.	1.9	5
22	White matter fiber microstructure is associated with prior hospitalizations rather than acute symptomatology in major depressive disorder. <i>Psychological Medicine</i> , 2020, , 1-9.	4.5	4
23	Association Between Genetic Risk for Type 2 Diabetes and Structural Brain Connectivity in Major Depressive Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 333-340.	1.5	4
24	Changes in brain function during negative emotion processing in the long-term course of depression. <i>British Journal of Psychiatry</i> , 2022, 221, 476-484.	2.8	3
25	Apolipoprotein E homozygous $\epsilon 4$ allele status: Effects on cortical structure and white matter integrity in a young to mid-age sample. <i>European Neuropsychopharmacology</i> , 2021, 46, 93-104.	0.7	2
26	Interaction of recent stressful life events and childhood abuse on orbitofrontal grey matter volume in adults with depression. <i>Journal of Affective Disorders</i> , 2022, 312, 122-127.	4.1	1