

# Kesheng Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1013918/publications.pdf>

Version: 2024-02-01

67  
papers

1,185  
citations

430874

18  
h-index

454955

30  
g-index

68  
all docs

68  
docs citations

68  
times ranked

2818  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mediating Role of Resilience on Nursing Faculty and Student QoL during COVID-19. <i>Western Journal of Nursing Research</i> , 2022, 44, 1006-1015.	1.4	1
2	Gender differences in the associations of multiple psychiatric and chronic conditions with major depressive disorder among patients with opioid use disorder. <i>Journal of Addictive Diseases</i> , 2022, 40, 168-178.	1.3	2
3	Polysubstance Use, Mood Disorders, and Chronic Conditions With Anxiety in Opioid Patients. <i>Western Journal of Nursing Research</i> , 2022, 44, 1088-1099.	1.4	4
4	Longitudinal study of impact of medication for opioid use disorder on Hamilton Depression Rating Scale. <i>Journal of Affective Disorders</i> , 2022, 297, 148-155.	4.1	1
5	Associations of ARHGAP26 Polymorphisms with Alzheimer's Disease and Cardiovascular Disease. <i>Journal of Molecular Neuroscience</i> , 2022, 72, 1085-1097.	2.3	2
6	Levels of Angiotensin-Converting Enzyme and Apolipoproteins Are Associated with Alzheimer's Disease and Cardiovascular Diseases. <i>Cells</i> , 2022, 11, 29.	4.1	6
7	Relationship of Quality of Life, Resilience, and Associated Factors Among Nursing Faculty During COVID-19. <i>Nurse Educator</i> , 2021, 46, 17-22.	1.1	27
8	Gender differences in the associations of early onset poly tobacco and drug use prior to age 18 with the prevalence of adult bronchitis in the United States. <i>Journal of Addictive Diseases</i> , 2021, 39, 189-198.	1.3	1
9	Quality of Life, Resilience, and Related Factors of Nursing Students During the COVID-19 Pandemic. <i>Nurse Educator</i> , 2021, 46, 143-148.	1.1	53
10	Use of a State Registry to Compare Practices of Physicians and Nurse Practitioners in Completing Physician Orders for Life-Sustaining Treatment Forms. <i>Journal of Palliative Medicine</i> , 2021, 24, 994-999.	1.1	6
11	Ethnic group differences in obesity in Asian Americans in California, 2013-2014. <i>BMC Public Health</i> , 2021, 21, 1589.	2.9	12
12	Longitudinal analysis of APOE- $\epsilon$ 4 genotype with the logical memory delayed recall score in Alzheimer's disease. <i>Journal of Genetics</i> , 2021, 100, 1.	0.7	5
13	Genome-wide association study identified INSC gene associated with Trail Making Test Part A and Alzheimer's disease related cognitive phenotypes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110393.	4.8	7
14	APOE Gene Associated with Cholesterol-Related Traits in the Hispanic Population. <i>Genes</i> , 2021, 12, 1768.	2.4	5
15	Longitudinal analysis of genotype with the logical memory delayed recall score in Alzheimer's disease. <i>Journal of Genetics</i> , 2021, 100, .	0.7	0
16	Feasibility of a self-management intervention in adolescents with headache (SMI-AH). <i>Applied Nursing Research</i> , 2020, 51, 151223.	2.2	2
17	High-fat diet induces fibrosis in mice lacking CYP2A5 and PPAR $\alpha$ : a new model for steatohepatitis-associated fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, G626-G635.	3.4	6
18	<sc><i>KTN1</i></sc> variants and risk for attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 234-244.	1.7	12

#	ARTICLE	IF	CITATIONS
19	KTN1 Variants Underlying Putamen Gray Matter Volumes and Parkinson's Disease. <i>Frontiers in Neuroscience</i> , 2020, 14, 651.	2.8	6
20	Smokefree home rules and cigarette smoking intensity among smokers in different stages of smoking cessation from 20 low-and-middle income countries. <i>Preventive Medicine</i> , 2020, 132, 106000.	3.4	8
21	Pyrosequencing analysis of IRS1 methylation levels in schizophrenia with tardive dyskinesia. <i>Molecular Medicine Reports</i> , 2020, 21, 1702-1708.	2.4	1
22	Replicated risk variants for major psychiatric disorders may serve as potential therapeutic targets for the shared depressive endophenotype. , 2020, 4, .		0
23	Variable reduction for past year alcohol and drug use in unmet need for mental health services among US adults. <i>Journal of Affective Disorders</i> , 2019, 256, 110-116.	4.1	6
24	The influence of immigrant generation on obesity among Asian Americans in California from 2013 to 2014. <i>PLoS ONE</i> , 2019, 14, e0212740.	2.5	19
25	Suppressed hepatocyte proliferation via a ROS-HNE-P21 pathway is associated with nicotine- and cotinine-enhanced alcoholic fatty liver in mice. <i>Biochemical and Biophysical Research Communications</i> , 2019, 512, 119-124.	2.1	3
26	The prevalence and trend of depression among veterans in the United States. <i>Journal of Affective Disorders</i> , 2019, 245, 724-727.	4.1	49
27	CYP2A6 is associated with obesity: studies in human samples and a high fat diet mouse model. <i>International Journal of Obesity</i> , 2019, 43, 475-486.	3.4	9
28	Transcriptome-wide piRNA profiling in human brains for aging genetic factors. <i>Jacobs Journal of Genetics</i> , 2019, 4, .	0.0	4
29	Principal component analysis of early alcohol, drug and tobacco use with major depressive disorder in US adults. <i>Journal of Psychiatric Research</i> , 2018, 100, 113-120.	3.1	13
30	In Silico Preliminary Association of Ammonia Metabolism Genes GLS, CPS1, and GLUL with Risk of Alzheimer's Disease, Major Depressive Disorder, and Type 2 Diabetes. <i>Journal of Molecular Neuroscience</i> , 2018, 64, 385-396.	2.3	22
31	An APOE -independent cis -eSNP on chromosome 19q13.32 influences tau levels and late-onset Alzheimer's disease risk. <i>Neurobiology of Aging</i> , 2018, 66, 178.e1-178.e8.	3.1	12
32	Quantitative DNA Methylation Analysis of DLGAP2 Gene using Pyrosequencing in Schizophrenia with Tardive Dyskinesia: A Linear Mixed Model Approach. <i>Scientific Reports</i> , 2018, 8, 17466.	3.3	11
33	Geographic differences in obesity prevalence and its risk factors among Asian Americans: findings from the 2013-2014 California Health Interview Survey. <i>Scientific Reports</i> , 2018, 8, 12510.	3.3	9
34	An association study revealed substantial effects of dominance, epistasis and substance dependence co-morbidity on alcohol dependence symptom count. <i>Addiction Biology</i> , 2017, 22, 1475-1485.	2.6	28
35	Genetic association analysis of polymorphisms in PSD3 gene with obesity, type 2 diabetes, and HDL cholesterol. <i>Diabetes Research and Clinical Practice</i> , 2017, 126, 105-114.	2.8	12
36	Self-reported health and behavioral factors are associated with metabolic syndrome in Americans aged 40 and over. <i>Preventive Medicine Reports</i> , 2017, 7, 193-197.	1.8	12

#	ARTICLE	IF	CITATIONS
37	Genome-wide significant, replicated and functional risk variants for Alzheimer's disease. Journal of Neural Transmission, 2017, 124, 1455-1471.	2.8	10
38	Associations of lifestyle factors (smoking, alcohol consumption, diet and physical activity) with type 2 diabetes among American adults from a national health and nutrition examination survey (NHANES) 2005-2014. Journal of Diabetes, 2017, 9, 846-854.	1.8	20
39	Ethnic Differences in Risk Factors for Obesity among Adults in California, the United States. Journal of Obesity, 2017, 2017, 1-10.	2.7	42
40	Prevalence of and Trends in Diabetes Among Veterans, United States, 2005-2014. Preventing Chronic Disease, 2017, 14, E135.	3.4	80
41	Identification of <i>KANSARL</i> as the first cancer predisposition fusion gene specific to the population of European ancestry origin. Oncotarget, 2017, 8, 50594-50607.	1.8	24
42	Associations of rare nicotinic cholinergic receptor gene variants to nicotine and alcohol dependence. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 1057-1071.	1.7	13
43	Moments and quadratic forms of matrix variate skew normal distributions. Communications in Statistics - Theory and Methods, 2016, 45, 794-803.	1.0	1
44	Significant association between rare <i>IPO11</i> and <i>CHTR1A</i> variants and attention deficit hyperactivity disorder in Caucasians. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 544-556.	1.7	5
45	Prevalence and trends of isolated systolic hypertension among untreated adults in the United States. Journal of the American Society of Hypertension, 2015, 9, 197-205.	2.3	67
46	Investigation of Residents' Health Literacy Status and Its Risk Factors in Jiangsu Province of China. Asia-Pacific Journal of Public Health, 2015, 27, NP2764-NP2772.	1.0	35
47	Sex difference in the association between obesity and asthma in U.S. adults: Findings from a national study. Respiratory Medicine, 2015, 109, 955-962.	2.9	40
48	Gene-based and pathway-based genome-wide association study of alcohol dependence. Shanghai Archives of Psychiatry, 2015, 27, 111-8.	0.7	5
49	Common <i>PTP4A1</i> - <i>PHF3</i> - <i>EYS</i> variants are specific for alcohol dependence. American Journal on Addictions, 2014, 23, 411-414.	1.4	8
50	Association between <i>DPYSL2</i> gene polymorphisms and alcohol dependence in Caucasian samples. Journal of Neural Transmission, 2014, 121, 105-111.	2.8	8
51	<i>NRG3</i> gene is associated with the risk and age at onset of Alzheimer disease. Journal of Neural Transmission, 2014, 121, 183-192.	2.8	24
52	Use of diplotypes - matched haplotype pairs from homologous chromosomes - in gene-disease association studies. Shanghai Archives of Psychiatry, 2014, 26, 165-70.	0.7	9
53	Genetic factors for alcohol dependence and schizophrenia: common and rare variants. , 2014, 1, .		1
54	Genetic Association Analysis of <i>ITGB3</i> Polymorphisms with Age at Onset of Schizophrenia. Journal of Molecular Neuroscience, 2013, 51, 446-453.	2.3	15

#	ARTICLE	IF	CITATIONS
55	Cesarean section and the risk of overweight in grade 6 children. <i>European Journal of Pediatrics</i> , 2013, 172, 1341-1347.	2.7	33
56	NKAIN1 and SERINC2 is a functional, replicable and genome-wide significant risk gene region specific for alcohol dependence in subjects of European descent. <i>Drug and Alcohol Dependence</i> , 2013, 129, 254-264.	3.2	30
57	Association between common alcohol dehydrogenase gene (ADH) variants and schizophrenia and autism. <i>Human Genetics</i> , 2013, 132, 735-743.	3.8	34
58	Sex chromosome-wide association analysis suggested male-specific risk genes for alcohol dependence. <i>Psychiatric Genetics</i> , 2013, 23, 233-238.	1.1	10
59	Microalbuminuria, macroalbuminuria and uncontrolled blood pressure among diagnosed hypertensive patients: the aspect of racial disparity in the NHANES study. <i>Hypertension Research</i> , 2013, 36, 1100-1106.	2.7	9
60	Exome-Wide Association Study of Replicable Nonsynonymous Variants Conferring Risk for Alcohol Dependence. <i>Journal of Studies on Alcohol and Drugs</i> , 2013, 74, 622-625.	1.0	6
61	BCL9 and C9orf5 Are Associated with Negative Symptoms in Schizophrenia: Meta-Analysis of Two Genome-Wide Association Studies. <i>PLoS ONE</i> , 2013, 8, e51674.	2.5	56
62	Family-based association analysis of the MAPT gene in Parkinson. <i>Journal of Applied Genetics</i> , 2010, 51, 509-514.	1.9	6
63	A Bayesian segmentation approach to ascertain copy number variations at the population level. <i>Bioinformatics</i> , 2009, 25, 1669-1679.	4.1	15
64	Type 1 Diabetes in the BB Rat: A Polygenic Disease. <i>Diabetes</i> , 2009, 58, 1007-1017.	0.6	77
65	CTLA4/ICOS gene variants and haplotypes are associated with rheumatoid arthritis and primary biliary cirrhosis in the Canadian population. <i>Arthritis and Rheumatism</i> , 2009, 60, 931-937.	6.7	63
66	TRPM2 variants and bipolar disorder risk: confirmation in a family-based association study. <i>Bipolar Disorders</i> , 2009, 11, 1-10.	1.9	52
67	A Novel Susceptibility Locus on Rat Chromosome 8 Affects Spontaneous but Not Experimentally Induced Type 1 Diabetes. <i>Diabetes</i> , 2007, 56, 1731-1736.	0.6	11