Mareike Lankeit

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/101394/mareike-lankeit-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108 8,182 35 90 h-index g-index citations papers 10,727 129 5.5 7.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
108	Impact of thyroid dysfunction on short-term outcomes and long-term mortality in patients with pulmonary embolism <i>Thrombosis Research</i> , 2022 , 211, 70-78	8.2	O
107	In-hospital outcomes of catheter-directed thrombolysis in patients with pulmonary embolism. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 258-264	4.3	5
106	Time trends of pulmonary endarterectomy in patients with chronic thromboembolic pulmonary hypertension. <i>Pulmonary Circulation</i> , 2021 , 11, 20458940211008069	2.7	1
105	Venous lactate improves the prediction of in-hospital adverse outcomes in normotensive pulmonary embolism. <i>European Journal of Internal Medicine</i> , 2021 , 86, 25-31	3.9	5
104	Quality of Life 3 and 12 Months Following Acute Pulmonary Embolism: Analysis From a Prospective Multicenter Cohort Study. <i>Chest</i> , 2021 , 159, 2428-2438	5.3	5
103	Outcome of patients with different clinical presentations of high-risk pulmonary embolism. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 787-796	4.3	0
102	Survival and quality of life after early discharge in low-risk pulmonary embolism. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	4
101	Prognostic value of right atrial dilation in patients with pulmonary embolism. <i>ERJ Open Research</i> , 2021 , 7,	3.5	1
100	Reduced-Dose Intravenous Thrombolysis for Acute Intermediate-High-risk Pulmonary Embolism: Rationale and Design of the Pulmonary Embolism International THrOmbolysis (PEITHO)-3 trial. <i>Thrombosis and Haemostasis</i> , 2021 ,	7	3
99	Impact of Systemic Atherosclerosis on Clinical Characteristics and Short-term Outcomes in Patients with Deep Venous Thrombosis or Thrombophlebitis. <i>American Journal of the Medical Sciences</i> , 2021 ,	2.2	1
98	Early switch to oral anticoagulation in patients with acute intermediate-risk pulmonary embolism (PEITHO-2): a multinational, multicentre, single-arm, phase 4 trial. <i>Lancet Haematology,the</i> , 2021 , 8, e62	27 -e 63	6 ²
97	A Comparison of GFR Calculated by Cockcroft-Gault vs. MDRD Formula in the Prognostic Assessment of Patients with Acute Pulmonary Embolism <i>Disease Markers</i> , 2021 , 2021, 6655958	3.2	
96	Early discharge and home treatment of patients with low-risk pulmonary embolism with the oral factor Xa inhibitor rivaroxaban: an international multicentre single-arm clinical trial. <i>European Heart Journal</i> , 2020 , 41, 509-518	9.5	57
95	Trends in thrombolytic treatment and outcomes of acute pulmonary embolism in Germany. European Heart Journal, 2020 , 41, 522-529	9.5	102
94	Mid-regional pro-atrial natriuretic peptide and copeptin as indicators of disease severity and therapy response in CTEPH. <i>ERJ Open Research</i> , 2020 , 6,	3.5	1
93	Fatality rates and use of systemic thrombolysis in pregnant women with pulmonary embolism. <i>ESC Heart Failure</i> , 2020 , 7, 2365-2372	3.7	6
92	Uncertain Value of High-sensitive Troponin T for Selecting Patients With Acute Pulmonary Embolism for Outpatient Treatment by Hestia Criteria. <i>Academic Emergency Medicine</i> , 2020 , 27, 1043-1	048	6

(2019-2020)

91	Validation of a fast prognostic score for risk stratification of normotensive patients with acute pulmonary embolism. <i>Clinical Research in Cardiology</i> , 2020 , 109, 1008-1017	6.1	15
90	Kommentar zu den Leitlinien (2019) der European Society of Cardiology zum Management der akuten Lungenembolie. <i>Kardiologe</i> , 2020 , 14, 248-255	0.6	2
89	Defining right ventricular dysfunction by echocardiography in normotensive patients with pulmonary embolism. <i>Polish Archives of Internal Medicine</i> , 2020 , 130, 741-747	1.9	2
88	Risk factors for chronic thromboembolic pulmonary hypertension - Importance of thyroid disease and function. <i>Thrombosis Research</i> , 2020 , 185, 20-26	8.2	1
87	Activated Endothelial TGFI Signaling Promotes Venous Thrombus Nonresolution in Mice Via Endothelin-1: Potential Role for Chronic Thromboembolic Pulmonary Hypertension. <i>Circulation Research</i> , 2020 , 126, 162-181	15.7	19
86	Impact of pulmonary embolism on in-hospital mortality of patients with ischemic stroke. <i>Journal of the Neurological Sciences</i> , 2020 , 419, 117174	3.2	2
85	Impact of obesity on adverse in-hospital outcomes in patients undergoing percutaneous mitral valve edge-to-edge repair using MitraClip[] procedure - Results from the German nationwide inpatient sample. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 1365-1374	4.5	1
84	Sex-specific and age-related seasonal variations regarding incidence and in-hospital mortality of pulmonary embolism in Germany. <i>ERJ Open Research</i> , 2020 , 6,	3.5	1
83	Definition of tachycardia for risk stratification of pulmonary embolism. <i>European Journal of Internal Medicine</i> , 2020 , 82, 76-82	3.9	2
82	Temporal trends in management and outcome of pulmonary embolism: a single-centre experience. <i>Clinical Research in Cardiology</i> , 2020 , 109, 67-77	6.1	10
81	Atrial fibrillation is frequent but does not affect risk stratification in pulmonary embolism. <i>Journal of Internal Medicine</i> , 2020 , 287, 100-113	10.8	8
80	2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS). <i>European Heart Journal</i> , 2020 , 41, 543-603	3 ^{9.5}	1043
79	Exercise right heart catheterization before and after balloon pulmonary angioplasty in inoperable patients with chronic thromboembolic pulmonary hypertension. <i>Pulmonary Circulation</i> , 2020 , 10, 20458	947020	917884
78	2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS): The Task Force for the diagnosis and management of acute pulmonary embolism of the European Society of Cardiology (ESC). European	13.6	413
77	Response to D etecting right ventricular dysfunction in patients diagnosed with low-risk pulmonary embolism: is routine computed tomographic pulmonary angiography sufficient?T <i>European Heart Journal</i> , 2019 , 40, 3357-3358	9.5	2
76	Potential Involvement of Osteopontin in Inflammatory and Fibrotic Processes in Pulmonary Embolism and Chronic Thromboembolic Pulmonary Hypertension. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 1332-1346	7	8
75	Sex-specific differences in pulmonary embolism. <i>Thrombosis Research</i> , 2019 , 178, 173-181	8.2	8
74	Prediction and prognostic importance of in-hospital major bleeding in a real-world cohort of patients with pulmonary embolism. <i>International Journal of Cardiology</i> , 2019 , 290, 144-149	3.2	9

73	Akute Lungenembolie. Zeitschrift Fur Herz-, Thorax- Und Gefasschirurgie, 2019, 33, 25-39	0.1	
72	Aktuelle Therapie der akuten Lungenembolie. <i>Pneumologe</i> , 2019 , 16, 279-288	0.1	O
71	Quality of life and functional limitations after pulmonary embolism and its prognostic relevance. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 1923-1934	15.4	19
70	Survival Benefit of Obese Patients With Pulmonary Embolism. <i>Mayo Clinic Proceedings</i> , 2019 , 94, 1960-1	957. 3	10
69	Incidence and in-hospital safety outcomes of patients undergoing percutaneous mitral valve edge-to-edge repair using MitraClip: five-year German national patient sample including 13,575 implants. <i>EuroIntervention</i> , 2019 , 14, 1725-1732	3.1	20
68	Age-Dependent and -Independent Effects of Perivascular Adipose Tissue and Its Paracrine Activities during Neointima Formation. <i>International Journal of Molecular Sciences</i> , 2019 , 21,	6.3	6
67	The Prognostic Value of Renal Function in Acute Pulmonary Embolism-A Multi-Centre Cohort Study. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 140-148	7	13
66	Incomplete echocardiographic recovery at 6´months predicts long-term sequelae after intermediate-risk pulmonary embolism. A post-hoc analysis of the Pulmonary Embolism Thrombolysis (PEITHO) trial. <i>Clinical Research in Cardiology</i> , 2019 , 108, 772-778	6.1	25
65	Risk stratification of acute pulmonary embolism based on clinical parameters, H-FABP and multidetector CT. <i>International Journal of Cardiology</i> , 2018 , 265, 223-228	3.2	11
64	Improved identification of thrombolysis candidates amongst intermediate-risk pulmonary embolism patients: implications for future trials. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	17
63	Prognostic impact of copeptin in pulmonary embolism: a multicentre validation study. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	19
62	Akute Lungenembolie 🗓 pdate 2018. <i>Kardiologie Up2date</i> , 2018 , 14, 67-81	Ο	4
61	Differential impact of syncope on the prognosis of patients with acute pulmonary embolism: a systematic review and meta-analysis. <i>European Heart Journal</i> , 2018 , 39, 4186-4195	9.5	30
60	Chronic thromboembolic pulmonary hypertension (CTEPH): Updated Recommendations from the Cologne Consensus Conference 2018. <i>International Journal of Cardiology</i> , 2018 , 272S, 69-78	3.2	61
59	Impact of Thrombolytic Therapy on the Long-Term Outcome of Intermediate-Risk Pulmonary Embolism. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1536-1544	15.1	176
58	Pulmonary endarterectomy in chronic thromboembolic pulmonary hypertension. <i>Journal of Heart and Lung Transplantation</i> , 2017 ,	5.8	14
57	Chronisch thromboembolische pulmonale Hypertonie. Klinikarzt, 2017 , 46, 396-403	0	
56	Zustand nach Lungenembolie. <i>Kardiologe</i> , 2017 , 11, 125-138	0.6	1

(2015-2017)

55	Temporal Trends in the Prevalence of Infective Endocarditis in Germany Between 2005 and 2014. American Journal of Cardiology, 2017 , 119, 317-322	3	44
54	Dabigatran after Short Heparin Anticoagulation for Acute Intermediate-Risk Pulmonary Embolism: Rationale and Design of the Single-Arm PEITHO-2 Study. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 2425-	2434	7
53	From thrombosis to fibrosis in chronic thromboembolic pulmonary hypertension. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 769-783	7	28
52	Pulmonary hypertension in heart failure with preserved ejection fraction: a plea for proper phenotyping and further research. <i>European Heart Journal</i> , 2017 , 38, 2869-2873	9.5	64
51	Performance of five different bleeding-prediction scores in patients with acute pulmonary embolism. <i>Journal of Thrombosis and Thrombolysis</i> , 2016 , 41, 312-20	5.1	42
50	Late outcomes after acute pulmonary embolism: rationale and design of FOCUS, a prospective observational multicenter cohort study. <i>Journal of Thrombosis and Thrombolysis</i> , 2016 , 42, 600-9	5.1	29
49	Effectiveness of prognosticating pulmonary embolism using the ESC algorithm and the Bova score. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 827-34	7	23
48	Comparison of risk assessment strategies for not-high-risk pulmonary embolism. <i>European Respiratory Journal</i> , 2016 , 47, 1170-8	13.6	44
47	Derivation of a clinical prediction score for chronic thromboembolic pulmonary hypertension after acute pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 121-8	15.4	84
46	Management of Pulmonary Embolism: An Update. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 976-990	15.1	182
45	Outcome of patients with right heart thrombi: the Right Heart Thrombi European Registry. European Respiratory Journal, 2016 , 47, 869-75	13.6	56
44	Home treatment of patients with low-risk pulmonary embolism with the oral factor Xa inhibitor rivaroxaban. Rationale and design of the HoT-PE Trial. <i>Thrombosis and Haemostasis</i> , 2016 , 116, 191-7	7	31
43	Acute pulmonary embolism: mortality prediction by the 2014 European Society of Cardiology risk stratification model. <i>European Respiratory Journal</i> , 2016 , 48, 780-6	13.6	140
42	Prediction of bleeding events in patients with venous thromboembolism on stable anticoagulation treatment. <i>European Respiratory Journal</i> , 2016 , 48, 1369-1376	13.6	95
41	Risk stratification of normotensive pulmonary embolism based on the sPESI - Does it work for all patients?. <i>International Journal of Cardiology</i> , 2015 , 197, 162-3	3.2	16
40	Age-adjusted high-sensitivity troponin T cut-off value for risk stratification of pulmonary embolism. <i>European Respiratory Journal</i> , 2015 , 45, 1323-31	13.6	20
39	Risk stratification of normotensive pulmonary embolism: prognostic impact of copeptin. <i>European Respiratory Journal</i> , 2015 , 46, 1701-10	13.6	26
38	External validation of a simple non-invasive algorithm to rule out chronic thromboembolic pulmonary hypertension after acute pulmonary embolism. <i>Thrombosis Research</i> , 2015 , 135, 796-801	8.2	34

37	Systemic thrombolytic therapy for acute pulmonary embolism: a systematic review and meta-analysis. <i>European Heart Journal</i> , 2015 , 36, 605-14	9.5	258
36	Predicting anticoagulant-related bleeding in patients with venous thromboembolism: a clinically oriented review. <i>European Respiratory Journal</i> , 2015 , 45, 201-10	13.6	52
35	Validation of a Model for Identification of Patients at Intermediate to High Risk for Complications Associated With Acute Symptomatic Pulmonary Embolism. <i>Chest</i> , 2015 , 148, 211-218	5.3	54
34	Gull de prlitica clilica de la ESC 2014 sobre el diagnilitico y el tratamiento de la embolia pulmonar aguda. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 64.e1-64.e45	1.5	6
33	The post-PE syndrome: a new concept for chronic complications of pulmonary embolism. <i>Blood Reviews</i> , 2014 , 28, 221-6	11.1	189
32	Aktuelle Therapie und SekundfiprWention der Lungenembolie. <i>Gefasschirurgie</i> , 2014 , 19, 77-90	0.3	
31	Identification of intermediate-risk patients with acute symptomatic pulmonary embolism. <i>European Respiratory Journal</i> , 2014 , 44, 694-703	13.6	126
30	2014 ESC guidelines on the diagnosis and management of acute pulmonary embolism. <i>European Heart Journal</i> , 2014 , 35, 3033-69, 3069a-3069k	9.5	1974
29	Fibrinolysis for patients with intermediate-risk pulmonary embolism. <i>New England Journal of Medicine</i> , 2014 , 370, 1402-11	59.2	852
28	A novel H-FABP assay and a fast prognostic score for risk assessment of normotensive pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2014 , 111, 996-1003	7	41
27	Validation of N-terminal pro-brain natriuretic peptide cut-off values for risk stratification of pulmonary embolism. <i>European Respiratory Journal</i> , 2014 , 43, 1669-77	13.6	100
26	Thrombolyse bei akuter Lungenembolie lRisikostratifizierung, risikoadaptierte Diagnostik und Therapie. <i>Klinikarzt</i> , 2014 , 43, 6-11	Ο	
25	Aktuelle Therapie und SekundfiprWention der Lungenembolie. <i>Kardiologe</i> , 2013 , 7, 217-230	0.6	
24	Aktuelle Therapie und SekundfiprWention der Lungenembolie. <i>Pneumologe</i> , 2013 , 10, 443-456	0.1	
23	A simple score for rapid risk assessment of non-high-risk pulmonary embolism. <i>Clinical Research in Cardiology</i> , 2013 , 102, 73-80	6.1	40
22	Long-term clinical course of acute pulmonary embolism. <i>Blood Reviews</i> , 2013 , 27, 185-92	11.1	21
21	Circulating regulatory T cells are reduced in obesity and may identify subjects at increased metabolic and cardiovascular risk. <i>Obesity</i> , 2013 , 21, 461-8	8	117
20	The predictive value of heart-type fatty acid-binding protein is independent from symptom duration in normotensive patients with pulmonary embolism. <i>Thrombosis Research</i> , 2013 , 132, 543-7	8.2	9

(2007-2013)

19	BMI-independent inverse relationship of plasma leptin levels with outcome in patients with acute pulmonary embolism. <i>International Journal of Obesity</i> , 2013 , 37, 204-10	5.5	9
18	Response. <i>Chest</i> , 2013 , 143, 873	5.3	
17	Pulmonary embolism hotline 2012. Recent and expected trials. <i>Hamostaseologie</i> , 2013 , 33, 43-50	1.9	3
16	Thrombolytic therapy for submassive pulmonary embolism. <i>Best Practice and Research in Clinical Haematology</i> , 2012 , 25, 379-89	4.2	13
15	Is it time for home treatment of pulmonary embolism?. European Respiratory Journal, 2012, 40, 742-9	13.6	27
14	A strategy combining imaging and laboratory biomarkers in comparison with a simplified clinical score for risk stratification of patients with acute pulmonary embolism. <i>Chest</i> , 2012 , 141, 916-922	5.3	64
13	Mortality risk assessment and the role of thrombolysis in pulmonary embolism. <i>Critical Care Clinics</i> , 2011 , 27, 953-67, vii-viii	4.5	17
12	Multidetector computed tomography for acute pulmonary embolism: diagnosis and risk stratification in a single test. <i>European Heart Journal</i> , 2011 , 32, 1657-63	9.5	153
11	Predictive value of the high-sensitivity troponin T assay and the simplified Pulmonary Embolism Severity Index in hemodynamically stable patients with acute pulmonary embolism: a prospective validation study. <i>Circulation</i> , 2011 , 124, 2716-24	16.7	166
10	Thrombolysis for pulmonary embolism: Past, present and future. <i>Thrombosis and Haemostasis</i> , 2010 , 103, 877-83	7	25
9	Mortality risk assessment and the role of thrombolysis in pulmonary embolism. <i>Clinics in Chest Medicine</i> , 2010 , 31, 759-69	5.3	9
8	Highly sensitive troponin T assay in normotensive patients with acute pulmonary embolism. <i>European Heart Journal</i> , 2010 , 31, 1836-44	9.5	151
7	Elevated heart-type fatty acid-binding protein levels on admission predict an adverse outcome in normotensive patients with acute pulmonary embolism. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 2150-7	15.1	100
6	Thrombolysis for hemodynamically stable patients with pulmonary embolism: still searching for the intermediate-risk group. <i>Thrombosis Research</i> , 2009 , 124, 647-8	8.2	4
5	Growth differentiation factor-15 for prognostic assessment of patients with acute pulmonary embolism. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008 , 177, 1018-25	10.2	129
4	Heart-type fatty acid-binding protein for risk assessment of chronic thromboembolic pulmonary hypertension. <i>European Respiratory Journal</i> , 2008 , 31, 1024-9	13.6	53
3	Absence of leptin resistance in platelets from morbidly obese individuals may contribute to the increased thrombosis risk in obesity. <i>Thrombosis and Haemostasis</i> , 2008 , 100, 1123-1129	7	31
2	Leptin signalling and leptin-mediated activation of human platelets: Importance of JAK2 and the phospholipases CI and A2. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 1063-1071	7	34

Heart-type fatty acid-binding protein permits early risk stratification of pulmonary embolism. European Heart Journal, **2007**, 28, 224-9

9.5 87