

# Bubun Banerjee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1014671/publications.pdf>

Version: 2024-02-01

95  
papers

2,108  
citations

218592

26  
h-index

243529

44  
g-index

98  
all docs

98  
docs citations

98  
times ranked

1479  
citing authors

#	ARTICLE	IF	CITATIONS
1	Baker's yeast ( <i>Saccharomyces cerevisiae</i> ) catalyzed synthesis of bioactive heterocycles and some stereoselective reactions. <i>ChemistrySelect</i> , 2022, 7, 301-323.	0.7	3
2	A General Method for the Synthesis of 11H-Indeno[1,2-B]Quinoxalin-11-Ones and 6H-Indeno[1,2-B]Pyrido[3,2-E]Pyrazin-6-One Derivatives Using Mandelic Acid as an Efficient Organo-catalyst at Room Temperature. <i>Current Organocatalysis</i> , 2022, 9, 53-61.	0.3	3
3	Sulfonated $\beta$ -cyclodextrins: efficient supramolecular organocatalysts for diverse organic transformations. <i>ChemistrySelect</i> , 2022, 7, 539-565.	0.7	4
4	Supercritical Carbon Dioxide Mediated Organic Transformations. <i>Advances in Science, Technology and Innovation</i> , 2022, , 137-151.	0.2	0
5	Naturally occurring, natural product inspired and synthetic heterocyclic anti-cancer drugs. <i>ChemistrySelect</i> , 2022, .	0.7	3
6	One-pot multi-component synthesis of diverse bioactive heterocyclic scaffolds involving 6-aminouracil or its N-methyl derivatives as a versatile reagent. <i>ChemistrySelect</i> , 2022, .	0.7	1
7	Organocatalysis: a green tool for sustainable developments. <i>ChemistrySelect</i> , 2022, 7, 213-214.	0.7	1
8	Latest developments on the synthesis of bioactive organotellurium scaffolds. <i>ChemistrySelect</i> , 2022, .	0.7	0
9	Glycine and its derivatives catalyzed one-pot multicomponent synthesis of bioactive heterocycles. <i>Synthetic Communications</i> , 2022, 52, 1635-1656.	1.1	8
10	Synthesis, characterization and Hirshfeld surface analysis of 2-aminobenzothiazol with 4-fluorobenzoic acid co-crystal. <i>European Journal of Chemistry</i> , 2022, 13, 206-213.	0.3	1
11	Camphor sulfonic acid catalyzed facile and general method for the synthesis of 3,3'-(arylmethylene)bis(4-hydroxy-2H-chromen-2-ones), 3,3'-(arylmethylene)bis(2-hydroxynaphthalene-1,4-diones) and 3,3'-(2-oxoindoline-3,3-diyl)bis(2-hydroxynaphthalene-1,4-dione) derivatives at room temperature. <i>Synthetic Communications</i> , 2021, 51, 1045-1057.	1.1	24
12	Microwave-assisted catalyst as well as solvent-free synthesis of bioactive heterocycles. , 2021, , 225-244.		3
13	Camphor sulfonic acid catalyzed a simple, facile, and general method for the synthesis of 2-arylbenzothiazoles, 2-arylbenzimidazoles, and 3H-spiro[benzo[d]thiazole-2,3-indolin]-2-ones at room temperature. <i>Synthetic Communications</i> , 2021, 51, 1100-1120.	1.1	24
14	Ionic liquid-mediated biocatalyzed organic transformations. , 2021, , 277-299.		0
15	Organic Transformations by Following Green Credentials-Part 2. <i>Current Green Chemistry</i> , 2021, 8, 3-4.	0.7	2
16	Carbon-carbon and Carbon-heteroatom Bond Forming Reactions Under Greener Conditions - Part 2. <i>Current Organic Chemistry</i> , 2021, 25, 2-3.	0.9	2
17	A general method for the synthesis of structurally diverse quinoxalines and pyrido-pyrazine derivatives using camphor sulfonic acid as an efficient organo-catalyst at room temperature. <i>Synthetic Communications</i> , 2021, 51, 1121-1131.	1.1	19
18	p-Sulfonic Acid Calix[n]arene Catalyzed Synthesis of Bioactive Heterocycles: A Review. <i>Current Organic Chemistry</i> , 2021, 25, 209-222.	0.9	12

#	ARTICLE	IF	CITATIONS
19	Organocatalyst: A Valuable Tool for the Carbon-carbon and Carbonheteroatom bond Formations. Current Organocatalysis, 2021, 8, 3-4.	0.3	0
20	Mandelic Acid: An Efficient Organo-catalyst for the Synthesis of 3-substituted-3-Hydroxy-indolin-2-ones and Related Derivatives in Aqueous Ethanol at Room Temperature. Current Organocatalysis, 2021, 8, 147-159.	0.3	15
21	X-ray crystal structure analysis of 5-bromospiro[indoline-3,7'-pyrano[3,2-C:5,6-C']dichromene]-2,6',8'-trione. European Journal of Chemistry, 2021, 12, 187-191.	0.3	2
22	Ultrasound-assisted synthesis of bioactive <i>S</i> -heterocycles. Synthetic Communications, 2021, 51, 3209-3236.	1.1	15
23	Biosynthesis of bioactive zinc oxide nanoparticles. , 2021, , 631-662.		0
24	Microwave-assisted Carbon-Carbon and Carbon-Heteroatom Bond Forming Reactions - Part 2A. Current Microwave Chemistry, 2021, 8, 56-57.	0.2	1
25	Microwave-Assisted Carbon-Carbon and Carbon-Heteroatom Bond Forming Reactions: Part 2B. Current Microwave Chemistry, 2021, 8, 138-139.	0.2	2
26	Synthesis, X-ray crystal structure, Hirshfeld surface analysis, and molecular docking studies of DMSO/H <sub>2</sub> O solvate of 5-chlorospiro[indoline-3,7'-pyrano[3,2-c:5,6-c']dichromene]-2,6',8'-trione. European Journal of Chemistry, 2021, 12, 382-388.	0.3	1
27	Magnetically separable nanocatalyzed synthesis of bioactive heterocycles in water. , 2020, , 153-190.		2
28	Synthesis and Characterization of 2-Aminobenzothiazol and 1-Methylisatin Co- $\beta$ crystal. Crystallography Reports, 2020, 65, 1195-1201.	0.1	3
29	Tetrabutylammonium Bromide (TBAB) Catalyzed Synthesis of Bioactive Heterocycles. Molecules, 2020, 25, 5918.	1.7	40
30	Organic Transformations by Following Green Credentials- Part 1 (B). Current Green Chemistry, 2020, 7, 3-4.	0.7	2
31	Carbon-Carbon and Carbon-Heteroatom Bond-forming Reactions under Greener Conditions-Part 1B. Current Organic Chemistry, 2020, 24, 2-3.	0.9	0
32	9. Selenoamides, selenazadienes, and selenocarbonyls in organic synthesis. , 2020, , 347-380.		2
33	Carbon-Carbon and Carbon-Heteroatom Bond-forming Reactions under Greener Conditions-Part 1A. Current Organic Chemistry, 2020, 23, 3135-3136.	0.9	0
34	Catalytic Applications of Saccharin and its Derivatives in Organic Synthesis. Current Organic Chemistry, 2020, 23, 3191-3205.	0.9	31
35	Mandelic acid catalyzed one-pot three-component synthesis of $\hat{I}\pm$ -aminonitriles and $\hat{I}\pm$ -aminophosphonates under solvent-free conditions at room temperature. Synthetic Communications, 2020, 50, 1545-1560.	1.1	31
36	Organoselenium Chemistry. , 2020, , .		8

#	ARTICLE	IF	CITATIONS
37	Recent Developments on the Synthesis of Biologically Significant bis/tris(indolyl)methanes under Various Reaction Conditions: A Review. <i>Current Organic Chemistry</i> , 2020, 24, 583-621.	0.9	25
38	Microwave Assisted Catalyst-free Synthesis of Bioactive Heterocycles. <i>Current Microwave Chemistry</i> , 2020, 7, 5-22.	0.2	15
39	A General Method for the Synthesis of 3,3-bis(indol-3-yl)indolin-2-ones, bis(indol-3-yl)(aryl)methanes and tris(indol-3-yl)methanes Using Naturally Occurring Mandelic Acid as an Efficient Organo-catalyst in Aqueous Ethanol at Room Temperature. <i>Current Green Chemistry</i> , 2020, 7, 128-140.	0.7	18
40	Microwave-assisted Carbon-carbon and Carbon-heteroatom Bond Forming Reactions - Part 1A. <i>Current Microwave Chemistry</i> , 2020, 7, 3-4.	0.2	1
41	Microwave-assisted Carbon-Carbon and Carbon-Heteroatom Bond Forming Reactions - Part 1B. <i>Current Microwave Chemistry</i> , 2020, 7, 84-85.	0.2	3
42	Recent advances in photo-irradiated synthesis of bioactive heterocycles. , 2020, , 407-452.		3
43	Water-Mediated Catalyst-Free Organic Transformations. <i>Nanotechnology in the Life Sciences</i> , 2020, , 63-95.	0.4	1
44	Synthesis, Characterization, and Crystal Structure of 5'-Amino-4,4''-Dichloro-2'-Nitro-2',3'-Dihydro-[1,1':3',1''-Terphenyl]-4',4',6'(1'H)-Tricarbonitrile-Dimethyl Sulfoxide. <i>Crystallography Reports</i> , 2020, 65, 1208-1211.	0.1	1
45	Lawson (2-hydroxy-1,4-naphthaquinone) derived anticancer agents. <i>ChemistrySelect</i> , 2020, ,	0.7	1
46	Magnetically Separable Transition Metal Ferrites: Versatile Heterogeneous Nanoâ€Catalysts for the Synthesis of Diverse Bioactive Heterocycles. <i>ChemistrySelect</i> , 2019, 4, 2181-2199.	0.7	43
47	Ultrasound and Nanoâ€Catalysts: An Ideal and Sustainable Combination to Carry out Diverse Organic Transformations. <i>ChemistrySelect</i> , 2019, 4, 2484-2500.	0.7	36
48	Organic Transformations by Following Green Credentials- Part 1 (A). <i>Current Green Chemistry</i> , 2019, 6, 154-154.	0.7	2
49	Naturally Occurring Organic Acid-catalyzed Facile Diastereoselective Synthesis of Biologically Active (E)-3-(arylimino)indolin-2-one Derivatives in Water at Room Temperature. <i>Current Organic Chemistry</i> , 2019, 23, 1778-1788.	0.9	24
50	Multicomponent Synthesis of Biologically Relevant Spiroheterocycles in Water. <i>Materials Research Foundations</i> , 2019, , 269-319.	0.2	2
51	Oneâ€Pot Pseudo Five Component Synthesis of Biologically Relevant 1,2,6â€Triarylâ€4â€Arylaminoâ€piperidineâ€3â€eneâ€3â€carboxylates: A Decade Update. <i>ChemistrySelect</i> , 2018, 3, 9892-9910.	0.7	22
52	Dodecylbenzenesulfonic Acid: An Efficient BrÃnsted Acidâ€Surfactantâ€Combined Catalyst to Carry out Diverse Organic Transformations in Aqueous Medium. <i>ChemistrySelect</i> , 2018, 3, 12918-12936.	0.7	22
53	13. Ultrasound-assisted synthesis of organophosphorus compounds. , 2018, , 248-263.		10
54	Ultrasound and Ionic Liquid: An Ideal Combination for Organic Transformations. <i>ChemistrySelect</i> , 2018, 3, 5283-5295.	0.7	39

#	ARTICLE	IF	CITATIONS
55	Crystal Structure of Ethyl 6-Amino-5-cyano-4-(4-fluorophenyl)-2,4-dihydropyrano[2,3-c]pyrazole-3-carboxylate. <i>Crystallography Reports</i> , 2018, 63, 388-393.	0.1	0
56	Recent Developments on Organo-bicyclo-bases Catalyzed Multicomponent Synthesis of Biologically Relevant Heterocycles. <i>Current Organic Chemistry</i> , 2018, 22, 208-233.	0.9	52
57	Camphorsulfonic Acid (CSA): An Efficient Organocatalyst for the Synthesis or Derivatization of Heterocycles with Biologically Promising Activities. <i>Current Green Chemistry</i> , 2018, 5, 150-167.	0.7	39
58	[Bmim]PF <sub>6</sub> : An efficient tool for the synthesis of diverse bioactive heterocycles. <i>Journal of the Serbian Chemical Society</i> , 2018, 83, 1071-1097.	0.4	19
59	Recent developments in the synthesis of biologically relevant selenium-containing scaffolds. <i>Coordination Chemistry Reviews</i> , 2017, 339, 104-127.	9.5	136
60	Recent Developments on Ultrasound-Assisted Synthesis of Bioactive N-Heterocycles at Ambient Temperature. <i>Australian Journal of Chemistry</i> , 2017, 70, 872.	0.5	35
61	[Bmim]BF <sub>4</sub> : A Versatile Ionic Liquid for the Synthesis of Diverse Bioactive Heterocycles. <i>ChemistrySelect</i> , 2017, 2, 8362-8376.	0.7	38
62	Bismuth(III) triflate: An Efficient Catalyst for the Synthesis of Diverse Biologically Relevant Heterocycles. <i>ChemistrySelect</i> , 2017, 2, 6744-6757.	0.7	31
63	Synthesis, spectral characterization, and single crystal structure studies of biologically relevant bis-indoline heterocyclic scaffold. <i>Crystallography Reports</i> , 2017, 62, 889-893.	0.1	1
64	Recent developments on ultrasound-assisted one-pot multicomponent synthesis of biologically relevant heterocycles. <i>Ultrasonics Sonochemistry</i> , 2017, 35, 15-35.	3.8	192
65	Recent developments on ultrasound assisted catalyst-free organic synthesis. <i>Ultrasonics Sonochemistry</i> , 2017, 35, 1-14.	3.8	171
66	Recent developments on nano-ZnO catalyzed synthesis of bioactive heterocycles. <i>Journal of Nanostructure in Chemistry</i> , 2017, 7, 389-413.	5.3	45
67	Sc(OTf) <sub>3</sub> catalyzed carbon-carbon and carbon-heteroatom bond forming reactions: a review. <i>Arkivoc</i> , 2017, 2017, 1-25.	0.3	7
68	Recent developments on ultrasound-assisted organic synthesis in aqueous medium. <i>Journal of the Serbian Chemical Society</i> , 2017, 82, 755-790.	0.4	37
69	Synthesis, spectroscopic characterization, and crystal structure of a novel indoline derivative. <i>Crystallography Reports</i> , 2016, 61, 1055-1060.	0.1	0
70	X-ray crystallography of methyl (6-amino-5-cyano-2-methyl-4-(2-nitrophenyl)-4H-pyran)-3-carboxylate. <i>Crystallography Reports</i> , 2016, 61, 1051-1054.	0.1	0
71	Synthesis, spectroscopic characterization and crystallographic behavior of a biologically relevant novel indole-fused heterocyclic compound. Experimental and theoretical (DFT) studies. <i>Journal of Molecular Structure</i> , 2016, 1118, 344-355.	1.8	8
72	Synthesis, characterization, and crystal structure of 5,5-difluoro-1H,1H-[3,3'-terindol]-2-one. <i>Crystallography Reports</i> , 2016, 61, 225-229.	0.1	2

#	ARTICLE	IF	CITATIONS
73	Facile and Chemically Sustainable One-Pot Synthesis of a Wide Array of Fused Oxand N-Heterocycles Catalyzed by Trisodium Citrate Dihydrate under Ambient Conditions. <i>Asian Journal of Organic Chemistry</i> , 2016, 5, 271-286.	1.3	71
74	Sulfamic Acid-Catalyzed Carbon-Carbon and Carbon-Heteroatom Bond Forming Reactions: An Overview. <i>Current Organocatalysis</i> , 2016, 3, 93-124.	0.3	23
75	Room Temperature Metal-Free Synthesis of Aryl/Heteroaryl-Substituted Bis(6-aminouracil-5-yl)methanes Using Sulfamic Acid (NH <sub>2</sub> SO <sub>3</sub> H) as an Efficient and Eco-friendly Organo-Catalyst. <i>Current Organocatalysis</i> , 2016, 3, 125-132.	0.3	14
76	Crystal structure of 2-amino-7,7-dimethyl-5-oxo-4-(pyridin-4-yl)-5,6,7,8-tetrahydro-4H-chromene-3-carbonitrile hemihydrate. <i>Crystallography Reports</i> , 2015, 60, 1111-1115.	0.1	0
77	X-ray studies of 2-amino-4-(3-nitrophenyl)-5-oxo-4,5-dihydropyrano[3,2-c]chromene-3-carbonitrile and 2-amino-7,7-dimethyl-4-(4-nitrophenyl)-5-oxo-5,6,7,8-tetrahydro-4H-chromene-3-carbonitrile. <i>Crystallography Reports</i> , 2015, 60, 1136-1141.	0.1	0
78	Synthesis, characterization, and crystal structure of 2-amino-7-methyl-5-oxo-4-phenyl-4,5-dihydropyrano[3,2-c]pyran-3-carbonitrile. <i>Crystallography Reports</i> , 2015, 60, 1126-1130.	0.1	1
79	Ceric ammonium nitrate (CAN): an efficient and eco-friendly catalyst for the one-pot synthesis of alkyl/aryl/heteroaryl-substituted bis(6-aminouracil-5-yl)methanes at room temperature. <i>RSC Advances</i> , 2015, 5, 39263-39269.	1.7	34
80	X-ray studies of 2-amino-5-oxo-4-propyl-4,5-dihydropyrano[3,2-c]chromene-3-carbonitrile. <i>Crystallography Reports</i> , 2015, 60, 865-868.	0.1	0
81	Synthesis, characterization, and crystal structure of 2-amino-5-oxo-4-phenyl-4,5-dihydropyrano[3,2-c]chromene-3-carbonitrile. <i>Crystallography Reports</i> , 2015, 60, 1142-1146.	0.1	1
82	Catalyst-Free Organic Synthesis At Room Temperature in Aqueous and Non-Aqueous Media: An Emerging Field of Green Chemistry Practice and Sustainability. <i>Current Green Chemistry</i> , 2015, 2, 274-305.	0.7	52
83	Sunlight-induced rapid and efficient biogenic synthesis of silver nanoparticles using aqueous leaf extract of <i>Ocimum sanctum</i> Linn. with enhanced antibacterial activity. <i>Organic and Medicinal Chemistry Letters</i> , 2014, 4, 18.	2.0	44
84	Ammonium Chloride Catalysed One-pot Multicomponent Synthesis of 1,8-dioxo-octahydroxanthenes and N-aryl-1,8-dioxodecahydroacridines Under Solvent Free Conditions. <i>Journal of Chemical Research</i> , 2014, 38, 745-750.	0.6	39
85	Crystal structure of 2-(4-nitrophenyl)-2-(phenylamino)propanenitrile and 2-(4-fluorophenylamino)-2-(4-nitrophenyl)propanenitrile. <i>Crystallography Reports</i> , 2014, 59, 1037-1041.	0.1	0
86	6-Amino-3-methyl-4-(3,4,5-trimethoxyphenyl)-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o875-o876.	0.2	4
87	Crystal structure of 5,5-[[4-(4-fluorophenyl)methylene]bis[6-amino-1,3-dimethylpyrimidine-2,4(1H,3H)-dione]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1098-o1099.	0.2	1
88	Eco-Friendly, One-Pot Multicomponent Synthesis of Pyran Annulated Heterocyclic Scaffolds at Room Temperature Using Ammonium or Sodium Formate as Non-toxic Catalyst. <i>Journal of Heterocyclic Chemistry</i> , 2014, 51, E303.	1.4	53
89	Facile and One-Pot Access of 3,3-Bis(indol-3-yl)indolin-2-ones and 2,2-Bis(indol-3-yl)acenaphthylen-1(2H)-one Derivatives via an Eco-Friendly Pseudo-Multicomponent Reaction at Room Temperature Using Sulfamic Acid as an Organo-Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 2802-2812.	3.2	77
90	Ethyl 6-amino-5-cyano-4-phenyl-2,4-dihydropyrano[2,3-c]pyrazole-3-carboxylate dimethyl sulfoxide monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o795-o796.	0.2	4

#	ARTICLE	IF	CITATIONS
91	Facile and One-Pot Access to Diverse and Densely Functionalized 2-Amino-3-cyano-4 <i>H</i> -pyrans and Pyran-Annulated Heterocyclic Scaffolds via an Eco-Friendly Multicomponent Reaction at Room Temperature Using Urea as a Novel Organo-Catalyst. ACS Sustainable Chemistry and Engineering, 2014, 2, 411-422.	3.2	264
92	Facile synthesis of symmetrical bis(benzhydryl)ethers using p-toluenesulfonyl chloride under solvent-free conditions. Organic and Medicinal Chemistry Letters, 2013, 3, 1.	2.0	29
93	Trimethyl(triphenylmethoxy)silane. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o556-o556.	0.2	0
94	2-Amino-7,7-dimethyl-5-oxo-4-(p-tolyl)-5,6,7,8-tetrahydro-4H-chromene-3-carbonitrile. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o2592-o2593.	0.2	2
95	A Comparison Between Catalyst-Free and ZrOCl <sub>2</sub> ·8H <sub>2</sub> O-Catalyzed Strecker Reactions for the Rapid and Solvent-Free One-Pot Synthesis of Racemic Î±-Aminonitrile Derivatives. Asian Journal of Organic Chemistry, 2012, 1, 251-258.	1.3	49