Xie Huanyu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10149775/publications.pdf

Version: 2024-02-01

687363 794594 21 382 13 19 h-index citations g-index papers 21 21 21 485 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	An Endoscope-like SERS Probe Based on the Focusing Effect of Silica Nanospheres for Tyrosine and Urea Detection in Sweat. Nanomaterials, 2022, 12, 421.	4.1	8
2	Green synthetic nitrogen-doped graphene quantum dot fluorescent probe for the highly sensitive and selective detection of tetracycline in food samples. RSC Advances, 2022, 12, 8160-8171.	3.6	14
3	Sensitive and Selective Detection of Clenbuterol in Meat Samples by a Graphene Quantum Dot Fluorescent Probe Based on Cationic-Etherified Starch. Nanomaterials, 2022, 12, 691.	4.1	8
4	Synthesis of Au NPs with multiple detection functions based on MoO3-x nanosheets. Applied Physics A: Materials Science and Processing, 2022, 128, 1.	2.3	2
5	Early detection of lung cancer <i>via</i> biointerference-free, target microRNA-triggered core–satellite nanocomposites. Nanoscale, 2022, 14, 8103-8111.	5.6	19
6	Hypersensitive detection of IL-6 on SERS substrate calibrated by dual model. Sensors and Actuators B: Chemical, 2021, 336, 129597.	7.8	16
7	Reusable 3D silver superposed silica SERS substrate based on the Griess reaction for the ratiometric detection of nitrite. Analytical and Bioanalytical Chemistry, 2021, 413, 4751-4761.	3.7	7
8	In situ synthesis of silver nanoparticles on dialdehyde cellulose as reliable SERS substrate. Cellulose, 2021, 28, 10827-10840.	4.9	9
9	"On-off―SERS sensor triggered by IDO for non-interference and ultrasensitive quantitative detection of IDO. Sensors and Actuators B: Chemical, 2021, 344, 130166.	7.8	13
10	Surface-modified paper-based SERS substrates for direct-droplet quantitative determination of trace substances. Cellulose, 2020, 27, 1483-1495.	4.9	14
11	Interference-free SERS tags for ultrasensitive quantitative detection of tyrosinase in human serum based on magnetic bead separation. Analytica Chimica Acta, 2020, 1138, 150-157.	5.4	15
12	Silver nanocube coupling with a nanoporous silver film for dual-molecule recognition based ultrasensitive SERS detection of dopamine. Analyst, The, 2020, 145, 3009-3016.	3.5	19
13	Fabrication of Fe3O4/Au@ATP@Ag Nanorod sandwich structure for sensitive SERS quantitative detection of histamine. Analytica Chimica Acta, 2020, 1104, 199-206.	5.4	53
14	Highly sensitive detection of tryptophan (Trp) in serum based on diazo-reaction coupling with Surface-Enhanced Raman Scattering and colorimetric assay. Analytica Chimica Acta, 2020, 1119, 52-59.	5.4	17
15	Interference-free and high precision biosensor based on surface enhanced Raman spectroscopy integrated with surface molecularly imprinted polymer technology for tumor biomarker detection in human blood. Biosensors and Bioelectronics, 2019, 143, 111599.	10.1	62
16	Silver-Nanocellulose Composite Used as SERS Substrate for Detecting Carbendazim. Nanomaterials, 2019, 9, 355.	4.1	25
17	Superhydrophobic silver film as a SERS substrate for the detection of uric acid and creatinine. Biomedical Optics Express, 2018, 9, 4988.	2.9	19
18	Fabrication and Characterization of a Highly-Sensitive Surface-Enhanced Raman Scattering Nanosensor for Detecting Glucose in Urine. Nanomaterials, 2018, 8, 629.	4.1	18

XIE HUANYU

#	Article	IF	CITATION
19	Diazotization-Coupling Reaction-Based Determination of Tyrosine in Urine Using Ag Nanocubes by Surface-Enhanced Raman Spectroscopy. Nanomaterials, 2018, 8, 400.	4.1	22
20	Ag-Coated Cellulose Fibers as Surface-Enhanced Raman Scattering Substrates for Adsorptive Detection of Malachite Green. Materials, 2018, 11, 1197.	2.9	16
21	Facile Ag-Film Based Surface Enhanced Raman Spectroscopy Using DNA Molecular Switch for Ultra-Sensitive Mercury Ions Detection. Nanomaterials, 2018, 8, 596.	4.1	6