

Junning Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1015219/junning-chen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

729
citations

16
h-index

26
g-index

46
ext. papers

874
ext. citations

3.2
avg, IF

3.98
L-index

#	Paper	IF	Citations
46	Design of transversely-graded foam and wall thickness structures for crashworthiness criteria. <i>Composites Part B: Engineering</i> , 2016 , 92, 338-349	10	71
45	A periodontal ligament driven remodeling algorithm for orthodontic tooth movement. <i>Journal of Biomechanics</i> , 2014 , 47, 1689-95	2.9	65
44	Multiscale design of surface morphological gradient for osseointegration. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2013 , 20, 387-97	4.1	56
43	Biomechanics of oral mucosa. <i>Journal of the Royal Society Interface</i> , 2015 , 12, 20150325	4.1	54
42	A comparative study on complete and implant retained denture treatments: a biomechanics perspective. <i>Journal of Biomechanics</i> , 2015 , 48, 512-9	2.9	42
41	Biomechanical investigation into the role of the periodontal ligament in optimising orthodontic force: a finite element case study. <i>Archives of Oral Biology</i> , 2016 , 66, 98-107	2.8	41
40	Shape Optimization for Additive Manufacturing of Removable Partial Dentures--A New Paradigm for Prosthetic CAD/CAM. <i>PLoS ONE</i> , 2015 , 10, e0132552	3.7	32
39	Bone's responses to different designs of implant-supported fixed partial dentures. <i>Biomechanics and Modeling in Mechanobiology</i> , 2015 , 14, 403-11	3.8	26
38	The contribution of the pericanalicular matrix to mineral content in human osteonal bone. <i>Bone</i> , 2019 , 123, 76-85	4.7	24
37	Investigation of mucosa-induced residual ridge resorption under implant-retained overdentures and complete dentures in the mandible. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015 , 30, 657-66	2.8	24
36	Topological design of all-ceramic dental bridges for enhancing fracture resistance. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2016 , 32, e02749	2.6	23
35	Mechanical simulation of the human mandible with and without an endosseous implant. <i>Medical Engineering and Physics</i> , 1994 , 16, 53-61	2.4	21
34	Network architecture strongly influences the fluid flow pattern through the lacunocanalicular network in human osteons. <i>Biomechanics and Modeling in Mechanobiology</i> , 2020 , 19, 823-840	3.8	20
33	Role of implant configurations supporting three-unit fixed partial denture on mandibular bone response: biological-data-based finite element study. <i>Journal of Oral Rehabilitation</i> , 2016 , 43, 692-701	3.4	19
32	Bone morphological effects on post-implantation remodeling of maxillary anterior buccal bone: A clinical and biomechanical study. <i>Journal of Prosthodontic Research</i> , 2017 , 61, 393-402	4.3	17
31	Computational and clinical investigation on the role of mechanical vibration on orthodontic tooth movement. <i>Journal of Biomechanics</i> , 2017 , 60, 57-64	2.9	17
30	Biomechanical analysis of bone remodeling following mandibular reconstruction using fibula free flap. <i>Medical Engineering and Physics</i> , 2018 , 56, 1-8	2.4	16

29	Multiobjective optimization of cartilage stress for non-invasive, patient-specific recommendations of high tibial osteotomy correction angle - a novel method to investigate alignment correction. <i>Medical Engineering and Physics</i> , 2017 , 42, 26-34	2.4	15
28	Smoothed finite element method for analysis of multi-layered systems Applications in biomaterials. <i>Computers and Structures</i> , 2016 , 168, 16-29	4.5	15
27	Computational modeling of dynamic behaviors of human teeth. <i>Journal of Biomechanics</i> , 2015 , 48, 4214-20	2.0	15
26	Mechanobiological bone reaction quantified by positron emission tomography. <i>Journal of Dental Research</i> , 2015 , 94, 738-44	8.1	13
25	In vivo effects of different orthodontic loading on root resorption and correlation with mechanobiological stimulus in periodontal ligament. <i>Journal of the Royal Society Interface</i> , 2019 , 16, 20190108 ¹²	4.1	10
24	Determination of oral mucosal Poisson's ratio and coefficient of friction from in-vivo contact pressure measurements. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2016 , 19, 357-65 ^{2.1}	2.1	11
23	The mystery of coconut overturns the crashworthiness design of composite materials. <i>International Journal of Mechanical Sciences</i> , 2020 , 168, 105244	5.5	11
22	Investigation on masticatory muscular functionality following oral reconstruction - An inverse identification approach. <i>Journal of Biomechanics</i> , 2019 , 90, 1-8	2.9	10
21	Bioinspired lightweight cellular materials--understanding effects of natural variation on mechanical properties. <i>Materials Science and Engineering C</i> , 2013 , 33, 3146-52	8.3	9
20	Simulation of multi-stage nonlinear bone remodeling induced by fixed partial dentures of different configurations: a comparative clinical and numerical study. <i>Biomechanics and Modeling in Mechanobiology</i> , 2017 , 16, 411-423	3.8	7
19	Micro-CT based modelling for characterising injection-moulded porous titanium implants. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2017 , 33, e02779	2.6	6
18	Multi-scale modeling and mechanical performance characterization of stingray skeleton-inspired tessellations. <i>Journal of the Mechanics and Physics of Solids</i> , 2020 , 138, 103906	5	6
17	An In Vivo Study on Load Distribution in Different Implant Configurations for Supporting Fixed Partial Dentures. <i>International Journal of Oral and Maxillofacial Implants</i> , 2016 , 31, 1049-57	2.8	5
16	Validate Mandible Finite Element Model under Removable Partial Denture (RPD) with In Vivo Pressure Measurement. <i>Applied Mechanics and Materials</i> , 2014 , 553, 322-326	0.3	4
15	Magnetic Resonance Imaging (MRI) Based Finite Element Modeling for Analyzing the Influence of Material Properties on Menisci Responses. <i>Applied Mechanics and Materials</i> , 2014 , 553, 305-309	0.3	4
14	Effect of different implant configurations on biomechanical behavior of full-arch implant-supported mandibular monolithic zirconia fixed prostheses. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020 , 102, 103490	4.1	4
13	Effects of buccal thickness augmentation on bone remodeling after maxillary anterior implantation. <i>Biomechanics and Modeling in Mechanobiology</i> , 2020 , 19, 133-145	3.8	3
12	On design for additive manufacturing (DAM) parameter and its effects on biomechanical properties of 3D printed ceramic scaffolds. <i>Materials Today Communications</i> , 2020 , 23, 101065	2.5	2

11	Comparing Contact Pressure Induced by a Conventional Complete Denture and an Implant-Retained Overdenture. <i>Applied Mechanics and Materials</i> , 2014 , 553, 384-389	0.3	2
10	Multiscale Remodelling and Topographical Optimisation for Porous Implant Surface Morphology Design. <i>Springer Series in Biomaterials Science and Engineering</i> , 2017 , 71-105	0.6	2
9	The Relationship of Mandibular Morphology with Residual Ridge Resorption Associated with Implant-Retained Overdentures. <i>International Journal of Prosthodontics</i> , 2016 , 29, 573-580	1.9	2
8	Bone metabolism induced by denture insertion in positron emission tomography. <i>Journal of Oral Rehabilitation</i> , 2016 , 43, 198-204	3.4	1
7	Bone remodeling following mandibular reconstruction using fibula free flap.. <i>Journal of Biomechanics</i> , 2022 , 133, 110968	2.9	1
6	Role of Mechanical Stimuli in Oral Implantation. <i>Journal of Biosciences and Medicines</i> , 2014 , 02, 63-68	0.2	1
5	Microstructural heterogeneity of the collagenous network in the loaded and unloaded periodontal ligament and its biomechanical implications. <i>Journal of Structural Biology</i> , 2021 , 213, 107772	3.4	0
4	Impaction Loads Resulting in Intraoperative Periprosthetic Femoral Fracture: A Finite Element Study. <i>Applied Mechanics and Materials</i> , 2014 , 553, 299-304	0.3	
3	Porous Titanium Implant and Micro-CT Based Characterization of Sub-Surface Morphology 2013 , 1579-1586		
2	Porous Titanium Implant and Micro-CT Based Characterization of Sub-Surface Morphology 2013 , 1579-1586		
1	The biomechanics of metaphyseal cone augmentation in revision knee replacement.. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022 , 131, 105233	4.1	