

Lucas Regis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1015257/publications.pdf>

Version: 2024-02-01

55
papers

299
citations

933264

10
h-index

1125617

13
g-index

56
all docs

56
docs citations

56
times ranked

329
citing authors

#	ARTICLE	IF	CITATIONS
1	Who Benefits from Multiparametric Magnetic Resonance Imaging After Suspicion of Prostate Cancer?. <i>European Urology Oncology</i> , 2019, 2, 664-669.	2.6	23
2	Simultaneous Treatment with Statins and Aspirin Reduces the Risk of Prostate Cancer Detection and Tumorigenic Properties in Prostate Cancer Cell Lines. <i>BioMed Research International</i> , 2015, 2015, 1-11.	0.9	19
3	Serum Testosterone Levels in Prostate Cancer Patients Undergoing Luteinizing Hormone-Releasing Hormone Agonist Therapy. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e491-e496.	0.9	15
4	Behavior of chemiluminescent assays to measure serum testosterone during androgen deprivation therapy. <i>International Journal of Urology</i> , 2016, 23, 957-958.	0.5	14
5	Valor de la proteína STAT3 como factor pronóstico en el carcinoma renal de células claras. Revisión sistemática. <i>Actas Urológicas Españolas</i> , 2019, 43, 118-123.	0.3	14
6	A Randomised Controlled Trial to Assess the Benefit of Posterior Rhabdosphincter Reconstruction in Early Urinary Continence Recovery after Robot-assisted Radical Prostatectomy. <i>European Urology Oncology</i> , 2022, 5, 460-463.	2.6	13
7	The Barcelona Predictive Model of Clinically Significant Prostate Cancer. <i>Cancers</i> , 2022, 14, 1589.	1.7	13
8	Hormonal response recovery after long-term androgen deprivation therapy in patients with prostate cancer. <i>Scandinavian Journal of Urology</i> , 2016, 50, 425-428.	0.6	12
9	Revisión sistemática de los factores pronósticos del carcinoma renal. <i>Actas Urológicas Españolas</i> , 2017, 41, 215-225.	0.3	11
10	La resonancia magnética preoperatoria predice la recuperación temprana de la continencia urinaria tras la prostatectomía radical robótica. <i>Actas Urológicas Españolas</i> , 2019, 43, 137-142.	0.3	11
11	Determinación de la testosterona sérica durante la supresión androgénica en pacientes con cáncer de próstata: una revisión sistemática. <i>Actas Urológicas Españolas</i> , 2016, 40, 477-484.	0.3	10
12	Prostatic-specific antigen density behavior according to multiparametric magnetic resonance imaging result. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 410-417.	0.8	10
13	Variaciones de la prostatectomía radical para una recuperación de la continencia urinaria precoz: una revisión sistemática. <i>Actas Urológicas Españolas</i> , 2019, 43, 526-535.	0.3	10
14	Comportamiento de la testosterona total y libre en suero como predictores del riesgo de cáncer de próstata y de su agresividad. <i>Actas Urológicas Españolas</i> , 2015, 39, 573-581.	0.3	9
15	Free Testosterone During Androgen Deprivation Therapy Predicts Castration-Resistant Progression Better Than Total Testosterone. <i>Prostate</i> , 2017, 77, 114-120.	1.2	9
16	The Efficacy of Proclirix to Select Appropriate Candidates for Magnetic Resonance Imaging and Derived Prostate Biopsies in Men with Suspected Prostate Cancer. <i>World Journal of Men's Health</i> , 2022, 40, 270.	1.7	8
17	Bladder Cancer in an Inguinoscrotal Vesical Hernia. <i>Case Reports in Oncological Medicine</i> , 2012, 2012, 1-3.	0.2	7
18	Proclirix, A New Biomarker for the Diagnosis of Clinically Significant Prostate Cancer: A Systematic Review. <i>Molecular Diagnosis and Therapy</i> , 2022, 26, 273-281.	1.6	7

#	ARTICLE	IF	CITATIONS
19	Cambios hormonales después del tratamiento de cáncer de próstata localizado. Comparación entre radioterapia de haz externo y prostatectomía radical. <i>Actas Urológicas Españolas</i> , 2016, 40, 549-555.	0.3	6
20	How to implement magnetic resonance imaging before prostate biopsy in clinical practice: nomograms for saving biopsies. <i>World Journal of Urology</i> , 2020, 38, 1481-1491.	1.2	6
21	Measurement of serum testosterone during androgenic suppression in patients with prostate cancer: A systematic review. <i>Actas Urológicas Españolas (English Edition)</i> , 2016, 40, 477-484.	0.2	5
22	Accuracy of serum luteinizing hormone and serum testosterone measurements to assess the efficacy of medical castration in prostate cancer patients. <i>Journal of Biomedical Science</i> , 2017, 24, 81.	2.6	5
23	The role of STAT3 protein as a prognostic factor in the clear cell renal carcinoma. Systematic review. <i>Actas Urológicas Españolas (English Edition)</i> , 2019, 43, 118-123.	0.2	5
24	Improving the Early Detection of Clinically Significant Prostate Cancer in Men in the Challenging Prostate Imaging-Reporting and Data System 3 Category. <i>European Urology Open Science</i> , 2022, 37, 38-44.	0.2	5
25	Multiparametric Magnetic Resonance Imaging Grades the Aggressiveness of Prostate Cancer. <i>Cancers</i> , 2022, 14, 1828.	1.7	5
26	Early continence after radical prostatectomy: A systematic review. <i>Actas Urológicas Españolas (English Edition)</i> , 2019, 43, 526-535.	0.2	4
27	The role of negative magnetic resonance imaging: can we safely avoid biopsy in P.I.-R.A.D.S. 2 as in P.I.-R.A.D.S. 1?. <i>Scandinavian Journal of Urology</i> , 2019, 53, 21-25.	0.6	4
28	The position of urethrovesical anastomosis after robotic radical prostatectomy assessed by MRI predicts early functional recovery: A cohort analyses from a randomized clinical trial. <i>European Journal of Radiology</i> , 2021, 137, 109589.	1.2	4
29	The current recommendation for the management of isolated high-grade prostatic intraepithelial neoplasia. <i>BJU International</i> , 2022, 129, 627-633.	1.3	4
30	Bone mass behavior after 1 year of different treatment strategies in prostate cancer patients subjected to androgen deprivation therapy. <i>Rheumatology International</i> , 2014, 34, 1419-1425.	1.5	3
31	Métodos para cuantificar la testosterona sérica en pacientes con cáncer de próstata sometidos a castración: una revisión sistemática. <i>Actas Urológicas Españolas</i> , 2018, 42, 86-93.	0.3	3
32	Las biopsias de próstata dirigidas ¿están listas para reemplazar las biopsias de próstata sistemáticas?. <i>Actas Urológicas Españolas</i> , 2019, 43, 573-578.	0.3	3
33	Análisis del escenario microscópico de una biopsia prostática negativa como predictor del riesgo de cáncer de próstata. Una revisión sistemática. <i>Actas Urológicas Españolas</i> , 2019, 43, 337-347.	0.3	3
34	Definición de continencia y factores pronósticos para la recuperación temprana de la continencia urinaria en la prostatectomía radical robótica con reconstrucción posterior del rabadefanter. Análisis post hoc de un ensayo clínico aleatorizado. <i>Actas Urológicas Españolas</i> , 2022, 46, 159-166.	0.3	3
35	MP74-02 FREE SERUM TESTOSTERONE VERSUS TOTAL TESTOSTERONE AS SURROGATE MARKER FOR THE CLINICAL BENEFIT OF ANDROGEN SUPPRESSION IN PROSTATE CANCER PATIENTS. <i>Journal of Urology</i> , 2014, 191, .	0.2	2
36	Preoperative magnetic resonance imaging in predicting early continence recovery after robotic radical prostatectomy. <i>Actas Urológicas Españolas (English Edition)</i> , 2019, 43, 137-142.	0.2	2

#	ARTICLE	IF	CITATIONS
37	Valor actual de los hallazgos histológicos de biopsias de próstata negativas en la predicción del riesgo futuro de cáncer de próstata clínicamente significativo. <i>Actas Urológicas Españolas</i> , 2021, 45, 447-454.	0.3	2
38	Serum Luteinizing Hormone Testing Can Identify Optimal Medical Castration. <i>European Urology Open Science</i> , 2020, 19, 24-26.	0.2	2
39	Who with suspected prostate cancer can benefit from ProclariX after multiparametric magnetic resonance imaging?. <i>International Journal of Biological Markers</i> , 2022, 37, 218-223.	0.7	2
40	Comparison of ProclariX, PSA Density and MRI-ERSPC Risk Calculator to Select Patients for Prostate Biopsy after mpMRI. <i>Cancers</i> , 2022, 14, 2702.	1.7	2
41	MP48-12 MULTIPARAMETRIC MRI INCREASES THE EFFICIENCY OF THE STANDARD 12-CORE TRUS-GUIDED REPEATED BIOPSIES. <i>Journal of Urology</i> , 2015, 193, .	0.2	1
42	A systematic review of methods for quantifying serum testosterone in patients with prostate cancer who underwent castration. <i>Actas Urológicas Españolas (English Edition)</i> , 2018, 42, 86-93.	0.2	1
43	Reply to Nikolaos Kalampokis, Nikolaos Grivas, Markos Karavitakis, and Henk van der Poel's Letter to the Editor re: Aina Salazar, Lucas Regis, Jacques Planas, et al. A Randomised Controlled Trial to Assess the Benefit of Posterior Rhabdosphincter Reconstruction in Early Urinary Continence Recovery after Robot-assisted Radical Prostatectomy. <i>Eur Urol Oncol</i> . In press. https://doi.org/10.1016/j.euro.2021.02.005 <i>European Urology Oncology</i> , 2021, .	2.6	1
44	Comparative Analysis of PSA Density and an MRI-Based Predictive Model to Improve the Selection of Candidates for Prostate Biopsy. <i>Cancers</i> , 2022, 14, 2374.	1.7	1
45	1481 THE CHRONIC TREATMENT COMBINING STATINS AND ASPIRIN REDUCE THE RISK OF PROSTATE CANCER DETECTION BUT INCREASING THE RISK OF HIGH GRADE TUMORS. <i>Journal of Urology</i> , 2013, 189, .	0.2	0
46	MP60-05 DETERMINED FREE SERUM TESTOSTERONE REFLECTS BETTER THAN TOTAL TESTOSTERONE THE RISK OF PROSTATE CANCER DETECTION. <i>Journal of Urology</i> , 2015, 193, .	0.2	0
47	MP13-06 IS THE CAPSULAR PERFORATION A COMPLICATION OF HOLMIUM LASER ENUCLEATION OF THE PROSTATE (HOLEP)?. <i>Journal of Urology</i> , 2015, 193, .	0.2	0
48	MP6-01 URINARY BIOMARKERS FOR THE DETECTION OF PROSTATE CANCER IN PATIENTS WITH HIGH-GRADE PROSTATIC INTRAEPITHELIAL NEOPLASIA (HGPIN).. <i>Journal of Urology</i> , 2015, 193, .	0.2	0
49	MP85-16 STUDY OF ALTERED RATIOS OF PROTEIN KINASE CK2 CATALYTIC SUBUNITS AND REGULATORY SUBUNIT (CK2BETA) IN RENAL CELL CARCINOMA. RELATION WITH EPITELIAL-TO-MESENCHYMAL TRANSITION MARKERS (IL-6/STAT3). <i>Journal of Urology</i> , 2016, 195, .	0.2	0
50	MP71-20 PATIENT-DERIVED AVATAR MOUSE MODELS PREDICTS PROGNOSIS IN ADVANCED RENAL CELL CARCINOMA.. <i>Journal of Urology</i> , 2016, 195, .	0.2	0
51	PD26-05 DIAGNOSTIC ACCURACY OF PROSTATE HEALTH INDEX FOR AGGRESSIVE PROSTATE CANCER. AN INSTITUTIONAL VALIDATION STUDY.. <i>Journal of Urology</i> , 2016, 195, .	0.2	0
52	Prediction of clinically significant prostate cancer after negative prostate biopsy: The current value of microscopic findings. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 39, 432.e11-432.e19.	0.8	0
53	The current value of histological findings in negative prostate biopsies to predict the future risk of clinically significant prostate cancer. <i>Actas Urológicas Españolas (English Edition)</i> , 2021, 45, 447-454.	0.2	0
54	Continence definition and prognostic factors for early urinary continence recovery in posterior rhabdosphincter reconstruction after robot-assisted radical prostatectomy. Post-hoc analysis of a randomised controlled trial. <i>Actas Urológicas Españolas (English Edition)</i> , 2022, , .	0.2	0

#	ARTICLE	IF	CITATIONS
55	Application of One-Step Nucleic Acid Amplification (OSNA) in different cancer entities and usefulness in prostate cancer: a systematic review. BMC Cancer, 2022, 22, 357.	1.1	0