

Mari Lundberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1016145/publications.pdf>

Version: 2024-02-01

27
papers

471
citations

687363

13
h-index

713466

21
g-index

29
all docs

29
docs citations

29
times ranked

511
citing authors

#	ARTICLE	IF	CITATIONS
1	KINESIOPHOBIA AMONG PATIENTS WITH MUSCULOSKELETAL PAIN IN PRIMARY HEALTHCARE. <i>Journal of Rehabilitation Medicine</i> , 2006, 38, 37-43.	1.1	87
2	A Person-Centered Prehabilitation Program Based on Cognitive-Behavioral Physical Therapy for Patients Scheduled for Lumbar Fusion Surgery: A Randomized Controlled Trial. <i>Physical Therapy</i> , 2019, 99, 1069-1088.	2.4	53
3	High degree of kinesiophobia after lumbar disc herniation surgery. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 732-736.	3.3	33
4	Use of the PREPARE (PREhabilitation, Physical Activity and exeRcisE) program to improve outcomes after lumbar fusion surgery for severe low back pain: a study protocol of a person-centred randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 349.	1.9	32
5	Perceptions of Kinesiophobia in Relation to Physical Activity and Exercise After Myocardial Infarction: A Qualitative Study. <i>Physical Therapy</i> , 2020, 100, 2110-2119.	2.4	32
6	The Impact of Fear-Avoidance Model Variables on Disability in Patients With Specific or Nonspecific Chronic Low Back Pain. <i>Spine</i> , 2011, 36, 1547-1553.	2.0	31
7	Level of Evidence for Reliability, Validity, and Responsiveness of Physical Capacity Tasks Designed to Assess Functioning in Patients With Low Back Pain: A Systematic Review Using the COSMIN Standards. <i>Physical Therapy</i> , 2019, 99, 457-477.	2.4	25
8	Prediction of Objectively Measured Physical Activity and Self-Reported Disability Following Lumbar Fusion Surgery. <i>World Neurosurgery</i> , 2019, 121, e77-e88.	1.3	21
9	Spinal Surgeons's Opinions on Pre- and Postoperative Rehabilitation in Patients Undergoing Lumbar Spinal Fusion Surgery. <i>Spine</i> , 2018, 43, 713-719.	2.0	20
10	Factor structure and internal consistency of a Swedish version of the Pain Catastrophizing Scale. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 259-266.	1.6	19
11	Patients with severe low back pain exhibit a low level of physical activity before lumbar fusion surgery: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 365.	1.9	18
12	Experiences of moving with persistent pain—A qualitative study from a patient perspective. <i>Physiotherapy Theory and Practice</i> , 2007, 23, 199-209.	1.3	15
13	Prehabilitation: The Emperor's New Clothes or a New Arena for Physical Therapists?. <i>Physical Therapy</i> , 2019, 99, 127-130.	2.4	14
14	Kinesiophobia among physiological overusers with musculoskeletal pain. <i>European Journal of Pain</i> , 2009, 13, 655-659.	2.8	13
15	One-minute stair climbing, 50-foot walk, and timed up-and-go were responsive measures for patients with chronic low back pain undergoing lumbar fusion surgery. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 137.	1.9	11
16	Fear of Movement Is Related to Low Back Disability During a Two-Year Period in Patients Who Have Undergone Elective Lumbar Spine Surgery. <i>World Neurosurgery</i> , 2020, 137, e416-e424.	1.3	10
17	The Impact of the Degree of Kinesiophobia on Recovery in Patients With Achilles Tendinopathy. <i>Physical Therapy</i> , 2021, 101, .	2.4	7
18	Person-centered care content in medicine, occupational therapy, nursing, and physiotherapy education programs. <i>BMC Medical Education</i> , 2022, 22, .	2.4	7

#	ARTICLE	IF	CITATIONS
19	“I don't opt out of things because I think I will get a sore knee, but I don't expose myself to stupid risks either” patients' experiences of a second ACL injury” an interview study. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 2244-2250.	4.2	6
20	Effects of a person-centred approach in a school setting for adolescents with chronic pain”The HOPE randomized controlled trial. European Journal of Pain, 2020, 24, 1598-1608.	2.8	5
21	Thoughts on Pain, Physical Activity, and Body in Patients With Recurrent Low Back Pain and Fear: An Interview Study. Physical Therapy, 2022, 102, .	2.4	3
22	Development of the Help Overcoming Pain Early (HOPE) Programme Built on a Person-Centred Approach to Support School Nurses in the Care of Adolescents with Chronic Pain”A Feasibility Study. Children, 2019, 6, 95.	1.5	2
23	The effect of graded activity and pain education (GAPE): an early post-surgical rehabilitation programme after lumbar spinal fusion”study protocol for a randomized controlled trial. Trials, 2020, 21, 791.	1.6	2
24	Fear of Movement: Past, Present, and Future for Rehabilitation and Health. Physical Therapy, 2022, 102, .	2.4	2
25	A Person-Centred Prehabilitation Program based on Cognitive Behavioural Physical Therapy for patients scheduled for Lumbar Fusion surgery: A mediation analysis to assess fear of movement (kinesiophobia), self-efficacy and catastrophizing as mediators of health outcomes. European Journal of Pain, 0, .	2.8	2
26	Developing an evidence-based prehabilitation programme designed to improve functional outcomes after lumbar fusion surgery - A feasibility study using the Medical Research Council framework. European Journal of Physiotherapy, 2020, 22, 51-61.	1.3	1
27	Author Response to Bongers et al. Physical Therapy, 2019, 99, 955-955.	2.4	0