

# Mari Lundberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1016145/publications.pdf>

Version: 2024-02-01

27  
papers

471  
citations

687363

13  
h-index

713466

21  
g-index

29  
all docs

29  
docs citations

29  
times ranked

511  
citing authors

#	ARTICLE	IF	CITATIONS
1	“œl don't opt out of things because I think I will get a sore knee, but I don't expose myself to stupid risks either” patients’ experiences of a second ACL injury” an interview study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 2244-2250.	4.2	6
2	Fear of Movement: Past, Present, and Future for Rehabilitation and Health. <i>Physical Therapy</i> , 2022, 102, .	2.4	2
3	Thoughts on Pain, Physical Activity, and Body in Patients With Recurrent Low Back Pain and Fear: An Interview Study. <i>Physical Therapy</i> , 2022, 102, .	2.4	3
4	Person-centered care content in medicine, occupational therapy, nursing, and physiotherapy education programs. <i>BMC Medical Education</i> , 2022, 22, .	2.4	7
5	The Impact of the Degree of Kinesiophobia on Recovery in Patients With Achilles Tendinopathy. <i>Physical Therapy</i> , 2021, 101, .	2.4	7
6	Developing an evidence-based prehabilitation programme designed to improve functional outcomes after lumbar fusion surgery - A feasibility study using the Medical Research Council framework. <i>European Journal of Physiotherapy</i> , 2020, 22, 51-61.	1.3	1
7	The effect of graded activity and pain education (GAPE): an early post-surgical rehabilitation programme after lumbar spinal fusion” study protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 791.	1.6	2
8	Perceptions of Kinesiophobia in Relation to Physical Activity and Exercise After Myocardial Infarction: A Qualitative Study. <i>Physical Therapy</i> , 2020, 100, 2110-2119.	2.4	32
9	Effects of a person-centred approach in a school setting for adolescents with chronic pain”The HOPE randomized controlled trial. <i>European Journal of Pain</i> , 2020, 24, 1598-1608.	2.8	5
10	Fear of Movement Is Related to Low Back Disability During a Two-Year Period in Patients Who Have Undergone Elective Lumbar Spine Surgery. <i>World Neurosurgery</i> , 2020, 137, e416-e424.	1.3	10
11	Author Response to Bongers et al. <i>Physical Therapy</i> , 2019, 99, 955-955.	2.4	0
12	Development of the Help Overcoming Pain Early (HOPE) Programme Built on a Person-Centred Approach to Support School Nurses in the Care of Adolescents with Chronic Pain”A Feasibility Study. <i>Children</i> , 2019, 6, 95.	1.5	2
13	One-minute stair climbing, 50-foot walk, and timed up-and-go were responsive measures for patients with chronic low back pain undergoing lumbar fusion surgery. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 137.	1.9	11
14	A Person-Centered Prehabilitation Program Based on Cognitive-Behavioral Physical Therapy for Patients Scheduled for Lumbar Fusion Surgery: A Randomized Controlled Trial. <i>Physical Therapy</i> , 2019, 99, 1069-1088.	2.4	53
15	Factor structure and internal consistency of a Swedish version of the Pain Catastrophizing Scale. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 259-266.	1.6	19
16	Level of Evidence for Reliability, Validity, and Responsiveness of Physical Capacity Tasks Designed to Assess Functioning in Patients With Low Back Pain: A Systematic Review Using the COSMIN Standards. <i>Physical Therapy</i> , 2019, 99, 457-477.	2.4	25
17	Prediction of Objectively Measured Physical Activity and Self-Reported Disability Following Lumbar Fusion Surgery. <i>World Neurosurgery</i> , 2019, 121, e77-e88.	1.3	21
18	Prehabilitation: The Emperor's New Clothes or a New Arena for Physical Therapists?. <i>Physical Therapy</i> , 2019, 99, 127-130.	2.4	14

#	ARTICLE	IF	CITATIONS
19	Spinal Surgeonsâ€™ Opinions on Pre- and Postoperative Rehabilitation in Patients Undergoing Lumbar Spinal Fusion Surgery. <i>Spine</i> , 2018, 43, 713-719.	2.0	20
20	Patients with severe low back pain exhibit a low level of physical activity before lumbar fusion surgery: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 365.	1.9	18
21	Use of the PREPARE (PREhabilitation, Physical Activity and exeRcisE) program to improve outcomes after lumbar fusion surgery for severe low back pain: a study protocol of a person-centred randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 349.	1.9	32
22	High degree of kinesiophobia after lumbar disc herniation surgery. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 732-736.	3.3	33
23	The Impact of Fear-Avoidance Model Variables on Disability in Patients With Specific or Nonspecific Chronic Low Back Pain. <i>Spine</i> , 2011, 36, 1547-1553.	2.0	31
24	Kinesiophobia among physiological overusers with musculoskeletal pain. <i>European Journal of Pain</i> , 2009, 13, 655-659.	2.8	13
25	Experiences of moving with persistent painâ€”A qualitative study from a patient perspective. <i>Physiotherapy Theory and Practice</i> , 2007, 23, 199-209.	1.3	15
26	KINESIOPHOBIA AMONG PATIENTS WITH MUSCULOSKELETAL PAIN IN PRIMARY HEALTHCARE. <i>Journal of Rehabilitation Medicine</i> , 2006, 38, 37-43.	1.1	87
27	A <scp>Personâ€™Centred</scp> Prehabilitation Program based on <scp>Cognitive Behavioural</scp> Physical Therapy for patients scheduled for Lumbar Fusion surgery: A mediation analysis to assess fear of movement (kinesiophobia), selfâ€™efficacy and catastrophizing as mediators of health outcomes. <i>European Journal of Pain</i> . 0...	2.8	2