

# Pema-Tenzin Puno

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/101625/publications.pdf>

Version: 2024-02-01

189  
papers

3,933  
citations

136950

32  
h-index

189892

50  
g-index

193  
all docs

193  
docs citations

193  
times ranked

3255  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | An unexpected photoinduced cyclization to synthesize fully substituted $\hat{I}^3$ -spirolactones <i>via</i> intramolecular hydrogen abstraction with allyl acrylates. <i>Organic Chemistry Frontiers</i> , 2022, 9, 2316-2321.                       | 4.5  | 3         |
| 2  | Discovery of ent-kaurane diterpenoids, characteristic metabolites of <i>Isodon</i> species, from an endophytic fungal strain <i>Geopyxis</i> sp. XY93 inhabiting <i>Isodon parvifolia</i> . <i>FÄ-toterapÄ-Ät</i> , 2022, 158, 105160.                | 2.2  | 6         |
| 3  | Structurally diverse diterpenoids from <i>Isodon oresbius</i> and their bioactivity. <i>Bioorganic Chemistry</i> , 2022, 124, 105811.   | 4.1  | 4         |
| 4  | Lignans and sesquiterpenoids from the stems of <i>Schisandra bicolor</i> var. <i>tuberculata</i> . <i>Natural Products and Bioprospecting</i> , 2022, 12, 19.   | 4.3  | 0         |
| 5  | Harnessing Natural Products by a Pharmacophore-Oriented Semisynthesis Approach for the Discovery of Potential Anti-ARS Agents. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .   | 13.8 | 7         |
| 6  | Cytochalasins from the Endophytic Fungus <i>Phomopsis</i> sp. <i>shj2</i> and Their Antimigratory Activities. <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 543.   | 3.5  | 3         |
| 7  | Discovery and biological evaluation of dispirocyclic and polycyclic <i>ent</i> -clerodane dimers from <i>Isodon scoparius</i> as novel inhibitors of Toll-like receptor signaling. <i>Organic Chemistry Frontiers</i> , 2022, 9, 4023-4033.           | 4.5  | 3         |
| 8  | Scopariusicides <i>D</i> - <i>M</i> , ent-clerodane-based isomeric meroditerpenoids with a cyclobutane-fused $\hat{I}^3/\hat{I}^1$ -lactone core from <i>Isodon scoparius</i> . <i>Bioorganic Chemistry</i> , 2022, 127, 105973.                      | 4.1  | 3         |
| 9  | Chaetolactam A, an Azaphilone Derivative from the Endophytic Fungus <i>Chaetomium</i> sp. <i>g1</i> . <i>Journal of Organic Chemistry</i> , 2021, 86, 475-483.  | 3.2  | 13        |
| 10 | Schipropins <i>A</i> - <i>J</i> , structurally diverse triterpenoids from <i>Schisandra propinqua</i> . <i>Phytochemistry</i> , 2021, 182, 112589.  | 2.9  | 4         |
| 11 | High-content screening of diterpenoids from <i>Isodon</i> species as autophagy modulators and the functional study of their antiviral activities. <i>Cell Biology and Toxicology</i> , 2021, 37, 695-713.   | 5.3  | 12        |
| 12 | 3-Hydroxy-4-methyldecanoic Acid-Containing Cyclotetrapeptides from an Endolichenic <i>Beauveria</i> sp.. <i>Journal of Natural Products</i> , 2021, 84, 1244-1253.  | 3.0  | 4         |
| 13 | Titelbild: ( $\hat{A}$ ) <i>soscopariusin</i> ...A, a Naturally Occurring Immunosuppressive Meroditerpenoid: Structure Elucidation and Scalable Chemical Synthesis ( <i>Angew. Chem.</i> 23/2021). <i>Angewandte Chemie</i> , 2021, 133, 12717-12717. | 2.0  | 0         |
| 14 | ( $\hat{A}$ ) <i>soscopariusin</i> ...A, a Naturally Occurring Immunosuppressive Meroditerpenoid: Structure Elucidation and Scalable Chemical Synthesis. <i>Angewandte Chemie</i> , 2021, 133, 12969-12977.   | 2.0  | 0         |
| 15 | ( $\hat{A}$ ) <i>soscopariusin</i> ...A, a Naturally Occurring Immunosuppressive Meroditerpenoid: Structure Elucidation and Scalable Chemical Synthesis. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 12859-12867.                    | 13.8 | 24        |
| 16 | Neuroprotective schinortriterpenoids from <i>Schisandra neglecta</i> collected in Medog County, Tibet, China. <i>Bioorganic Chemistry</i> , 2021, 110, 104785.  | 4.1  | 10        |
| 17 | Tangutidines <i>A</i> - <i>C</i> , Three Amphoteric Diterpene Alkaloids from <i>Aconitum tanguticum</i> . <i>Natural Products and Bioprospecting</i> , 2021, 11, 459-464.   | 4.3  | 3         |
| 18 | Spiro <i>ent</i> -Clerodane Dimers: Discovery and Green Approaches for a Scalable Biomimetic Synthesis. <i>Organic Letters</i> , 2021, 23, 5647-5651.   | 4.6  | 14        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Bioinspired Network Analysis Enabled Divergent Syntheses and Structure Revision of Pentacyclic Cytochalasans. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 15963-15971.  | 13.8 | 10        |
| 20 | Scopariusicide C, a novel cyclobutene-containing meroditerpenoid from artificially cultivated <i>Isodon scoparius</i> . <i>Tetrahedron Letters</i> , 2021, 73, 153133.   | 1.4  | 12        |
| 21 | A specific and bioactive polysaccharide marker for <i>Cordyceps</i> . <i>Carbohydrate Polymers</i> , 2021, 269, 118343.  | 10.2 | 10        |
| 22 | Phylogenetic patterns suggest frequent multiple origins of secondary metabolites across the seed-plant "tree of life". <i>National Science Review</i> , 2021, 8, nwa105.   | 9.5  | 22        |
| 23 | Elucidation of the Structure of Pseudorubrflordilactone B by Chemical Synthesis. <i>Journal of the American Chemical Society</i> , 2020, 142, 13701-13708.   | 13.7 | 18        |
| 24 | Phomopsisins A-C: Three new cytochalasans from the plant endophytic fungus <i>Phomopsis</i> sp. sh917. <i>Tetrahedron</i> , 2020, 76, 131475.  | 1.9  | 7         |
| 25 | Arthrins E-G, Three Botryane Sesquiterpenoids from the Plant Endophytic Fungus <i>Arthrinium</i> sp. HS66. <i>Natural Products and Bioprospecting</i> , 2020, 10, 201-207.   | 4.3  | 5         |
| 26 | Neuroprotective schinortriterpenoids with diverse scaffolds from <i>Schisandra henryi</i> . <i>Bioorganic Chemistry</i> , 2020, 105, 104353.   | 4.1  | 12        |
| 27 | ent-Kaurane-Based Diterpenoids, Dimers, and Meroditerpenoids from <i>Isodon xerophilus</i> . <i>Journal of Natural Products</i> , 2020, 83, 3717-3725.   | 3.0  | 7         |
| 28 | Pestaloamides A and B, two spiro-heterocyclic alkaloid epimers from the plant endophytic fungus <i>Pestalotiopsis</i> sp. HS30. <i>Science China Chemistry</i> , 2020, 63, 1208-1213.  | 8.2  | 9         |
| 29 | Discovery of isopenicillin A, a meroterpenoid as a novel inhibitor of tubulin polymerization. <i>Biochemical and Biophysical Research Communications</i> , 2020, 525, 303-307.   | 2.1  | 8         |
| 30 | Isorugosiformins A-F, six ent-kaurane diterpenoids from <i>Isodon rugosiformis</i> . <i>Tetrahedron</i> , 2020, 76, 131043.  | 2.2  | 4         |
| 31 | 4,5-Seco-18-nor-ent-clerodanoids and their derivatives: Structure elucidation, synthesis and resistant reversal activities against fluconazole-resistance <i>Candida albicans</i> . <i>Tetrahedron</i> , 2020, 76, 131043.   | 1.9  | 3         |
| 32 | Isoscoparins R and S, two new ent-clerodane diterpenoids from <i>Isodon scoparius</i> . <i>Journal of Asian Natural Products Research</i> , 2019, 21, 977-984.   | 1.4  | 6         |
| 33 | Total Synthesis of (S)-Perezoperezone through an Intermolecular [5+2] Homodimerization of Hydroxy-quinone. <i>Angewandte Chemie</i> , 2019, 131, 17716-17721.  | 2.0  | 2         |
| 34 | Total Synthesis of (S)-Perezoperezone through an Intermolecular [5+2] Homodimerization of Hydroxy-quinone. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17552-17557.   | 13.8 | 18        |
| 35 | Validation of Cadherin HAV6 Peptide in the Transient Modulation of the Blood-Brain Barrier for the Treatment of Brain Tumors. <i>Pharmaceutics</i> , 2019, 11, 481.  | 4.5  | 13        |
| 36 | Maoericalysins A-D, four novel ent-kaurane diterpenoids from <i>Isodon eriocalyx</i> and their structure determination utilizing quantum chemical calculation in conjunction with quantitative interproton distance analysis. <i>Organic Chemistry Frontiers</i> , 2019, 6, 45-53. | 4.5  | 10        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Four 14(13 $\beta$ -abeolanostane Triterpenoids with 6/6/5/6-Fused Ring System from the Roots of <i>Kadsura coccinea</i> . <i>Natural Products and Bioprospecting</i> , 2019, 9, 165-173.   | 4.3  | 11        |
| 38 | Isoforrethins A $\beta$ -D, four ent-abietane diterpenoids from <i>Isodon Forrestii</i> var. <i>forrestii</i> . <i>Phytochemistry</i> , 2019, 134, 158-164.   | 2.2  | 3         |
| 39 | Synergistic use of NMR computation and quantitative interproton distance analysis in the structural determination of neokadococcitane A, a rearranged triterpenoid featuring an aromatic ring D from <i>Kadsura coccinea</i> . <i>Organic Chemistry Frontiers</i> , 2019, 6, 1619-1626. | 4.5  | 18        |
| 40 | Structurally diverse diterpenoids from <i>Isodon ternifolius</i> collected from three regions. <i>Tetrahedron</i> , 2019, 75, 2797-2806.  | 1.9  | 6         |
| 41 | (+)- and ( $\beta$ )-Alternarilactone A: Enantiomers with a Diepoxy-Cage-like Scaffold from an Endophytic <i>Alternaria</i> sp.. <i>Journal of Natural Products</i> , 2019, 82, 735-740.  | 3.0  | 17        |
| 42 | Structural determination of eleven new preschisanartane-type schinortriterpenoids from two <i>Schisandra</i> species and structural revision of preschisanartanin J using NMR computation method. <i>Chinese Journal of Natural Medicines</i> , 2019, 17, 970-981.                      | 1.3  | 6         |
| 43 | Frontispiece: Total Synthesis of ( $\beta$ )-Perezoperezone through an Intermolecular [5+2] Homodimerization of Hydroxy <i>p</i> -Quinone. <i>Angewandte Chemie - International Edition</i> , 2019, 58, .   | 13.8 | 0         |
| 44 | Frontispiz: Total Synthesis of ( $\beta$ )-Perezoperezone through an Intermolecular [5+2] Homodimerization of Hydroxy <i>p</i> -Quinone. <i>Angewandte Chemie</i> , 2019, 131, .  | 2.0  | 0         |
| 45 | Adenanthin, a Natural ent-Kaurane Diterpenoid Isolated from the Herb <i>Isodon adenantha</i> Inhibits Adipogenesis and the Development of Obesity by Regulation of ROS. <i>Molecules</i> , 2019, 24, 158.   | 3.8  | 7         |
| 46 | Acetyl-macrocalin B suppresses tumor growth in esophageal squamous cell carcinoma and exhibits synergistic anti-cancer effects with the Chk1/2 inhibitor AZD7762. <i>Toxicology and Applied Pharmacology</i> , 2019, 365, 71-83.  | 2.8  | 10        |
| 47 | Isopenicins A $\beta$ -C: Two Types of Antitumor Meroterpenoids from the Plant Endophytic Fungus <i>Penicillium</i> sp. sh18. <i>Organic Letters</i> , 2019, 21, 771-775.   | 4.6  | 49        |
| 48 | Five new schinortriterpenoids from <i>Schisandra propinqua</i> var. <i>propinqua</i> . <i>Phytochemistry</i> , 2018, 127, 193-200.  | 2.2  | 9         |
| 49 | Schinortriterpenoids with Identical Configuration but Distinct ECD Spectra Generated by Nondegenerate Exciton Coupling. <i>Organic Letters</i> , 2018, 20, 1500-1504.   | 4.6  | 17        |
| 50 | Functional roles of eriocalyxin B in zebrafish revealed by transcriptome analysis. <i>Molecular Omics</i> , 2018, 14, 156-169.  | 2.8  | 6         |
| 51 | Secondary Metabolites from the Endophytic Fungus <i>Xylaria</i> sp. hg1009. <i>Natural Products and Bioprospecting</i> , 2018, 8, 121-129.  | 4.3  | 8         |
| 52 | 7 $\beta$ ,20-Epoxy-ent-kaurane Diterpenoids from the Aerial Parts of <i>Isodon pharicus</i> . <i>Journal of Natural Products</i> , 2018, 81, 106-116.  | 3.0  | 12        |
| 53 | Rabdocoestin B exhibits antitumor activity by inducing G2/M phase arrest and apoptosis in esophageal squamous cell carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 81, 469-481.  | 2.3  | 3         |
| 54 | Acetyl-macrocalin B, an ent-kaurane diterpenoid, initiates apoptosis through the ROS-p38-caspase 9-dependent pathway and induces G2/M phase arrest via the Chk1/2-Cdc25C-Cdc2/cyclin B axis in non-small cell lung cancer. <i>Cancer Biology and Therapy</i> , 2018, 19, 609-621.       | 3.4  | 16        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Synthesis of Novel ent-Kaurane-Type Diterpenoid Derivatives Effective for Highly Aggressive Tumor Cells. <i>Molecules</i> , 2018, 23, 3216.   | 3.8  | 4         |
| 56 | Scopariusols L-T, nine new ent -kaurane diterpenoids isolated from <i>Isodon scoparius</i> . <i>Chinese Journal of Natural Medicines</i> , 2018, 16, 456-464.   | 1.3  | 3         |
| 57 | Structurally diverse diterpenoids from <i>Isodon pharicus</i> . <i>Organic Chemistry Frontiers</i> , 2018, 5, 2379-2389.  | 4.5  | 11        |
| 58 | Harvest, After 50 Years of Sowing. <i>Natural Products and Bioprospecting</i> , 2018, 8, 207-215.   | 4.3  | 6         |
| 59 | Elaborating the Role of Natural Products on the Regulation of Autophagy and their Potentials in Breast Cancer Therapy. <i>Current Cancer Drug Targets</i> , 2018, 18, 239-255.  | 1.6  | 10        |
| 60 | Polyketides from the endophytic fungus <i>Phomopsis</i> sp. sh917 by using the one strain/many compounds strategy. <i>Tetrahedron</i> , 2017, 73, 3577-3584.  | 1.9  | 25        |
| 61 | Dibenzocyclooctadiene lignans from <i>Kadsura heteroclita</i> . <i>FÄ-toterapÄ-Äç</i> , 2017, 119, 150-157.   | 2.2  | 8         |
| 62 | Longikaurin A, a natural ent-kaurane, suppresses stemness in nasopharyngeal carcinoma cells. <i>Oncology Letters</i> , 2017, 13, 1672-1680.   | 1.8  | 4         |
| 63 | Lanostane-type triterpenoids from <i>Kadsura coccinea</i> . <i>Tetrahedron</i> , 2017, 73, 2931-2937.   | 1.9  | 9         |
| 64 | The Natural Diterpenoid Isoforretin A Inhibits Thioredoxin-1 and Triggers Potent ROS-Mediated Antitumor Effects. <i>Cancer Research</i> , 2017, 77, 926-936.  | 0.9  | 51        |
| 65 | ent-Kaurene diterpenoids from <i>Isodon phyllostachys</i> . <i>Tetrahedron Letters</i> , 2017, 58, 349-351.   | 1.4  | 5         |
| 66 | Diterpenoids from <i>Isodon</i> species: an update. <i>Natural Product Reports</i> , 2017, 34, 1090-1140.   | 10.3 | 176       |
| 67 | The therapeutic effects of Longikaurin A, a natural ent-kauranoid, in esophageal squamous cell carcinoma depend on ROS accumulation and JNK/p38 MAPK activation. <i>Toxicology Letters</i> , 2017, 280, 106-115.            | 0.8  | 8         |
| 68 | Eriocalyxin B, a novel autophagy inducer, exerts anti-tumor activity through the suppression of Akt/mTOR/p70S6K signaling pathway in breast cancer. <i>Biochemical Pharmacology</i> , 2017, 142, 58-70.                     | 4.4  | 39        |
| 69 | Two New Compounds from <i>Schisandra propinqua</i> var. <i>propinqua</i> . <i>Natural Products and Bioprospecting</i> , 2017, 7, 257-262.   | 4.3  | 7         |
| 70 | Structurally Diverse Diterpenoids from <i>Isodon scoparius</i> and Their Bioactivity. <i>Journal of Natural Products</i> , 2017, 80, 2026-2036.   | 3.0  | 20        |
| 71 | Ent-Abietanoids Isolated from <i>Isodon serra</i> . <i>Molecules</i> , 2017, 22, 309.   | 3.8  | 9         |
| 72 | Gypmacrophin A, a Rare Pentacyclic Sesterterpenoid, Together with Three Depsides, Functioned as New Chemical Evidence for <i>Gypsoplaça macrophylla</i> (Zahlbr.) Timdal Identification. <i>Molecules</i> , 2017, 22, 1675. | 3.8  | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Bioactive ent-kaurane diterpenoids from <i>Isodon rubescens</i> . <i>Phytochemistry</i> , 2017, 143, 199-207.   | 2.9 | 9         |
| 74 | Eriocalyxin B, a natural diterpenoid, inhibited VEGF-induced angiogenesis and diminished angiogenesis-dependent breast tumor growth by suppressing VEGFR-2 signaling. <i>Oncotarget</i> , 2016, 7, 82820-82835.   | 1.8 | 24        |
| 75 | Triterpenoids from <i>Schisandra propinqua</i> var. <i>propinqua</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.   | 0.5 | 1         |
| 76 | Targeting peroxiredoxin I potentiates 1,25-dihydroxyvitamin D3-induced cell differentiation in leukemia cells. <i>Molecular Medicine Reports</i> , 2016, 13, 2201-2207.   | 2.4 | 3         |
| 77 | Comprehensive quantitative analysis of Chinese patent drug YinHuang drop pill by ultra high-performance liquid chromatography quadrupole time of flight mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 125, 415-426.         | 2.8 | 10        |
| 78 | Structural Characterization of Kadococcin A: A Sesquiterpenoid with a Tricyclo[4.4.0.0 <sup>3,10</sup> ]decane Scaffold from <i>Kadsura coccinea</i> . <i>Organic Letters</i> , 2016, 18, 2284-2287.  | 4.6 | 37        |
| 79 | Rearranged 6/6/5/6-Fused Triterpenoid Acids from the Stems of <i>Kadsura coccinea</i> . <i>Journal of Natural Products</i> , 2016, 79, 2590-2598.   | 3.0 | 26        |
| 80 | Ent-kaurane and ent-abietane diterpenoids from <i>Isodon phyllostachys</i> . <i>Science China Chemistry</i> , 2016, 59, 1211-1215.  | 8.2 | 1         |
| 81 | Bioactive ent-kaurane diterpenoids from <i>Isodon serra</i> . <i>Phytochemistry</i> , 2016, 130, 244-251.   | 2.9 | 16        |
| 82 | Bioactive Enmein-Type ent-Kaurane Diterpenoids from <i>Isodon phyllostachys</i> . <i>Journal of Natural Products</i> , 2016, 79, 132-140.   | 3.0 | 36        |
| 83 | LC-MS-Guided Isolation of Penicilfuranone A: A New Antifibrotic Furancarboxylic Acid from the Plant Endophytic Fungus <i>Penicillium</i> sp. sh18. <i>Journal of Natural Products</i> , 2016, 79, 149-155.  | 3.0 | 23        |
| 84 | UV-Guided Isolation and Structure Determination of Lancolide E: A Nortriterpenoid with a Tetracyclo[5.4.0.0 <sup>2,4</sup> .0 <sup>3,7</sup> ]undecane-Bridged System from a <i>Talented</i> <i>Schisandra</i> Plant. <i>Organic Letters</i> , 2016, 18, 100-103. | 4.6 | 22        |
| 85 | Phomopchalasins A and B, Two Cytochalasans with Polycyclic-Fused Skeletons from the Endophytic Fungus <i>Phomopsis</i> sp. shj2. <i>Organic Letters</i> , 2016, 18, 1108-1111.  | 4.6 | 87        |
| 86 | Acylated neo-clerodane type diterpenoids from the aerial parts of <i>Scutellaria coleifolia</i> Levl. (Lamiaceae). <i>Journal of Natural Medicines</i> , 2016, 70, 241-252.   | 2.3 | 10        |
| 87 | Antiviral sesquiterpenes from leaves of <i>Nicotiana tabacum</i> . <i>Fä-toterapÄ-Äç</i> , 2016, 108, 1-4.  | 2.2 | 38        |
| 88 | SJP-L-5, a novel small-molecule compound, inhibits HIV-1 infection by blocking viral DNA nuclear entry. <i>BMC Microbiology</i> , 2015, 15, 274.  | 3.3 | 8         |
| 89 | Coleifolides A and B, Two New Sesterterpenoids from the Aerial Parts of <i>Scutellaria coleifolia</i> H.L<sc>Ä©v</sc>.. <i>Chemistry and Biodiversity</i> , 2015, 12, 1200-1207.  | 2.1 | 11        |
| 90 | Two New 18-Norschiartane-type Schinortriterpenoids from <i>Schisandra lancifolia</i> . <i>Natural Product Communications</i> , 2015, 10, 1934578X1501001.   | 0.5 | 2         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | A Group of ent-Kaurane Diterpenoids Inhibit Hedgehog Signaling and Induce Cilia Elongation. PLoS ONE, 2015, 10, e0139830.  | 2.5  | 1         |
| 92  | Acylated neo-clerodanes and 19-nor-neo-clerodanes from the aerial parts of <i>Scutellaria coleifolia</i> (Lamiaceae). Phytochemistry, 2015, 116, 298-304.  | 2.9  | 13        |
| 93  | Six new cytotoxic and anti-inflammatory 11, 20-epoxy-ent-kaurane diterpenoids from <i>Iso Isodon wikstroemioides</i> . Chinese Journal of Natural Medicines, 2015, 13, 383-389.  | 1.3  | 5         |
| 94  | Xerophilusin B Induces Cell Cycle Arrest and Apoptosis in Esophageal Squamous Cell Carcinoma Cells and Does Not Cause Toxicity in Nude Mice. Journal of Natural Products, 2015, 78, 10-16.   | 3.0  | 23        |
| 95  | Diterpene Alkaloids with an Aza-ent-kaurane Skeleton from <i>Isodon rubescens</i> . Journal of Natural Products, 2015, 78, 196-201.  | 3.0  | 17        |
| 96  | Kadcocinic Acids A <sup>e</sup> J, Triterpene Acids from <i>Kadsura coccinea</i> . Journal of Natural Products, 2015, 78, 2067-2073.   | 3.0  | 23        |
| 97  | Isolation and anti-hepatitis B virus activity of dibenzocyclooctadiene lignans from the fruits of <i>Schisandra chinensis</i> . Phytochemistry, 2015, 116, 253-261.  | 2.9  | 40        |
| 98  | ent-Kauranoids isolated from <i>Isodon eriocalyx</i> var. <i>laxiflora</i> and their structure activity relationship analyses. Tetrahedron, 2015, 71, 9161-9171.   | 1.9  | 15        |
| 99  | Kadcocinones A <sup>e</sup> F, New Biogenetically Related Lanostane-Type Triterpenoids with Diverse Skeletons from <i>Kadsura coccinea</i> . Organic Letters, 2015, 17, 4616-4619.   | 4.6  | 40        |
| 100 | Scopariusicides, Novel Unsymmetrical Cyclobutanes: Structural Elucidation and Concise Synthesis by a Combination of Intermolecular [2 + 2] Cycloaddition and C <sup>e</sup> H Functionalization. Organic Letters, 2015, 17, 6062-6065. | 4.6  | 52        |
| 101 | Triterpenoids from the Schisandraceae family: an update. Natural Product Reports, 2015, 32, 367-410.   | 10.3 | 150       |
| 102 | Laxiflorol A, the first example of 7,8:15,16-di-seco-15-nor-21-homo-ent-kauranoid from <i>Isodon eriocalyx</i> var. <i>laxiflora</i> . RSC Advances, 2015, 5, 6132-6135.   | 3.6  | 6         |
| 103 | Unusual cycloartane triterpenoids from <i>Kadsura ananosma</i> . Phytochemistry, 2015, 109, 36-42.   | 2.9  | 5         |
| 104 | Adenanthin targets proteins involved in the regulation of disulphide bonds. Biochemical Pharmacology, 2014, 89, 210-216.   | 4.4  | 36        |
| 105 | Heterodimeric ent-Kauranoids from <i>Isodon tenuifolius</i> . Journal of Natural Products, 2014, 77, 2444-2453.  | 3.0  | 10        |
| 106 | Cytotoxic and anti-inflammatory ent-kaurane diterpenoids from <i>Isodon wikstroemioides</i> . F <sup>h</sup> -totera <sup>h</sup> - <sup>h</sup> , 2014, 98, 192-198.  | 2.2  | 10        |
| 107 | Biphenyls from <i>Nicotiana tabacum</i> and their anti-tobacco mosaic virus. F <sup>h</sup> -totera <sup>h</sup> - <sup>h</sup> , 2014, 99, 35-39.   | 2.2  | 28        |
| 108 | Two Natural ent-kauranoids as Novel Wnt Signaling Inhibitors. Natural Products and Bioprospecting, 2014, 4, 135-140.   | 4.3  | 10        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | 6,7-Seco-ent-kaurane-type diterpenoids from <i>Isodon eriocalyx</i> var. <i>laxiflora</i> . <i>Tetrahedron</i> , 2014, 70, 7445-7453.   | 1.9 | 15        |
| 110 | Cytotoxic ent-Kaurane Diterpenoids from <i>Isodon wikstroemioides</i> . <i>Journal of Natural Products</i> , 2014, 77, 931-941.   | 3.0 | 20        |
| 111 | 6,7-seco-ent-Kaurane diterpenoids from <i>Isodon sculponeatus</i> and their bioactivity. <i>Chinese Chemical Letters</i> , 2014, 25, 541-544.   | 9.0 | 6         |
| 112 | Diterpenoids from <i>Isodon sculponeatus</i> . <i>Fä-toterapÄ-Äç</i> , 2014, 93, 142-149.   | 2.2 | 13        |
| 113 | Bioactive ent-Kaurane Diterpenoids from <i>Isodon rosthornii</i> . <i>Journal of Natural Products</i> , 2013, 76, 1267-1277.  | 3.0 | 25        |
| 114 | Scopariusic Acid, a New Meroditerpenoid with a Unique Cyclobutane Ring Isolated from <i>Isodon scoparius</i> . <i>Organic Letters</i> , 2013, 15, 4446-4449.  | 4.6 | 40        |
| 115 | Enmein-type 6,7-seco-ent-Kauranoids from <i>Isodon sculponeatus</i> . <i>Journal of Natural Products</i> , 2013, 76, 2113-2119.   | 3.0 | 36        |
| 116 | Anti-tumour activity of longikaurin A (LK-A), a novel natural diterpenoid, in nasopharyngeal carcinoma. <i>Journal of Translational Medicine</i> , 2013, 11, 200.                                       | 4.4 | 17        |
| 117 | Scopariusins, A New Class of ent-Halimane Diterpenoids Isolated from <i>Isodon scoparius</i> , and Biomimetic Synthesis of Scopariusin A and Isoscoparin N. <i>Organic Letters</i> , 2013, 15, 314-317. | 4.6 | 28        |
| 118 | ent-Atisane and ent-kaurane diterpenoids from <i>Isodon rosthornii</i> . <i>Fä-toterapÄ-Äç</i> , 2013, 88, 76-81.   | 2.2 | 14        |
| 119 | Bioactive Abietane and ent-Kaurane Diterpenoids from <i>Isodon tenuifolius</i> . <i>Journal of Natural Products</i> , 2013, 76, 256-264.  | 3.0 | 25        |
| 120 | A Novel Xanthone from <i>Garcinia oligantha</i> . <i>Helvetica Chimica Acta</i> , 2013, 96, 494-498.  | 1.6 | 5         |
| 121 | Two new guaianolide-type sesquiterpenoids from <i>Kadsura interior</i> . <i>Chinese Chemical Letters</i> , 2013, 24, 111-113.   | 9.0 | 10        |
| 122 | Four new diterpenoids from <i>Isodon eriocalyx</i> var. <i>laxiflora</i> . <i>Natural Products and Bioprospecting</i> , 2013, 3, 145-149.   | 4.3 | 9         |
| 123 | New ent-Abietane and ent-Kaurane Diterpenoids from <i>Isodon rubescens</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2013, 61, 90-95.   | 1.3 | 10        |
| 124 | 19-Oxygenated ent-Kaurane Diterpenoids from <i>Isodon pharicus</i> . <i>Planta Medica</i> , 2012, 78, 52-58.  | 1.3 | 6         |
| 125 | A new cyclopentanone derivative from <i>Euphorbia hirta</i> . <i>Chemistry of Natural Compounds</i> , 2012, 48, 577-579.  | 0.8 | 8         |
| 126 | Enmein-type diterpenoids from the aerial parts of <i>Isodon rubescens</i> and their cytotoxicity. <i>Fä-toterapÄ-Äç</i> , 2012, 83, 1451-1455.  | 2.2 | 10        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Rubesanolides C&E: abietane diterpenoids isolated from <i>Isodon rubescens</i> and evaluation of their anti-biofilm activity. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 5039. | 2.8 | 30        |
| 128 | Ternifolide A, a New Diterpenoid Possessing a Rare Macrolide Motif from <i>Isodon ternifolius</i> . <i>Organic Letters</i> , 2012, 14, 3210-3213.   | 4.6 | 33        |
| 129 | Schilancitrilactones C: Three Unique Nortriterpenoids from <i>Schisandra lancifolia</i> . <i>Organic Letters</i> , 2012, 14, 1286-1289.   | 4.6 | 48        |
| 130 | New Bicyclo[3.1.0]hexane Unit ent-Kaurane Diterpene and Its seco-Derivative from <i>Isodon eriocalyx</i> var. <i>laxiflora</i> . <i>Organic Letters</i> , 2012, 14, 302-305.              | 4.6 | 36        |
| 131 | Laxiflorolides A and B, Epimeric Bishomoditerpene Lactones from <i>Isodon eriocalyx</i> . <i>Journal of Natural Products</i> , 2012, 75, 1102-1107.                                       | 3.0 | 24        |
| 132 | Lignans from <i>Kadsura angustifolia</i> and <i>Kadsura coccinea</i> . <i>Journal of Asian Natural Products Research</i> , 2012, 14, 129-134.   | 1.4 | 8         |
| 133 | Adenanthin targets peroxiredoxin I and II to induce differentiation of leukemic cells. <i>Nature Chemical Biology</i> , 2012, 8, 486-493.   | 8.0 | 176       |
| 134 | Synthesis and Biological Evaluation of Laxiflorin J Derivatives as Potential Antitumor Agents. <i>Journal of Heterocyclic Chemistry</i> , 2012, 49, 571-575.                              | 2.6 | 3         |
| 135 | ent-Kaurane Diterpenoids from <i>Isodon eriocalyx</i> var. <i>laxiflora</i> . <i>Chinese Journal of Chemistry</i> , 2012, 30, 1226-1230.  | 4.9 | 6         |
| 136 | Neoadenoloside A, a highly functionalized diterpene C-glycoside, from <i>Isodon adenolomus</i> . <i>Chemical Communications</i> , 2012, 48, 7723.   | 4.1 | 14        |
| 137 | Kadpolysperins N, lanostane triterpene acids possessing rich structure types from <i>Kadsura polysperma</i> . <i>Tetrahedron</i> , 2012, 68, 4820-4829.                                   | 1.9 | 18        |
| 138 | Biogenetically related caged ent-kaurane diterpenoids from <i>Isodon eriocalyx</i> var. <i>laxiflora</i> . <i>Tetrahedron Letters</i> , 2012, 53, 2777-2781.                              | 1.4 | 7         |
| 139 | Dibenzocyclooctadiene lignans from <i>Schisandra neglecta</i> and their anti-HIV-1 activities. <i>Journal of Asian Natural Products Research</i> , 2011, 13, 592-598.                     | 1.4 | 12        |
| 140 | Antiproliferative Diterpenoids from the Leaves of <i>Isodon rubescens</i> . <i>Planta Medica</i> , 2011, 77, 169-174.   | 1.3 | 12        |
| 141 | Rubesanolides A and B: Diterpenoids from <i>Isodon rubescens</i> . <i>Organic Letters</i> , 2011, 13, 1406-1409.  | 4.6 | 39        |
| 142 | Structure and Cytotoxicity of Diterpenoids from <i>Isodon adenolomus</i> . <i>Journal of Natural Products</i> , 2011, 74, 1213-1220.  | 3.0 | 31        |
| 143 | Cytotoxic Diterpenoids from <i>Isodon adenolomus</i> . <i>Chinese Journal of Natural Medicines</i> , 2011, 9, 253-258.  | 1.3 | 7         |
| 144 | Overexpression and Small Molecule-Triggered Downregulation of CIP2A in Lung Cancer. <i>PLoS ONE</i> , 2011, 6, e20159.  | 2.5 | 84        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Anti-Hepatitis B Virus and Cytotoxic Diterpenoids from <i>Isodon lophanthoides</i> var. <i>gerardianus</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 1102-1105.          | 1.3 | 27        |
| 146 | Cytotoxic ent-Kaurane Diterpenoids from <i>Isodon henryi</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 1562-1566.  | 1.3 | 12        |
| 147 | Bisleuconins A-D: a pair of epimeric ent-kauranoid dimers and two new asymmetric analogues isolated from <i>Isodon leucophyllus</i> . <i>Tetrahedron Letters</i> , 2011, 52, 6061-6066.  | 1.4 | 7         |
| 148 | Isorosthornins A-C, new ent-kaurane diterpenoids from <i>Isodon rosthornii</i> . <i>Natural Products and Bioprospecting</i> , 2011, 1, 116-120.  | 4.3 | 7         |
| 149 | Four New ent-Kauranoids from <i>Isodon rubescens</i> var. <i>lushanensis</i> and Data Reassignment of Dayecrystal B. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 56-60.      | 1.3 | 10        |
| 150 | Pre-schisanartanins C-D and propinrilactones A-B, two classes of new nortriterpenoids from <i>Schisandra propinqua</i> var. <i>propinqua</i> . <i>Tetrahedron</i> , 2010, 66, 2306-2310. | 1.9 | 30        |
| 151 | Four New Nortriterpenoids from <i>Schisandra lancifolia</i> . <i>Helvetica Chimica Acta</i> , 2010, 93, 1975-1982.   | 1.6 | 15        |
| 152 | 6,7- <i>secoscolimans</i> Kaurane Diterpenoids from <i>Isodon sculponeatus</i> with Cytotoxic Activity. <i>Chemistry and Biodiversity</i> , 2010, 7, 2888-2896.                          | 2.1 | 32        |
| 153 | 7,8- <i>secolignans</i> from <i>Schisandra wilsoniana</i> and Their Anti-HIV-1 Activities. <i>Chemistry and Biodiversity</i> , 2010, 7, 2692-2701.                                       | 2.1 | 23        |
| 154 | Electrospray tandem mass spectrometry of longipedlactone triterpenoids. <i>Journal of Mass Spectrometry</i> , 2010, 45, 451-455.   | 1.6 | 8         |
| 155 | Two novel diterpenoids from <i>Isodon rubescens</i> var. <i>lushanensis</i> . <i>Tetrahedron Letters</i> , 2010, 51, 4225-4228.  | 1.4 | 14        |
| 156 | Structure and Cytotoxicity of Diterpenoids from <i>Isodon eriocalyx</i> . <i>Journal of Natural Products</i> , 2010, 73, 1803-1809.  | 3.0 | 31        |
| 157 | Cytotoxic ent-Kaurane Diterpenoids from <i>Isodon rubescens</i> var. <i>lushiensis</i> . <i>Journal of Natural Products</i> , 2010, 73, 1112-1116.                                       | 3.0 | 23        |
| 158 | Cytotoxic ent-Kaurane Diterpenoids from <i>Isodon henryi</i> . <i>Planta Medica</i> , 2009, 75, 65-69.   | 1.3 | 11        |
| 159 | Abietanoids and Sopimaranoid Glycosides from <i>Isodon nervosus</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 362-369.   | 1.6 | 8         |
| 160 | Cytotoxic ent-kaurane diterpenoids from <i>Isodon sinuolata</i> . <i>Phytochemistry</i> , 2009, 70, 1462-1466.   | 2.9 | 23        |
| 161 | A class of 18(13 $\beta$ -abeo-schiartane skeleton nortriterpenoids from <i>Schisandra propinqua</i> var. <i>propinqua</i> . <i>Tetrahedron</i> , 2009, 65, 164-170.                     | 1.9 | 34        |
| 162 | Diterpenoids from <i>Isodon pharicus</i> . <i>Tetrahedron Letters</i> , 2009, 50, 2019-2023.   | 1.4 | 18        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 163 | <i>ent</i> -Kaurane Diterpenoids from <i>Isodon pharicus</i> . Journal of Natural Products, 2009, 72, 988-993.  | 3.0  | 21        |
| 164 | <i>ent</i> -Kaurane and Cembrane Diterpenoids from <i>Isodon sculponeatus</i> and Their Cytotoxicity. Journal of Natural Products, 2009, 72, 1851-1856.   | 3.0  | 34        |
| 165 | <i>ent</i> -Kaurane Diterpenoids from <i>Isodon scoparius</i> . Journal of Natural Products, 2009, 72, 125-129.   | 3.0  | 16        |
| 166 | Four New Dibenzocyclooctadiene Lignans from <i>Schisandra rubriflora</i> . Helvetica Chimica Acta, 2008, 91, 1053-1062.   | 1.6  | 18        |
| 167 | <i>ent</i> -Kaurane Diterpenoids from <i>Isodon phyllostachys</i> . Helvetica Chimica Acta, 2008, 91, 1130-1136.  | 1.6  | 9         |
| 168 | Nortriterpenoids from <i>Schisandra wilsoniana</i> . Helvetica Chimica Acta, 2008, 91, 1871-1878.   | 1.6  | 24        |
| 169 | Eight New Diterpenoids from the Roots of <i>Euphorbia nematocypha</i> . Helvetica Chimica Acta, 2008, 91, 2139-2147.  | 1.6  | 35        |
| 170 | Compounds from <i>Kadsura heteroclita</i> and related anti-HIV activity. Phytochemistry, 2008, 69, 1266-1272.   | 2.9  | 72        |
| 171 | Symmetric and asymmetric <i>ent</i> -kaurane dimers isolated from <i>Isodon japonicus</i> . Tetrahedron Letters, 2008, 49, 3574-3577.   | 1.4  | 16        |
| 172 | Triterpenoids from the Schisandraceae family. Natural Product Reports, 2008, 25, 871.   | 10.3 | 227       |
| 173 | <i>ent</i> -Kaurane Diterpenoids from <i>Isodon nervosus</i> . Journal of Natural Products, 2008, 71, 684-688.  | 3.0  | 18        |
| 174 | Kadcoccolactones A-J, Triterpenoids from <i>Kadsura coccinea</i> . Journal of Natural Products, 2008, 71, 1182-1188.  | 3.0  | 47        |
| 175 | Three New Compounds from <i>Kadsura longipedunculata</i> . Chemical and Pharmaceutical Bulletin, 2008, 56, 1143-1146.   | 1.3  | 36        |
| 176 | Cytotoxic <i>ent</i> -Kauranoids from the Medicinal Plant <i>Isodon xerophilus</i> . Journal of Natural Products, 2007, 70, 1295-1301.  | 3.0  | 29        |
| 177 | Isolation and Structure Elucidation of Kadlongilactones C-F from <i>Kadsura longipedunculata</i> by NMR Spectroscopy and DFT Computational Methods. Journal of Natural Products, 2007, 70, 1706-1711. | 3.0  | 35        |
| 178 | Three New Compounds from <i>Kadsura longipedunculata</i> . Helvetica Chimica Acta, 2007, 90, 723-729.   | 1.6  | 9         |
| 179 | Four New Schisanartane-Type Nortriterpenoids from <i>Schisandra propinqua</i> var. <i>propinqua</i> . Helvetica Chimica Acta, 2007, 90, 1399-1405.  | 1.6  | 23        |
| 180 | Isolation and Structure Elucidation of Nortriterpenoids from <i>Schisandra rubriflora</i> . Helvetica Chimica Acta, 2007, 90, 1505-1513.  | 1.6  | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | ent-Kaurane Diterpenoids from <i>Isodon japonicus</i> . Helvetica Chimica Acta, 2007, 90, 2375-2379.  | 1.6 | 12        |
| 182 | ent-Abietane diterpenoids from <i>Isodon rubescens</i> var. <i>rubescens</i> . Phytochemistry, 2007, 68, 616-622.   | 2.9 | 26        |
| 183 | Three New ent-Kauranoids from <i>Isodon phyllostachys</i> . Heterocycles, 2007, 71, 2441.   | 0.7 | 12        |
| 184 | Rubrifloridilactones A and B, Two Novel Bisnortriterpenoids from <i>Schisandra rubriflora</i> and Their Biological Activities. Organic Letters, 2006, 8, 991-994. | 4.6 | 106       |
| 185 | Cytotoxic ent-kauranoid derivatives from <i>Isodon rubescens</i> . Tetrahedron, 2006, 62, 4941-4947.  | 1.9 | 30        |
| 186 | Cytotoxic ent-kaurene diterpenoids from <i>Isodon phyllostachys</i> . Phytochemistry, 2006, 67, 1336-1340.  | 2.9 | 25        |
| 187 | Three Novel Terpenoids from <i>Schisandra pubescens</i> var. <i>pubinervis</i> . Helvetica Chimica Acta, 2006, 89, 1169-1175.                                     | 1.6 | 43        |
| 188 | Kadlongilactones A and B, Two Novel Triterpene Dilactones from <i>Kadsura longipedunculata</i> Possessing a Unique Skeleton. Organic Letters, 2005, 7, 5079-5082. | 4.6 | 44        |
| 189 | Harnessing Natural Products by a Pharmacophore-Oriented Semisynthesis Approach for the Discovery of Potential Anti-SARS-CoV-2 Agents. Angewandte Chemie, 0, , .   | 2.0 | 0         |