

Yi Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1016471/publications.pdf>

Version: 2024-02-01

280
papers

12,260
citations

26567

56
h-index

32761

100
g-index

282
all docs

282
docs citations

282
times ranked

5934
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Bulk metallic glass formation in the binary Cu–Zr system. <i>Applied Physics Letters</i> , 2004, 84, 4029-4031. | 1.5 | 466 |
| 2 | Matching Glass-Forming Ability with the Density of the Amorphous Phase. <i>Science</i> , 2008, 322, 1816-1819. | 6.0 | 321 |
| 3 | Hierarchical crack buffering triples ductility in eutectic herringbone high-entropy alloys. <i>Science</i> , 2021, 373, 912-918. | 6.0 | 304 |
| 4 | An XPS investigation of the oxidation/corrosion of melt-spun Mg. <i>Applied Surface Science</i> , 2000, 158, 112-119. | 3.1 | 268 |
| 5 | The correlation between reduced glass transition temperature and glass forming ability of bulk metallic glasses. <i>Scripta Materialia</i> , 2000, 42, 667-673. | 2.6 | 260 |
| 6 | Enhanced plastic strain in Zr-based bulk amorphous alloys. <i>Physical Review B</i> , 2001, 64, . | 1.1 | 255 |
| 7 | Shear band spacing under bending of Zr-based metallic glass plates. <i>Acta Materialia</i> , 2004, 52, 2429-2434. | 3.8 | 236 |
| 8 | Homogeneous Nucleation Catastrophe as a Kinetic Stability Limit for Superheated Crystal. <i>Physical Review Letters</i> , 1998, 80, 4474-4477. | 2.9 | 229 |
| 9 | Multiple maxima of GFA in three adjacent eutectics in Zr–Cu–Al alloy system – A metallographic way to pinpoint the best glass forming alloys. <i>Acta Materialia</i> , 2005, 53, 2969-2979. | 3.8 | 225 |
| 10 | Effect of a controlled volume fraction of dendritic phases on tensile and compressive ductility in La-based metallic glass matrix composites. <i>Acta Materialia</i> , 2004, 52, 4121-4131. | 3.8 | 222 |
| 11 | Discovering inch-diameter metallic glasses in three-dimensional composition space. <i>Applied Physics Letters</i> , 2005, 87, 181915. | 1.5 | 203 |
| 12 | Strain-hardening and suppression of shear-banding in rejuvenated bulk metallic glass. <i>Nature</i> , 2020, 578, 559-562. | 13.7 | 203 |
| 13 | Softening and dilatation in a single shear band. <i>Acta Materialia</i> , 2011, 59, 5146-5158. | 3.8 | 195 |
| 14 | Reduced glass transition temperature and glass forming ability of bulk glass forming alloys. <i>Journal of Non-Crystalline Solids</i> , 2000, 270, 103-114. | 1.5 | 190 |
| 15 | Extreme rejuvenation and softening in a bulk metallic glass. <i>Nature Communications</i> , 2018, 9, 560. | 5.8 | 186 |
| 16 | An instability index of shear band for plasticity in metallic glasses. <i>Acta Materialia</i> , 2009, 57, 1367-1372. | 3.8 | 182 |
| 17 | Strength, plasticity and brittleness of bulk metallic glasses under compression: statistical and geometric effects. <i>Philosophical Magazine</i> , 2008, 88, 71-89. | 0.7 | 180 |
| 18 | Atomic Scale Fluctuations Govern Brittle Fracture and Cavitation Behavior in Metallic Glasses. <i>Physical Review Letters</i> , 2011, 107, 215501. | 2.9 | 177 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Deformation and Failure of $Zr_{57}Ti_5Cu_{20}Ni_8Al_{10}$ Bulk Metallic Glass Under Quasi-static and Dynamic Compression. <i>Journal of Materials Research</i> , 2002, 17, 1441-1445. | 1.2 | 172 |
| 20 | Optimum glass formation at off-eutectic composition and its relation to skewed eutectic coupled zone in the La based $La-Al-(Cu,Ni)$ pseudo ternary system. <i>Acta Materialia</i> , 2003, 51, 4551-4561. | 3.8 | 169 |
| 21 | Mechanical properties and optimal grain size distribution profile of gradient grained nickel. <i>Acta Materialia</i> , 2018, 153, 279-289. | 3.8 | 161 |
| 22 | Fe-based bulk metallic glass matrix composite with large plasticity. <i>Scripta Materialia</i> , 2010, 62, 329-332. | 2.6 | 160 |
| 23 | Understanding Long-Term Cycling Performance of $Li_{1.2}Ni_{0.15}Mn_{0.55}Co_{0.1}O_2$ Graphite Lithium-Ion Cells. <i>Journal of the Electrochemical Society</i> , 2013, 160, A3006-A3019. | 1.3 | 159 |
| 24 | Embrittlement of a bulk metallic glass due to low-temperature annealing. <i>Scripta Materialia</i> , 2002, 47, 107-111. | 2.6 | 158 |
| 25 | Effect of crystallinity on the impact toughness of a La-based bulk metallic glass. <i>Acta Materialia</i> , 2000, 48, 2603-2615. | 3.8 | 156 |
| 26 | Cold versus hot shear banding in bulk metallic glass. <i>Physical Review B</i> , 2009, 80, . | 1.1 | 145 |
| 27 | Densification and Strain Hardening of a Metallic Glass under Tension at Room Temperature. <i>Physical Review Letters</i> , 2013, 111, 135504. | 2.9 | 131 |
| 28 | Preparation and magnetic properties of (Zn-Sn) substituted barium hexaferrite nanoparticles for magnetic recording. <i>Journal of Magnetism and Magnetic Materials</i> , 1998, 187, 129-135. | 1.0 | 123 |
| 29 | Strain rate-dependent deformation in bulk metallic glasses. <i>Intermetallics</i> , 2002, 10, 1177-1182. | 1.8 | 121 |
| 30 | A new centimeter-diameter Cu-based bulk metallic glass. <i>Scripta Materialia</i> , 2006, 54, 1403-1408. | 2.6 | 115 |
| 31 | Shear band melting and serrated flow in metallic glasses. <i>Applied Physics Letters</i> , 2008, 93, . | 1.5 | 109 |
| 32 | Laser welding of $Zr_{45}Cu_{48}Al_7$ bulk glassy alloy. <i>Journal of Alloys and Compounds</i> , 2006, 413, 118-121. | 2.8 | 108 |
| 33 | Three-Dimensional High-Entropy Alloy-Polymer Composite Nanolattices That Overcome the Strength-Recoverability Trade-off. <i>Nano Letters</i> , 2018, 18, 4247-4256. | 4.5 | 108 |
| 34 | Formation of Bulk Metallic Glasses and Their Composites. <i>MRS Bulletin</i> , 2007, 32, 624-628. | 1.7 | 100 |
| 35 | Glass forming ability of bulk glass forming alloys. <i>Scripta Materialia</i> , 1997, 36, 783-787. | 2.6 | 99 |
| 36 | Ductile $Fe-Nb-B$ bulk metallic glass with ultrahigh strength. <i>Applied Physics Letters</i> , 2008, 92, . | 1.5 | 99 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Microstructure and soft magnetic properties of nanocrystalline Fe-Si powders. <i>Journal of Alloys and Compounds</i> , 2001, 314, 262-267. | 2.8 | 98 |
| 38 | Functionally Graded Ti-Al-V Meshes with High Strength and Energy Absorption. <i>Advanced Engineering Materials</i> , 2016, 18, 34-38. | 1.6 | 98 |
| 39 | Passivity behavior of melt-spun Mg-Y Alloys. <i>Electrochimica Acta</i> , 2003, 48, 4197-4204. | 2.6 | 93 |
| 40 | A new Cu-Hf-Al ternary bulk metallic glass with high glass forming ability and ductility. <i>Scripta Materialia</i> , 2006, 54, 2165-2168. | 2.6 | 92 |
| 41 | On the exceptional damage-tolerance of gradient metallic materials. <i>Materials Today</i> , 2020, 32, 94-107. | 8.3 | 89 |
| 42 | Strategy for pinpointing the best glass-forming alloys. <i>Applied Physics Letters</i> , 2005, 86, 191906. | 1.5 | 88 |
| 43 | Doubling the Critical Size for Bulk Metallic Glass Formation in the Mg-Cu-Y Ternary System. <i>Journal of Materials Research</i> , 2005, 20, 2252-2255. | 1.2 | 84 |
| 44 | Statistical composition-structure-property correlation and glass-forming ability based on the full icosahedra in Cu-Zr metallic glasses. <i>Applied Physics Letters</i> , 2010, 96, . | 1.5 | 83 |
| 45 | Microstructure and mechanical properties of a partially crystallized La-based bulk metallic glass. <i>Philosophical Magazine</i> , 2003, 83, 1747-1760. | 0.7 | 81 |
| 46 | Monte Carlo simulation of a cluster system with strong interaction and random anisotropy. <i>Physical Review B</i> , 2001, 64, . | 1.1 | 76 |
| 47 | Glass forming ability and in-situ composite formation in Pd-based bulk metallic glasses. <i>Acta Materialia</i> , 2003, 51, 561-572. | 3.8 | 76 |
| 48 | Glass-forming tendency of bulk La-Al-Ni-Cu (Co) metallic glass-forming liquids. <i>Journal of Applied Physics</i> , 2003, 93, 286-290. | 1.1 | 76 |
| 49 | Fe-Nd-B-based hard magnets from bulk amorphous precursor. <i>Scripta Materialia</i> , 2007, 56, 943-946. | 2.6 | 75 |
| 50 | Ductile fracture in notched bulk metallic glasses. <i>Acta Materialia</i> , 2017, 136, 126-133. | 3.8 | 72 |
| 51 | Glass formation in La-based La-Al-Ni-Cu (Co) alloys by Bridgman solidification and their glass forming ability. <i>Acta Materialia</i> , 1999, 47, 2215-2224. | 3.8 | 71 |
| 52 | On the impact toughness of gradient-structured metals. <i>Acta Materialia</i> , 2020, 193, 125-137. | 3.8 | 70 |
| 53 | Origin of anomalous inverse notch effect in bulk metallic glasses. <i>Journal of the Mechanics and Physics of Solids</i> , 2015, 84, 85-94. | 2.3 | 67 |
| 54 | Characterization of mechanical properties of a Zr-based metallic glass by indentation techniques. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 384, 215-223. | 2.6 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Microstructure control and ductility improvement of La-Al-(Cu,Ni) composites by Bridgman solidification. <i>Acta Materialia</i> , 2005, 53, 2607-2616. | 3.8 | 59 |
| 56 | Combining Ab Initio Computation with Experiments for Designing New Electrode Materials for Advanced Lithium Batteries: LiNi _{1/3} Fe _{1/6} Co _{1/6} Mn _{1/3} O ₂ . <i>Journal of the Electrochemical Society</i> , 2004, 151, A1134. | 1.3 | 58 |
| 57 | Ultrastrong nanotwinned pure nickel with extremely fine twin thickness. <i>Science Advances</i> , 2021, 7, . | 4.7 | 58 |
| 58 | Stress gradient enhanced plasticity in a monolithic bulk metallic glass. <i>Intermetallics</i> , 2008, 16, 1190-1198. | 1.8 | 57 |
| 59 | Determination of critical thickness for glass formation in new easy glass forming magnesium-base alloys by the wedge chill casting technique. <i>Scripta Metallurgica Et Materialia</i> , 1992, 26, 1371-1375. | 1.0 | 55 |
| 60 | Atomic structure of Zr-Cu glassy alloys and detection of deviations from ideal solution behavior with Al addition by x-ray diffraction using synchrotron light in transmission. <i>Applied Physics Letters</i> , 2009, 94, 191912. | 1.5 | 55 |
| 61 | Synthesis of La-based in-situ bulk metallic glass matrix composite. <i>Intermetallics</i> , 2002, 10, 1203-1205. | 1.8 | 54 |
| 62 | Unidirectional solidification of Zn-rich Zn-Cu peritectic alloys. I. Microstructure selection. <i>Acta Materialia</i> , 2000, 48, 419-431. | 3.8 | 53 |
| 63 | Temperature, strain rate and reinforcement volume fraction dependence of plastic deformation in metallic glass matrix composites. <i>Acta Materialia</i> , 2007, 55, 3059-3071. | 3.8 | 52 |
| 64 | A three-parameter Weibull statistical analysis of the strength variation of bulk metallic glasses. <i>Scripta Materialia</i> , 2009, 61, 923-926. | 2.6 | 51 |
| 65 | The coercivity of rapidly quenched alloys. <i>Journal Physics D: Applied Physics</i> , 1999, 32, 713-716. | 1.3 | 50 |
| 66 | A structural, magnetic and microwave study on mechanically milled Fe-based alloy powders. <i>Journal of Magnetism and Magnetic Materials</i> , 2002, 247, 249-256. | 1.0 | 50 |
| 67 | Bulk metallic glasses: Eutectic coupled zone and amorphous formation. <i>Jom</i> , 2005, 57, 60-63. | 0.9 | 50 |
| 68 | Mechanical properties of metallic glass matrix composites: Effects of reinforcement character and connectivity. <i>Scripta Materialia</i> , 2007, 56, 617-620. | 2.6 | 49 |
| 69 | Cooling-rate dependence of the density of Pd ₄₀ Ni ₁₀ Cu ₃₀ P ₂₀ bulk metallic glass. <i>Physical Review B</i> , 2001, 64, . | 1.1 | 47 |
| 70 | Glass formation enhanced by oxygen in binary Zr-Cu system. <i>Scripta Materialia</i> , 2010, 62, 682-685. | 2.6 | 47 |
| 71 | Separation of glass transition and crystallization in metallic glasses by temperature-modulated differential scanning calorimetry. <i>Philosophical Magazine Letters</i> , 1998, 78, 213-220. | 0.5 | 46 |
| 72 | Corrosion behavior of melt-spun Mg ₆₅ Ni ₂₀ Nd ₁₅ and Mg ₆₅ Cu ₂₅ Y ₁₀ metallic glasses. <i>Electrochimica Acta</i> , 2003, 48, 2641-2650. | 2.6 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Innovative approach to the design of low-cost Zr-based BMG composites with good glass formation. <i>Scientific Reports</i> , 2013, 3, 2097. | 1.6 | 45 |
| 74 | The effect of Y on glass forming ability. <i>Scripta Materialia</i> , 2005, 53, 183-187. | 2.6 | 44 |
| 75 | Size-dependent "malleable-to-brittle" transition in a bulk metallic glass. <i>Applied Physics Letters</i> , 2008, 93, . | 1.5 | 44 |
| 76 | Structure and magnetic characterization of amorphous and crystalline Nd-Fe-Al alloys. <i>Journal of Alloys and Compounds</i> , 1999, 290, 209-215. | 2.8 | 43 |
| 77 | Correlation between the corrosion behavior and corrosion films formed on the surfaces of Mg ₈₂ Ni ₁₈ Ndx (x=0, 5, 15) amorphous alloys. <i>Applied Surface Science</i> , 2001, 173, 54-61. | 3.1 | 43 |
| 78 | Magnetic properties and magnetic entropy change of amorphous and crystalline GdNiAl ribbons. <i>Applied Physics A: Materials Science and Processing</i> , 2002, 75, 535-539. | 1.1 | 42 |
| 79 | On secondary dendrite arm coarsening in peritectic solidification. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 390, 52-62. | 2.6 | 42 |
| 80 | Glass forming abilities of binary Cu _{100-x} Zr _x (34, 35.5, and 38.2 at.%) metallic glasses: A LAMMPS study. <i>Journal of Applied Physics</i> , 2009, 105, . | 1.1 | 42 |
| 81 | Critical cooling rates for glass formation in Zr-Al-Cu-Ni alloys. <i>Journal of Non-Crystalline Solids</i> , 1996, 208, 127-138. | 1.5 | 39 |
| 82 | High tensile strength reliability in a bulk metallic glass. <i>Applied Physics Letters</i> , 2008, 92, 041905. | 1.5 | 38 |
| 83 | The basic polyhedral clusters, the optimum glass formers, and the composition-structure-property (glass-forming ability) correlation in Cu-Zr metallic glasses. <i>Journal of Applied Physics</i> , 2010, 107, . | 1.1 | 38 |
| 84 | Crystallization kinetics of an Au-based metallic glass upon ultrafast heating and cooling. <i>Scripta Materialia</i> , 2017, 132, 58-62. | 2.6 | 38 |
| 85 | Unidirectional solidification of Zn-rich Zn-Cu peritectic alloys II. Microstructural length scales. <i>Acta Materialia</i> , 2000, 48, 1741-1751. | 3.8 | 36 |
| 86 | High-performance bulk Ti-Cu-Ni-Sn-Ta nanocomposites based on a dendrite-eutectic microstructure. <i>Journal of Materials Research</i> , 2004, 19, 2557-2566. | 1.2 | 36 |
| 87 | Influence of TM and RE elements on glass formation of the ternary Al-TM-RE systems. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 3473-3479. | 1.5 | 35 |
| 88 | A precipitate-free AlCoFeNi eutectic high-entropy alloy with strong strain hardening. <i>Journal of Materials Science and Technology</i> , 2021, 89, 88-96. | 5.6 | 35 |
| 89 | Effect of alloying oxygen on the microstructure and mechanical properties of Zr-based bulk metallic glass. <i>Acta Materialia</i> , 2021, 220, 117345. | 3.8 | 33 |
| 90 | Effects of high boron content on crystallization, forming ability and magnetic properties of amorphous Fe ₉₁ Zr ₅ B _x Nb ₄ alloy. <i>Journal of Non-Crystalline Solids</i> , 2003, 332, 43-52. | 1.5 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Quaternary Fe-based bulk metallic glasses with a diameter of 5mm. <i>Intermetallics</i> , 2007, 15, 1447-1452. | 1.8 | 32 |
| 92 | Glass formability and structural stability of Al-based alloy systems. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 273-276. | 2.6 | 32 |
| 93 | Gradient Confinement Induced Uniform Tensile Ductility in Metallic Glass. <i>Scientific Reports</i> , 2013, 3, 3319. | 1.6 | 32 |
| 94 | Glass formation and microstructure evolution in Al-Ni-RE (RE=La, Ce, Pr, Nd and misch metal) ternary systems. <i>Philosophical Magazine</i> , 2007, 87, 4211-4228. | 0.7 | 31 |
| 95 | Electrochemical Properties of Nanostructured Al _{1-x} Cu _x Alloys as Anode Materials for Rechargeable Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2008, 155, A615. | 1.3 | 31 |
| 96 | Low temperature characterization of nano-sized BaFe ₁₂ ·2xZnxSnxO ₁₉ particles. <i>Journal of Magnetism and Magnetic Materials</i> , 1999, 191, 277-281. | 1.0 | 30 |
| 97 | Study of frequency dependence modulus of bulk amorphous alloys around the glass transition by dynamic mechanical analysis. <i>Intermetallics</i> , 2002, 10, 1061-1064. | 1.8 | 30 |
| 98 | Breakdown of the Hall-Petch relationship in extremely fine nanograined body-centered cubic Mo alloys. <i>Acta Materialia</i> , 2021, 213, 116950. | 3.8 | 30 |
| 99 | Easy glass formation in Mg ₆₄ Ni ₂₁ Nd ₁₅ by Bridgman solidification. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 179-180, 628-631. | 2.6 | 29 |
| 100 | Effect of weak convection on lamellar spacing of eutectics. <i>Acta Materialia</i> , 1998, 46, 3203-3210. | 3.8 | 29 |
| 101 | Effect of boron addition to the hard magnetic bulk Nd ₆₀ Fe ₃₀ Al ₁₀ amorphous alloy. <i>Journal of Magnetism and Magnetic Materials</i> , 2000, 217, 65-73. | 1.0 | 29 |
| 102 | Bulk Glass Formation of 12 mm Rod in La-Cu-Ni-Al Alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 375-377, 436-439. | 2.6 | 29 |
| 103 | The influence of Nb and Zr on glass-formation ability in the ternary Fe-Nb-B and Fe-Zr-B and quaternary Fe-(Nb,Zr)-B alloy systems. <i>Journal of Materials Research</i> , 2008, 23, 392-401. | 1.2 | 29 |
| 104 | Molecular dynamics studies of short to medium range order in Cu ₆₄ Zr ₃₆ metallic glass. <i>Journal of Alloys and Compounds</i> , 2011, 509, 8319-8322. | 2.8 | 29 |
| 105 | Easy glass formation in magnesium-based Mg-Ni-Nd alloys. <i>Journal of Materials Science</i> , 1996, 31, 1857-1863. | 1.7 | 28 |
| 106 | A study of the glass forming ability in ZrNiAl alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 441, 106-111. | 2.6 | 28 |
| 107 | Thermoelasticity of Fe ₇ C ₃ under inner core conditions. <i>Journal of Geophysical Research: Solid Earth</i> , 2016, 121, 5828-5837. | 1.4 | 28 |
| 108 | Thermodynamics of La based La-Al-Cu-Ni-Co alloys studied by temperature modulated DSC. <i>Intermetallics</i> , 2000, 8, 477-480. | 1.8 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | A magnetic and Mössbauer study of melt-spun Nd ₆₀ Fe ₃₀ Al ₁₀ . <i>Journal of Magnetism and Magnetic Materials</i> , 2001, 224, 143-152. | 1.0 | 27 |
| 110 | Improving glass-forming ability of Mg-Cu-Y via substitutional alloying: Effects of Ag versus Ni. <i>Journal of Materials Research</i> , 2006, 21, 2204-2214. | 1.2 | 27 |
| 111 | A new composition zone of bulk metallic glass formation in the Cu-Zr-Ti ternary system and its correlation with the eutectic reaction. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 3659-3665. | 1.5 | 27 |
| 112 | Co-existence of homogeneous flow and localized plastic deformation in tension of amorphous Ni-P films on ductile substrate. <i>Acta Materialia</i> , 2016, 106, 182-192. | 3.8 | 27 |
| 113 | Phase stability of B2-ordered ZrTiHfCuNiFe high entropy alloy. <i>Intermetallics</i> , 2019, 111, 106515. | 1.8 | 27 |
| 114 | The effects of W content on solid-solution strengthening and the critical Hall-Petch grain size in Ni-W alloy. <i>Surface and Coatings Technology</i> , 2019, 357, 23-27. | 2.2 | 27 |
| 115 | Magnetic relaxation in Zn-Sn-doped barium ferrite nanoparticles for recording. <i>Journal of Magnetism and Magnetic Materials</i> , 2000, 213, 413-417. | 1.0 | 26 |
| 116 | Glass Forming Ability of La-rich La-Al-Cu Ternary Alloys. <i>Materials Transactions</i> , 2001, 42, 551-555. | 0.4 | 26 |
| 117 | Invariant critical stress for shear banding in a bulk metallic glass. <i>Applied Physics Letters</i> , 2008, 93, 231912. | 1.5 | 26 |
| 118 | Characterizations of Al-Y thin film composite anode materials for lithium-ion batteries. <i>Electrochemistry Communications</i> , 2009, 11, 1179-1182. | 2.3 | 26 |
| 119 | The multi-axial deformation behavior of bulk metallic glasses at high homologous temperatures. <i>International Journal of Solids and Structures</i> , 2010, 47, 678-690. | 1.3 | 26 |
| 120 | Homogeneous flow of bulk metallic glass composites with a high volume fraction of reinforcement. <i>Journal of Materials Research</i> , 2007, 22, 1564-1573. | 1.2 | 25 |
| 121 | Bulk metallic glass formation near intermetallic composition through liquid quenching. <i>Applied Physics Letters</i> , 2009, 95, 011906. | 1.5 | 25 |
| 122 | Glass formation adjacent to the intermetallic compounds in Cu-Zr binary system. <i>Journal of Materials Science and Technology</i> , 2018, 34, 605-612. | 5.6 | 25 |
| 123 | Structure, properties and response to heat treatment of melt-spun Al-Y and Al-La alloys. <i>Journal of Materials Science</i> , 1994, 29, 3913-3918. | 1.7 | 24 |
| 124 | Unusual magnetization anisotropy in amorphous Nd-Fe-Al ribbons. <i>Journal of Magnetism and Magnetic Materials</i> , 1998, 187, L273-L277. | 1.0 | 23 |
| 125 | Effect of local pressure on the crystallization product of amorphous alloys induced by mechanical milling. <i>Journal of Non-Crystalline Solids</i> , 2000, 277, 91-97. | 1.5 | 23 |
| 126 | Effect of rare earth and silicon additions on structure and properties of melt spun Mg-9Al-1Zn alloy. <i>Materials Science and Technology</i> , 1996, 12, 651-661. | 0.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Glass transition and crystallization of Mg-Ni-Nd metallic glasses studied by temperature-modulated DSC. <i>Intermetallics</i> , 2004, 12, 869-874. | 1.8 | 22 |
| 128 | Compositional dependence of Young's moduli for amorphous Cu-Zr films measured using combinatorial deposition on microscale cantilever arrays. <i>Scripta Materialia</i> , 2011, 64, 41-44. | 2.6 | 22 |
| 129 | Oxygen impurity improving corrosion resistance of a Zr-based bulk metallic glass in 3.5 wt% NaCl solution. <i>Corrosion Science</i> , 2021, 192, 109867. | 3.0 | 22 |
| 130 | New amorphous alloys with high strength and good bend ductility in the Mg-Ni-Nd system. <i>Journal of Materials Processing Technology</i> , 1995, 48, 489-493. | 3.1 | 21 |
| 131 | Study on the Behavior of Additives in Steel Hot-Dip Galvanizing by DFT Calculations. <i>Chemistry of Materials</i> , 2000, 12, 1879-1883. | 3.2 | 21 |
| 132 | Rapid solidification behavior of Zn-rich Zn-Ag peritectic alloys. <i>Acta Materialia</i> , 2002, 50, 183-193. | 3.8 | 21 |
| 133 | Glass-forming ability of Pr-(Cu,Ni)-Al alloys in eutectic system. <i>Journal of Materials Research</i> , 2003, 18, 664-671. | 1.2 | 21 |
| 134 | Crystallization-induced stress in thin phase change films of different thicknesses. <i>Applied Physics Letters</i> , 2008, 93, 221907. | 1.5 | 21 |
| 135 | A Relationship between Glass-Forming Ability and Reduced Glass Transition Temperature near Eutectic Composition. <i>Materials Transactions</i> , 2001, 42, 556-561. | 0.4 | 20 |
| 136 | Mechanism of mechanical crystallization of amorphous Fe-Mo-Si-B alloy. <i>Journal of Applied Physics</i> , 2001, 90, 1650-1654. | 1.1 | 20 |
| 137 | Frequency-dependent complex modulus at the glass transition in Pd ₄₀ Ni ₁₀ Cu ₃₀ P ₂₀ bulk amorphous alloys. <i>Physical Review B</i> , 2003, 67, . | 1.1 | 20 |
| 138 | Cooperative shear and catastrophic fracture of bulk metallic glasses from a shear-band instability perspective. <i>Journal of Materials Research</i> , 2009, 24, 3620-3627. | 1.2 | 20 |
| 139 | The Effect of Heat Treatment on the Corrosion Behavior of Amorphous Mg-Ni-Nd Alloys. <i>Journal of Materials Research</i> , 1999, 14, 1638-1644. | 1.2 | 19 |
| 140 | Anomalous magnetic viscosity in bulk-amorphous materials. <i>Journal of Magnetism and Magnetic Materials</i> , 1999, 206, 127-134. | 1.0 | 19 |
| 141 | Effect of Yttrium addition on magnetocaloric properties of Gd-Co-Al-Ho high entropy metallic glasses. <i>Journal of Non-Crystalline Solids</i> , 2020, 549, 120354. | 1.5 | 19 |
| 142 | Observation of lamellar eutectic-like structure in a Zn-rich Zn-3.37wt%Cu peritectic alloy processed by Bridgman solidification. <i>Scripta Materialia</i> , 1998, 39, 7-11. | 2.6 | 18 |
| 143 | The effect of thermal annealing on reactive radio-frequency magnetron-sputtered carbon nitride films. <i>Journal Physics D: Applied Physics</i> , 1999, 32, 195-199. | 1.3 | 18 |
| 144 | Model of ferromagnetic clusters in amorphous rare earth and transition metal alloys. <i>Journal of Applied Physics</i> , 2001, 89, 8046-8053. | 1.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Boron content dependence of crystallization, glass forming ability and magnetic properties in amorphous Fe-Zr-B-Nb alloys. <i>Journal of Alloys and Compounds</i> , 2004, 370, 1-7. | 2.8 | 18 |
| 146 | The correlation between glass formation and hardness of the amorphous phase. <i>Scripta Materialia</i> , 2011, 65, 747-750. | 2.6 | 18 |
| 147 | Mechanical properties and optimum layer thickness in an amorphous Ni-P/coarse-grained Ni bi-layered structure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 760, 458-468. | 2.6 | 18 |
| 148 | The effect of oxygen on phase formation in an industrial Zr based bulk metallic glass. <i>Intermetallics</i> , 2021, 129, 107055. | 1.8 | 18 |
| 149 | Characterization of corrosion products formed on a rapidly solidified Mg based EA55RS alloy. <i>Journal of Materials Science</i> , 1996, 31, 4017-4023. | 1.7 | 17 |
| 150 | The alloying effect of Ni on the corrosion behavior of melt-spun Mg-Ni ribbons. <i>Electrochimica Acta</i> , 2001, 46, 2649-2657. | 2.6 | 17 |
| 151 | Correlation between Glass Formation and Type of Eutectic Coupled Zone in Eutectic Alloys. <i>Materials Transactions</i> , 2003, 44, 2007-2010. | 0.4 | 17 |
| 152 | Optimal glass-forming composition and its correlation with eutectic reaction in the Ti-Ni-Al ternary system. <i>Journal of Alloys and Compounds</i> , 2009, 467, 261-267. | 2.8 | 17 |
| 153 | Calculation of crystallization start line for Zr ₄₈ Cu ₄₅ Al ₇ bulk metallic glass at a high heating and cooling rate. <i>Journal of Alloys and Compounds</i> , 2009, 484, 698-701. | 2.8 | 17 |
| 154 | Micro-back-extrusion of a bulk metallic glass. <i>Scripta Materialia</i> , 2010, 63, 469-472. | 2.6 | 17 |
| 155 | A grain-size-dependent structure evolution in gradient-structured (GS) Ni under tension. <i>Nano Materials Science</i> , 2020, 2, 39-49. | 3.9 | 17 |
| 156 | A superferromagnetic approach for rapidly quenched Y ₆₀ Fe ₃₀ Al ₁₀ alloys. <i>Journal of Physics Condensed Matter</i> , 2000, 12, 4253-4262. | 0.7 | 16 |
| 157 | Glass forming ability of La-Al-Ni-Cu and Pd-Si-Cu bulk metallic glasses. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 304-306, 679-682. | 2.6 | 16 |
| 158 | Magnetic hardening in amorphous alloy Sm ₆₀ Fe ₃₀ Al ₁₀ . <i>Scripta Materialia</i> , 2001, 44, 829-834. | 2.6 | 16 |
| 159 | Cellular growth of Zn-rich Zn-Ag alloys processed by rapid solidification. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 373, 139-145. | 2.6 | 16 |
| 160 | Effect of residual shear bands on serrated flow in a metallic glass. <i>Materials Letters</i> , 2005, 59, 3325-3329. | 1.3 | 16 |
| 161 | The fundamental structural factor in determining the glass-forming ability and mechanical behavior in the Cu-Zr metallic glasses. <i>Materials Chemistry and Physics</i> , 2011, 127, 292-295. | 2.0 | 16 |
| 162 | The glass transition of Pd ₄₀ Ni ₁₀ Cu ₃₀ P ₂₀ studied by temperature-modulated calorimetry. <i>Journal of Non-Crystalline Solids</i> , 1999, 260, 228-234. | 1.5 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Relationship among Chemical Element Properties, Bulk Additive Properties, and Crystal Structures of Binary Zinc Compounds. <i>Chemistry of Materials</i> , 1999, 11, 3166-3170. | 3.2 | 15 |
| 164 | Study of temperature profile and specific heat capacity in temperature modulated DSC with a low sample heat diffusivity. <i>Thermochimica Acta</i> , 2000, 360, 131-140. | 1.2 | 15 |
| 165 | Effect of amorphous layer thickness on the tensile behavior of bulk-sized amorphous Ni-P/crystalline Ni laminates. <i>Materials Letters</i> , 2018, 218, 150-153. | 1.3 | 15 |
| 166 | Effect of load and lubrication on low load hardness of a rapidly solidified light alloy. <i>Materials Letters</i> , 1996, 28, 33-36. | 1.3 | 14 |
| 167 | Frequency dependence of heat capacity of the Pd ₄₀ Ni ₁₀ Cu ₃₀ P ₂₀ amorphous alloy by temperature-modulated calorimetry. <i>Physical Review B</i> , 2000, 62, 3169-3175. | 1.1 | 14 |
| 168 | Glass formation in the ternary Zr-Cu-Ni system. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 832-836. | 1.5 | 14 |
| 169 | Composition effects on glass-forming ability and its indicator Γ^3 . <i>Intermetallics</i> , 2008, 16, 410-417. | 1.8 | 14 |
| 170 | Density change upon crystallization of amorphous Zr-Cu-Al thin films. <i>Acta Materialia</i> , 2010, 58, 3633-3641. | 3.8 | 14 |
| 171 | Effect of heat treatment on the corrosion behaviour of amorphous Mg-18 at% Ni alloy. <i>Journal of Alloys and Compounds</i> , 1998, 279, 252-258. | 2.8 | 13 |
| 172 | Melting and solidification of Pb nanoparticles embedded in an Al matrix as studied by temperature-modulated differential scanning calorimetry. <i>Philosophical Magazine Letters</i> , 1998, 78, 37-44. | 0.5 | 13 |
| 173 | Magnetoresistivity and metamagnetism of the Nd ₃₃ Fe ₅₀ Al ₁₇ alloy. <i>Applied Physics Letters</i> , 1999, 75, 1763-1765. | 1.5 | 13 |
| 174 | Unidirectional solidification of a Zn-rich Zn-2.17 wt%Cu hypo-peritectic alloy. <i>Science and Technology of Advanced Materials</i> , 2001, 2, 127-130. | 2.8 | 13 |
| 175 | The influence of heat treatment on the corrosion behaviour of amorphous melt-spun binary Mg-18 at.% Ni and Mg-21 at.% Cu alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 304-306, 510-514. | 2.6 | 13 |
| 176 | A model of atom dense packing for metallic glasses with high-solute concentration. <i>Applied Physics Letters</i> , 2009, 94, . | 1.5 | 13 |
| 177 | Easy glass formation in La ₅₅ Ni ₂₀ Al ₂₅ by Bridgman solidification. <i>Materials Letters</i> , 1998, 34, 318-321. | 1.3 | 12 |
| 178 | Effects of rare earth additions on structures and properties of rapidly solidified copper alloys. <i>Materials Science and Technology</i> , 1999, 15, 169-179. | 0.8 | 12 |
| 179 | Crystallization by post-treatment of reactive r.f.-magnetron-sputtered carbon nitride films. <i>Diamond and Related Materials</i> , 1999, 8, 1906-1912. | 1.8 | 12 |
| 180 | Correlations between the glass transition, crystallization, apparent activation energy and glass forming ability in Fe based amorphous alloys. <i>Journal of Physics Condensed Matter</i> , 2003, 15, 7617-7623. | 0.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Effect of frame stiffness on the deformation behavior of bulk metallic glass. Journal of Materials Research, 2010, 25, 1958-1962. | 1.2 | 12 |
| 182 | Multiple maxima in glass-forming ability in Al-Zr-Ni system. Journal of Alloys and Compounds, 2010, 489, 183-187. | 2.8 | 12 |
| 183 | Effect of temperature on the yield strength of a binary CuZr metallic glass: Stress-induced glass transition. Intermetallics, 2012, 26, 162-165. | 1.8 | 12 |
| 184 | Magnetic properties, microstructure and corrosion behavior of Nd ₁₀ Y ₁ Fe ₈₅ xNb _{3.5} Ti _{0.5} B _x (x=14) and Nd ₁₀ Y ₁ Fe ₆₉ Nb _{3.5} Mo _{0.5} B ₁₆ (M=Ti, Zr, Cr, Mo) bulk nanocrystalline magnets. Journal of Alloys and Compounds, 2013, 555, 16-21. | 2.8 | 12 |
| 185 | Phase stability and compressive properties of low-density (Zr ₅₀ Ti ₃₅ Nb ₁₅) _{100-x} Al _x high entropy alloys. Intermetallics, 2022, 148, 107622. | 1.8 | 12 |
| 186 | Thermal stability of the Zn-Mg ₂ Zn ₁₁ and Zn-Al eutectics obtained by Bridgman growth. Journal of Materials Science, 1998, 33, 1159-1164. | 1.7 | 11 |
| 187 | A comparative study of melt-spun ribbons of Nd ₁₂ Fe ₈₂ B ₆ and Nd ₁₅ Fe ₇₇ B ₈ . Journal Physics D: Applied Physics, 1998, 31, 2745-2750. | 1.3 | 11 |
| 188 | Computer aided design of NiMH electrodes. Journal of Materials Chemistry, 1999, 9, 837-843. | 6.7 | 11 |
| 189 | Phase-Change Materials in Optically Triggered Microactuators. Journal of Microelectromechanical Systems, 2008, 17, 1094-1103. | 1.7 | 11 |
| 190 | The critical cooling rate and microstructure evolution of Zr _{41.2} Ti _{13.8} Cu _{12.5} Ni ₁₀ Be _{22.5} composites by Bridgman solidification. Intermetallics, 2010, 18, 115-118. | 1.8 | 11 |
| 191 | Glass formation, microstructure evolution and mechanical properties of Zr _{41.2} Ti _{13.8} Cu _{12.5} Ni ₁₀ Be _{22.5} and its surrounding alloys. Acta Materialia, 2014, 73, 194-204. | 3.8 | 11 |
| 192 | Voronoi volume recovery during plastic deformation in deep-notched metallic glasses. Journal of Alloys and Compounds, 2019, 776, 460-468. | 2.8 | 11 |
| 193 | Critical cooling rates of glass formation in Mg-based Mg-Ni-Nd alloys. Journal of Materials Science Letters, 1995, 14, 988-990. | 0.5 | 10 |
| 194 | Dissolution of Mg-based Mg-Ni-Nd amorphous alloys in 3% NaCl solution. Materials Letters, 1998, 36, 214-217. | 1.3 | 10 |
| 195 | Epitaxy barium ferrite thin films on LiTaO ₃ substrate. Journal of Applied Physics, 1999, 86, 2191-2195. | 1.1 | 10 |
| 196 | Heterogeneous nucleation catastrophe on dislocations in superheated crystals. Journal of Physics Condensed Matter, 2000, 12, 9123-9128. | 0.7 | 10 |
| 197 | Hard magnetic properties and magnetocaloric effect in amorphous NdFeAl ribbons. Journal of Alloys and Compounds, 2001, 316, 260-263. | 2.8 | 10 |
| 198 | Laser resolidification of a Zn-3.37 wt.% Cu peritectic alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2001, 318, 235-243. | 2.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Observation of lamellar structure in a Zn-rich Zn-6.3at.% Ag hyper-peritectic alloy processed by rapid solidification. Scripta Materialia, 2001, 44, 631-636. | 2.6 | 10 |
| 200 | Direct observation of a concealed glass transition in a Mg-Al-Nd metallic glass. Applied Physics Letters, 2003, 82, 862-864. | 1.5 | 10 |
| 201 | Contributions to the homogeneous plastic flow of in situ metallic glass matrix composites. Applied Physics Letters, 2005, 87, 241904. | 1.5 | 10 |
| 202 | Glass forming ability criteria for La-Al-(Cu,Ni) alloys. Journal of Non-Crystalline Solids, 2006, 352, 5482-5486. | 1.5 | 10 |
| 203 | Conversion of isothermal and isochronal crystallization in a supercooled liquid through additivity rule. Intermetallics, 2017, 86, 73-79. | 1.8 | 10 |
| 204 | Critical cooling rates for glass formation in Mg ₆₅ Ni ₂₀ Nd ₁₅ alloy. Journal of Non-Crystalline Solids, 1994, 175, 224-227. | 1.5 | 9 |
| 205 | Structures, properties and responses to heat treatment of Cu-Y alloys prepared by mechanical alloying. Journal of Alloys and Compounds, 1998, 278, 201-208. | 2.8 | 9 |
| 206 | Post-annealing effect in reactive r.f.-magnetron-sputtered carbon nitride thin films. Surface and Interface Analysis, 1999, 28, 245-249. | 0.8 | 9 |
| 207 | Numerical modeling and analysis of temperature modulated differential scanning calorimetry: On the separability of reversing heat flow from non-reversing heat flow. Thermochimica Acta, 2000, 343, 81-88. | 1.2 | 9 |
| 208 | EFFECT OF Y ADDITION ON THE CORROSION BEHAVIOR OF MELT-SPUN AMORPHOUS Mg-Cu RIBBONS. Surface Review and Letters, 2001, 08, 575-580. | 0.5 | 9 |
| 209 | Local atomic structures of amorphous Pd ₈₀ Si ₂₀ alloys and their configuration heredity in the rapid solidification. Philosophical Magazine, 2018, 98, 2861-2877. | 0.7 | 9 |
| 210 | Structure and mechanical properties of rapidly solidified magnesium based Mg-Al-Zn-RE alloys consolidated by extrusion. Materials Science and Technology, 1996, 12, 981-1070. | 0.8 | 9 |
| 211 | Phase constitution in melt-spun Al-10 wt% Y. The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties, 1994, 70, 1129-1137. | 0.6 | 8 |
| 212 | Structure and mechanical properties of rapidly solidified magnesium based Mg-Al-Zn-RE alloys consolidated by extrusion. Materials Science and Technology, 1996, 12, 981-982. | 0.8 | 8 |
| 213 | Unidirectional solidification of Al-Cu eutectic with the accelerated crucible rotation technique. Journal of Crystal Growth, 1998, 194, 398-405. | 0.7 | 8 |
| 214 | A magnetic study of melt-spun ribbons. Journal of Physics Condensed Matter, 1998, 10, 9081-9092. | 0.7 | 8 |
| 215 | Study of glass transition of metallic glasses by temperature-modulated differential scanning calorimetry (MDSC). Thermochimica Acta, 2000, 357-358, 65-69. | 1.2 | 8 |
| 216 | Some elements in specific heat capacity measurement and numerical simulation of temperature modulated DSC (TMDSC) with R/C network. Thermochimica Acta, 2000, 360, 157-168. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Synthesis of in situ bulk glass matrix composite in by Bridgman method. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 375-377, 407-410. | 2.6 | 8 |
| 218 | Effect of liquidus temperature depression on glass forming ability criteria for La-Al (Cu,Ni) alloys. Intermetallics, 2007, 15, 744-748. | 1.8 | 8 |
| 219 | Evaluation of composition region for peritectic coupled growth. Journal of Crystal Growth, 2000, 219, 300-306. | 0.7 | 7 |
| 220 | Amorphous magnetic RE-Fe-Al alloys. IEEE Transactions on Magnetics, 2001, 37, 2500-2502. | 1.2 | 7 |
| 221 | Synthèse de composites à matrice de verre métallique massif renforcé par une phase cristalline dans des alliages de lanthane et de palladium. Annales De Chimie: Science Des Matériaux, 2002, 27, 119-124. | 0.2 | 7 |
| 222 | Correlations between apparent activation energy and thermostability and glass forming ability for Fe based metallic glasses. Journal of Non-Crystalline Solids, 2008, 354, 970-974. | 1.5 | 7 |
| 223 | Bulk metallic glass formation, composite, and magnetic properties of Fe-B-Nd based alloys. Journal of Materials Research, 2009, 24, 357-371. | 1.2 | 7 |
| 224 | Influence of oxygen on the glass formation of Mo-O binary alloys. Journal of Non-Crystalline Solids, 2018, 500, 210-216. | 1.5 | 7 |
| 225 | High-throughput screening of critical size of grain growth in gradient structured nickel. Journal of Materials Science and Technology, 2021, 82, 33-39. | 5.6 | 7 |
| 226 | Dual-gradient structure leads to optimized combination of high fracture resistance and strength-ductility synergy with minimized final catastrophic failure. Journal of Materials Research and Technology, 2021, 15, 901-910. | 2.6 | 7 |
| 227 | Observation of continuous and step-like thermomagnetization in Nd-Fe-Al amorphous alloys. IEEE Transactions on Magnetics, 1999, 35, 3460-3462. | 1.2 | 6 |
| 228 | Dependence of pulsed-laser deposition parameters on the microstructure and magnetic property of Nd-Fe-B thin films grown at high substrate temperature. Journal of Applied Physics, 2002, 91, 4666-4671. | 1.1 | 6 |
| 229 | Co dependence of Curie temperature in amorphous Fe-Co-Zr-B-Nb alloys with high glass-forming ability. Journal of Physics Condensed Matter, 2004, 16, 6325-6334. | 0.7 | 6 |
| 230 | Synthesis of amorphous alloys and amorphous-crystalline composites in ternary Ni-Nb-Zr system by ion beam mixing. Materials Chemistry and Physics, 2013, 141, 960-966. | 2.0 | 6 |
| 231 | Prediction of new additives for galvanizing process by the properties of their constituent chemical elements. Journal of Materials Research, 1999, 14, 1791-1795. | 1.2 | 5 |
| 232 | Structure and Magnetic Properties of Y60Fe30Al10 Melt-Spun Ribbons. Physica Status Solidi A, 1999, 172, 461-468. | 1.7 | 5 |
| 233 | Class Formation and Glass Forming Ability of La Based Alloys. Materials Transactions, JIM, 2000, 41, 1397-1405. | 0.9 | 5 |
| 234 | Cluster-glass behaviour of the substituted molybdenum ferrite: a magnetic and Mössbauer study. Journal of Physics Condensed Matter, 2000, 12, 9963-9972. | 0.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Effect of Ta particles on the fracture behavior of notched bulk metallic glass composites. <i>Intermetallics</i> , 2019, 106, 1-6. | 1.8 | 5 |
| 236 | Strain-hardening under uniaxial tension in a rejuvenated bulk metallic glass. <i>Scripta Materialia</i> , 2022, 212, 114572. | 2.6 | 5 |
| 237 | Structures, properties and responses to heat treatment of melt-spun Cu–Y alloys. <i>Journal of Alloys and Compounds</i> , 1997, 259, 276-282. | 2.8 | 4 |
| 238 | A model for magnetic ordering in inhomogeneous amorphous RE–Fe–Al alloys. <i>Journal of Magnetism and Magnetic Materials</i> , 2001, 226-230, 1504-1506. | 1.0 | 4 |
| 239 | The eutectic point in Pr-rich Pr–Cu–Al ternary alloys. <i>Journal of Alloys and Compounds</i> , 2002, 333, 113-117. | 2.8 | 4 |
| 240 | Effect of micro-structural changes on mechanical properties of La ₆₆ Al ₁₄ (Cu, Ni) ₂₀ amorphous and crystalline alloys. <i>Intermetallics</i> , 2004, 12, 1279-1283. | 1.8 | 4 |
| 241 | Synthesis of a La-based bulk metallic glass matrix composite. <i>Philosophical Magazine Letters</i> , 2004, 84, 53-61. | 0.5 | 4 |
| 242 | The effect of various transition metals on glass formation in ternary La-TM-Al (TM = Co, Ni, Cu) alloys. <i>Journal of Materials Research</i> , 2011, 26, 992-996. | 1.2 | 4 |
| 243 | Crystallization behavior of an Au based metallic glass at high temperature. <i>Journal of Alloys and Compounds</i> , 2020, 835, 155245. | 2.8 | 4 |
| 244 | Brillouin light-scattering from polymer gels. <i>Journal De Physique II</i> , 1993, 3, 1241-1245. | 0.9 | 4 |
| 245 | The aging characteristics of rapidly solidified high lithium Al–Li–Mg alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 179-180, 681-687. | 2.6 | 3 |
| 246 | DSC analysis of the effect of processing technique on the dissolution/precipitation reactions in a hypereutectic Al–Si alloy. <i>Journal of Thermal Analysis</i> , 1995, 44, 1321-1331. | 0.7 | 3 |
| 247 | Observation of glass transition upon cooling in Pd ₄₀ Ni ₁₀ Cu ₃₀ P ₂₀ alloy by DSC. <i>Materials Letters</i> , 1999, 40, 294-297. | 1.3 | 3 |
| 248 | Glass formation in La-based La ₅₅ Al ₂₅ (NiCu) ₂₀ alloys by Bridgman solidification. <i>Journal of Non-Crystalline Solids</i> , 1999, 250-252, 601-604. | 1.5 | 3 |
| 249 | Glass transition of rare-earth based metallic glasses: temperature modulated differential scanning calorimetry. <i>Journal of Non-Crystalline Solids</i> , 1999, 250-252, 689-693. | 1.5 | 3 |
| 250 | Strong composition-dependence on glass-forming ability in Ni–(Ti,Zr)–Si pseudo-ternary alloys. <i>Journal of Alloys and Compounds</i> , 2006, 422, 86-91. | 2.8 | 3 |
| 251 | Significant structural relaxation in a Mo–O binary amorphous alloy. <i>Journal of Non-Crystalline Solids</i> , 2019, 514, 10-14. | 1.5 | 3 |
| 252 | Structure and mechanical properties of rapidly solidified magnesium based Mg–Al–Zn–RE alloys consolidated by extrusion. <i>Materials Science and Technology</i> , 1996, 12, 981-989. | 0.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | The effect of solidification conditions on the structure and properties of the Al-6wt% Li-15wt%Cu eutectic alloy containing T2 phase. <i>Journal of Materials Science</i> , 1990, 25, 835-842. | 1.7 | 2 |
| 254 | Structure and properties of rapidly solidified Mg-based Mg ₇₀ Pr alloys. <i>Journal of Materials Processing Technology</i> , 1995, 48, 483-487. | 3.1 | 2 |
| 255 | Temperature modulated differential scanning calorimetry: on system linearity and the effect of kinetic events on the observed sample specific heat. <i>Thermochimica Acta</i> , 2000, 359, 43-54. | 1.2 | 2 |
| 256 | Discontinuous precipitation initiated at interphase boundaries in a Zn-rich Zn-6.3 at.% Ag alloy. <i>Philosophical Magazine Letters</i> , 2000, 80, 467-475. | 0.5 | 2 |
| 257 | Structure and Magnetic Properties of Chill-cast and Melt-spun Nd _x (Fe ₃ Al) _{100-x} and Nd ₃₃ (Fe _y Al) ₆₇ Alloys. <i>Materials Transactions</i> , 2001, 42, 664-669. | 0.4 | 2 |
| 258 | Bulk Hard Magnetic Alloys in Nd-Fe-B System Prepared by Casting and Melt Spinning. <i>Materials Transactions</i> , 2001, 42, 674-677. | 0.4 | 2 |
| 259 | MAGNETOELASTIC NANOCRYSTALLINE Co-Ni ALLOYS. <i>International Journal of Nanoscience</i> , 2004, 03, 615-623. | 0.4 | 2 |
| 260 | Pinpoint the Best Glass Forming Alloy by Microstructure Study in Cu ₈ Zr ₃ -Cu ₁₀ Zr ₇ Eutectic System of Cu-Zr Binary System. <i>Journal of Metastable and Nanocrystalline Materials</i> , 2005, 24-25, 287-290. | 0.1 | 2 |
| 261 | Parameters governing glass formation: A view from phase selection. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 449-451, 63-65. | 2.6 | 2 |
| 262 | Publisher's Note: Electrochemical Properties of Nanostructured Al _{1-x} Cu _x Alloys as Anode Materials for Rechargeable Lithium-Ion Batteries [J. Electrochem. Soc., 155, A615 (2008)]. <i>Journal of the Electrochemical Society</i> , 2008, 155, S10. | 1.3 | 2 |
| 263 | Correlation between supercooled liquid region and crystallization behavior with alloy composition of La-Al-Cu metallic glasses. <i>Science China: Physics, Mechanics and Astronomy</i> , 2011, 54, 1608-1611. | 2.0 | 2 |
| 264 | Brillouin light-scattering from poly(acrylic acid) hydrogels. <i>Journal De Physique II</i> , 1994, 4, 715-722. | 0.9 | 2 |
| 265 | Evidence for growth twinning within eutectic T ₂ phase in chill-cast Al-T, eutectic alloy. <i>Philosophical Magazine Letters</i> , 1991, 63, 197-203. | 0.5 | 1 |
| 266 | Effect of alloying addition of Pr on the dissolution rate of melt-spun Mg in 3% NaCl solution. <i>Journal of Materials Science</i> , 1998, 33, 1075-1081. | 1.7 | 1 |
| 267 | A structural, magnetic and Mössbauer investigation on melt-spun Nd _{0.33} (Fe _{0.75} Al _{0.25}) _{0.67} ribbons. <i>Journal of Physics Condensed Matter</i> , 1999, 11, 10557-10566. | 0.7 | 1 |
| 268 | Glass Formation and Glass Forming Ability of Alloys Near Eutectic Composition. <i>Materials Research Society Symposia Proceedings</i> , 2000, 644, 341. | 0.1 | 1 |
| 269 | Effect of long-term room-temperature storage on the structure and properties of glassy melt-spun Mg-Al-Ca alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2000, 31, 2155-2162. | 1.1 | 1 |
| 270 | Correlation of chemical element properties and additive behaviors of ternary zinc compounds. <i>Calphad: Computer Coupling of Phase Diagrams and Thermochemistry</i> , 2002, 26, 55-62. | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Initiation of discontinuous precipitation at interphase boundaries in a two-phase Zn ^{6.3} at.%Ag alloy. Philosophical Magazine, 2004, 84, 1773-1787. | 0.7 | 1 |
| 272 | Composition optimization of the NiZrYAl glass forming alloys. Journal of Alloys and Compounds, 2006, 424, 307-310. | 2.8 | 1 |
| 273 | Role of structure and rare earth (RE) elements on the corrosion of magnesium (Mg) alloys. , 2011, , 166-206. | | 1 |
| 274 | A novel nacre-like metal/metal structure by lithography and electrodeposition. Journal of Alloys and Compounds, 2021, 865, 158853. | 2.8 | 1 |
| 275 | Rejuvenation by triaxial compression in a brittle La-based bulk metallic glass. Materials Letters, 2022, 320, 132336. | 1.3 | 1 |
| 276 | Crystallization parameters of two Mg ¹ -,Ni ¹ -,Nd alloy glasses with large supercooled liquid ranges. Materials Letters, 1994, 21, 175-178. | 1.3 | 0 |
| 277 | Significant Undercooled Liquid Region of Over 200K in Rare Earth Based Metallic Glasses. Materials Research Society Symposia Proceedings, 1998, 554, 205. | 0.1 | 0 |
| 278 | Mechanical Properties of La-based Bulk Amorphous Alloys and Composites. Materials Research Society Symposia Proceedings, 2002, 754, 1. | 0.1 | 0 |
| 279 | Geometry-sensitive plasticity of a monolithic bulk metallic glass. Materials Research Society Symposia Proceedings, 2007, 1048, 6. | 0.1 | 0 |
| 280 | Glass Forming Ability and Magnetic Properties of (Fe ⁶⁸ B ²⁵ Nd ⁷) ₉₆ Nb ⁴ Bulk Metallic Glass. Key Engineering Materials, 0, 426-427, 629-632. | | 0 |